



**RESTRICTED USE PESTICIDE
DUE TO APPLICATOR EXPERTISE REQUIREMENTS**

For retail sale to and use only by certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

ContraPest®

A liquid bait for the reduction of reproductive capacity to manage populations of Norway Rats and Roof Rats.

Active Ingredients:	
4-Vinylcyclohexene diepoxide.....	0.09604%
Triptolide.....	0.00118%
Other Ingredients:	<u>99.90278%</u>
Total:	100.0000%

Keep out of Reach of Children

WARNING

FIRST AID

If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.

EPA Reg. No. 91601-1
Net Contents: 18.59 fl. oz. (550 mL)

EPA Est. No. 91601-AZ-1
Manufactured by: SenesTech, Inc.
3140 Caden Court
Flagstaff, AZ 86004

PRECAUTIONARY STATEMENTS

May be fatal if swallowed or absorbed through skin. Causes skin irritation and substantial but temporary eye injury. Do not get in eyes, on skin, or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the



toilet. Wear protective nitrile gloves \geq 14 mils or butyl rubber \geq 14 mils, short sleeved or long sleeved shirts, and long pants when handling this product. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Treatment for Pet Ingestion: If animal consumes bait, and adverse health effects are observed, call a veterinarian.

Note to Physician or Veterinarian: This product has been formulated for fertility control in rats. It may possibly induce transient infertility in small male and female mammals capable of reproduction.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read label attached to product. Follow all use directions and use precautions. Use only for sites, pests, and application methods described on this label.

FOR INDOOR NON-FOOD USE ONLY: For use inside and within 1 ft around external perimeters of transit systems, public and private buildings, and commercial residential buildings.

USE RESTRICTIONS

1. Store unused bait inserts out of reach of children, pets, and livestock.
2. Bait stations must not be placed in areas where the contamination of food or surfaces that come in direct contact with food is possible.
3. Apply bait inserts only in a JT Eaton 903TP tamper resistant bait station.
4. To avoid damage to the bait station, do not use bait stations in areas open to hooved livestock or potentially destructive wildlife.
5. Bait station must be secured when placed in areas where children, pets, non-target animals (including livestock), or the general public may be present. Bait stations must also be secured when placed within 1 ft of the exterior perimeter of a building or transit station.
6. Bait station must be inside, or within 1 ft of the exterior perimeter of, a man-made structure
7. Do not place bait stations where they are likely to become submerged or inundated with water, or on an uneven surface.

SELECTION OF TREATMENT AREAS: Determine areas where target animals are most likely to find and consume bait. It is recommended that chew cards or non-toxic bait blocks be used to determine these locations. Reassess, if foraging locations change (*e.g.*, due to seasonal changes or construction).

APPLICATION DIRECTIONS: Place bait station on a firm, level surface in an area of target pest activity. Do not place bait stations where they are likely to become submerged (*e.g.*, below



the mean higher high water mark in tidal areas, in storm sewers, or in catch basins), or on an uneven surface. Bait station must be secured when placed in areas where children, pets, non-target animals (including livestock), or the general public may be present. Bait stations must also be secured when placed within 1 ft of the exterior of a building or transit station. Do not dilute or add anything to the product.

Maintain an uninterrupted supply of bait in bait stations. Keep filled bait station clean, dry and on a level surface. Check bait stations and replace bait insert as necessary, or at least every 30 days.

Collect and properly dispose of any leftover bait, as instructed in the Storage and Disposal section of this label.

Installing Bait Inserts in Bait Stations:

To use new bait insert (tank and feeder tray):

1. Remove cap, keeping the opening down, screw tank onto tray while keeping it level.
2. The flow of liquid should begin immediately. Do not squeeze tank to encourage flow of bait.
3. Place insert into the appropriate side of the bait station (R or L).

To reuse feeder tray with new tank:

1. Remove insert (tank and tray) from bait station. Keep insert level to limit spills.
2. Slowly rotate insert away from you, as indicated by arrow on top of the tank, until feeder tray is on top.
3. Hold insert in this position for approximately 5 seconds to ensure all bait flows back into tank.
4. Unscrew feeder tray from tank and flip tray over until it is in upright position.
5. Remove cap on the new tank and keeping the opening down, screw the tank onto the tray.
6. The flow of liquid should begin immediately. Do not squeeze tank.
7. Place insert into the appropriate side of the bait station (R or L).
8. Screw new tank cap onto old tank and dispose in trash.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store only in original, tightly secured, bait tank in a room temperature environment, inaccessible to children, pets, livestock, and other non-target animals.

Disposal: Do not re-use empty tanks. **If empty:** Place container in trash or offer for recycling.

If partly filled: Cap the tank and place in the trash container.

Container Handling: Non-refillable tank. Dispose of tanks by recapping and placing in trash can or an approved waste disposal facility.

WARRANTY



To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Patent Pending PCT/US2013/056428.

RESTRICTED USE PESTICIDE

DUE TO APPLICATOR EXPERTISE REQUIREMENTS

For retail sale to and use only by certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

ContraPest®



Active Ingredients:

4-Vinylcyclohexene diepoxide..0.09604%
Triptolide0.00118%
Other Ingredients.....99.90278%
Total: 100.0000%

Keep Out of Reach of Children

WARNING

Net Contents: 18.59 fl. oz.(550 ml)

*See full product label for First Aid and Directions for Use. **Directions for Use:** For use in JT Eaton 903TP bait station only. Applicator must be in possession of the full label at the time of application. Replace at least every 30 days. **To use new bait insert (tank and feeder tray):** 1. Remove cap, keeping the opening down, screw tank onto tray while keeping it level. 2. The flow of liquid should begin immediately. Do not squeeze tank to encourage flow of bait. 3. Place insert into the appropriate side of the bait station (R or L). **To reuse feeder tray with new tank:** 1. Remove insert (tank and tray) from bait station. Keep insert level to limit spills. 2. Slowly rotate insert away from you, as indicated by arrow on top of the tank, until feeder tray is on top. 3. Hold insert in this position for approximately 5 seconds to ensure all bait flows back into tank. 4. Unscrew feeder tray from tank and flip tray over until it is in upright position. 5. Remove cap on the new tank and keeping the opening down, screw the tank onto the tray. 6. The flow of liquid should begin immediately. Do not squeeze tank. 7. Place insert into the appropriate side of the bait station (R or L). 8. Screw new tank cap onto old tank and dispose in trash.*

Disposal:

Do not re-use empty bait insert.

If empty: Place container in trash or offer for recycling. **If partly filled:** Cap the container and place in the trash.

EPA Reg. No. 91601-1

Patent Pending: PCT/US2013/056428

Manufactured by:

SenesTech
3140 N. Caden Ct
Flagstaff, AZ 86004
EPA Est. No. 91601-AZ-1

Batch Code:

See stamp