



LICENSED

PERIOD 2015-2017 LIC. NO.

7017.1

# BACSTOP™

## Fabric sanitizer

EPA. REG. NO. 7048-8 • EPA. EST. NO. 15596-OH-01

ACTIVE INGREDIENT: Didecyl Dimethyl Ammonium Chloride.....50%

OTHER INGREDIENTS:.....50%

TOTAL:.....100%



**BACSTOP™ sanitizes fabrics, reducing bacterial count by 99.9%. BACSTOP™ is for use on fabrics, such as; diapers, athletic apparel, uniforms, table linens, bedding & towels, hospital and institutional linen.**

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

#### USE RATE

For **3 week** protection, use **1¾ oz per cwt** of fabric (dry weight)

For **30 days** protection, use **2¼ oz per cwt** of fabric (dry weight)

Reserve  
d for  
UPC  
code

#### BACTERIAL CONTROL

At this use level, **BACSTOP™** imparts to the fabric a residual self-sanitizing and residual bacteriostatic finish under humid or wet contamination conditions (ie. Diapers and bed linens of incontinent persons) during normal conditions of use and storage. This activity has been confirmed against *Klebsiella pneumoniae* ATCC No. 4352 and *Staphylococcus aureus* ATCC No. 6538.

At this use level, **BACSTOP™ sanitizes** and imparts to the fabric a residual self-sanitizing and residual bacteriostatic finish under humid or wet contamination conditions (ie. Diapers and bed linens of incontinent persons) during normal conditions of use and storage. This activity has been confirmed against *Klebsiella pneumoniae* ATCC No. 4352 and *Staphylococcus aureus* ATCC No. 6538.

**BACSTOP™** is used in the final, warm rinse cycle at a low water level. Dilute the appropriate amount of **BACSTOP™** in one gallon of water; then add to the wash in the final rinse, or dispense directly through automatic dispensing equipment. Retreat as necessary.

**BACSTOP™** will not harm fabrics.

**DO NOT USE IN THE PRESENCE OF, OR MIX WITH OTHER CHEMICALS!**

### Precautionary Statements Hazards To Humans & Domestic Animals. KEEP OUT OF REACH OF CHILDREN DANGER

**Corrosive.** Causes irreversible damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles or face shield), rubber gloves and protective clothing. Harmful if swallowed. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

**For Commercial & Institutional use only.**

**LOT #: Sample label 55 GAL.**

#### FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment

<b>IF INHALED</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>IF ON SKIN OR CLOTHING</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>IF IN EYES</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>IF SWALLOWED</b>	<ul style="list-style-type: none"> <li>• Call poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Non-refillable container. Do not reuse this container to hold materials other than pesticides or diluted pesticides (rinsate). Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.