



LICENSED

PERIOD 2015-2017 LIC. NO.

7021.1



PCS 7000 Disinfectant Cleaner

For use on pre-cleaned hard non-porous environmental surfaces in health care facilities, institutions, schools and hospitality industries, where organic soils may be present.

Kills Bacteria (Bactericide), Kills Pseudomonas aeruginosa, Salmonella enterica and Staphylococcus aureus
Kills Clostridium difficile* (spores)

EPA REG. NO. 90271-1
EPA EST. NO. 67900-CAN-001

ACTIVE INGREDIENTS

Sodium hypochlorite 0.735%

OTHER INGREDIENTS 99.265%

Total 100.00%

Available Chlorine 0.7%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional precautionary statements.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency, call poison control center 1-800-222-1222 for treatment advice.

*Follow Special Instructions for Cleaning Prior to Disinfection [listed on label].

NET CONTENTS

1 Gal. (3.78L)

Manufactured for:

Process Cleaning Solutions Ltd.

12510 Prosperity Dr., Suite 160, Silver Spring, MD 20904

th
in
re
or
ip
or
5
re
le

S
F
e
v
l
e
ti

C
C

T

[

[
S
F
C
r
a

P
8

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DISINFECTION

To clean and disinfect walls, tables, countertops or other hard nonporous surfaces:

- Remove gross soil prior to disinfecting surfaces.
- Apply undiluted with a clean mop, cloth or sponge to pre cleaned surfaces. (When applying with a saturated cloth or sponge, gloves should be worn.)
- Completely wet surface and keep wet for 5 minutes.
- Wipe with a clean damp cloth or paper towel or allow to air dry.
- Rinse with potable water surfaces that come in contact with food and surfaces or objects that come in contact with children at the mouthing stage of development. For all other surfaces, no rinsing is required.

Avoid contamination of food.

Special Instructions for Cleaning Prior to Disinfection Against Clostridium Difficile Spores*

Personal Protection:

Wear appropriate barrier protection such as gloves, gowns, masks or eye covering.

Cleaning Procedure: Fecal matter/waste must be thoroughly cleaned from surfaces/objects before disinfection by application with a clean cloth, mop and/or sponge saturated with PCS 7000 Disinfectant Cleaner. Cleaning is to include vigorous wiping and or scrubbing until all visible soil is removed. Special attention is needed for high touch surfaces. Surfaces in patient rooms are to be cleaned in an appropriate manner such as from right to left or left to right on horizontal surfaces and top to bottom on vertical surfaces to minimize spreading of the spores. Restrooms are to be cleaned last. Do not reuse soiled cloths.

Infectious Materials Disposal: Materials used in the cleaning process that may contain feces/wastes are to be disposed of immediately in accordance with local regulations for infectious materials disposal.

Disinfection Procedure: Apply with a clean cloth, mop and/or sponge saturated with this product until surface is completely wet. Let stand for 5 minutes. Wipe with a clean damp cloth or paper towel or allow to air dry.

To Disinfect Non Critical Pre Cleaned Instruments:

Instruments must be thoroughly pre cleaned to remove excess organic debris, rinsed, and rough dried. (Clean and rinse lumens of hollow instruments before filling with this product or before immersion.) **Immersion method:** Using a soaking tray, immerse instruments into this product and let stand for 5 minutes. To kill Clostridium difficile* (spores) let stand for 5 minutes. Wipe with a clean damp cloth or paper towel and allow to air dry.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre clean or decontaminate critical or semi critical medical devices prior to sterilization or high level disinfection.

*Follow the Special Instructions for Cleaning Prior to Disinfection.

SANITIZATION OF NONPOROUS FOOD CONTACT SURFACES

Rinse Method: Prepare a sanitizing solution by thoroughly mixing 1 part of this product with 32 parts of water to provide approximately 200 ppm available chlorine by weight. Clean equipment surfaces in normal manner. Prior to use, rinse all surfaces thoroughly with the sanitizing solution, maintaining contact with the sanitizer for at least 2 minutes. Do not rinse equipment with water after treatment and do not soak equipment overnight

Immersion Method: Prepare a sanitizing solution by thoroughly mixing 1 part of this product with 32 parts of water to provide approximately 200 ppm available chlorine by weight. Clean equipment in the normal manner. Prior to use, immerse equipment in the sanitizing solution for at least 2 minutes and allow the sanitizer to drain. Do not rinse equipment with water after treatment.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Environmental Hazards

This product is toxic to fish and aquatic organisms.

Physical or Chemical Hazards

Do not use this product with ammonia or acids such as vinegar, rust removers or toilet bowl cleaners. This product is not intended for use on fabrics.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE FOOD OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT.

Storage: Store in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water.

Product Disposal: Product or rinsates that cannot be used must be diluted with water before disposal in a sanitary sewer.

Container Handling: Non refillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip and dispose of rinsate in a sanitary sewer. Repeat procedure two more times. Offer container for recycling if available or reconditioning if appropriate or place in trash.

