



113048

advecta II FOR dogs

For use ONLY on Dogs and Puppies 7 weeks and older weighing 3-10 lbs.

4 MONTH SUPPLY

4 MONTH SUPPLY

For use ONLY on Dogs and Puppies 7 weeks and older weighing 3-10 LBS



4 MONTH SUPPLY

STARTS WORKING THROUGH CONTACT

For use ONLY on Dogs and Puppies 7 weeks and older weighing 3-10 lbs.

advecta II FOR dogs

3-way flea protection
Waterproof

advecta II FOR dogs



CONTAINS THE SAME ACTIVE INGREDIENTS USED IN ADVANTAGE® II

Advecta™ II is not manufactured by or distributed by Bayer. Advantage® II is a registered trademark of Bayer Healthcare LLC.

For use ONLY on Dogs and Puppies 7 weeks and older weighing 3-10 lbs.

advecta II FOR dogs

3-way flea protection
Waterproof

Convenient, easy-to-apply topical solution. For use ONLY on Dogs and Puppies 7 weeks and older weighing 3-10 lbs.

ACTIVE INGREDIENTS:

Imidacloprid	9.10%
Pyriproxyfen	0.46%
OTHER INGREDIENTS	90.44%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION



SEE BACK PANEL FOR PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE.

Net Contents: 0.056 fl. oz (1.6ml), Contains 4 tubes, each 0.014 fl.oz (0.4ml)



8 18145 01517 5

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS
For external use only. Do not use on puppies under 7 weeks of age or weighing less than 3 lbs. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing dogs. Individual sensitivities, while rare, may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your dog is on a medication, consult your veterinarian before using this or any other product.

FIRST AID
 Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies or consumer questions call 1-855-844-4375.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment or advice.

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

READ ENTIRE LABEL BEFORE EACH USE

RESTRICTIONS
USE ONLY ON DOGS OR ON PUPPIES 7 WEEKS OF AGE OR OLDER WEIGHING 3 to 10 lbs.
DO NOT USE ON OTHER ANIMALS
DO NOT EXCEED LABELED DOSAGE AMOUNT FOR DOGS
DO NOT APPLY MORE THAN ONE (1) TUBE PER TREATMENT
DO NOT HAVE CONTACT OR ALLOW CHILDREN TO HAVE CONTACT WITH TREATED AREA UNTIL COMPLETELY DRY

EPA Reg. No. 2596-180-91384
EPA Est. No. 2596-0H-1

Side Effects: Monitor your dog after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call 1-855-844-4375.

DO NOT USE ON CATS.
 Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

- HOW TO APPLY**
1. Remove one applicator tube from the package.
 2. Hold applicator tube in an upright position facing away from you and your pet's face and eyes. Pull cap off tube.
 3. Turn the cap around and place other end of cap back on tube.
 4. Twist cap to break seal, then remove cap from tube.
 5. The dog should be standing for easy application. Part the hair on the dog's back, between the shoulder blades, until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin. **Do not get this product in your dog's eyes or allow your dog to ingest this product.** Do not allow the product to run off.
 6. Discard empty tube as described in the Storage and Disposal section.
 7. Under normal conditions the product is effective for a month. However, in case of severe flea infestation, retreatment may be necessary earlier than four weeks. Do not re-treat more often than once every seven (7) days. After flea control is obtained, return to a monthly retreatment schedule.

STORAGE AND DISPOSAL
PESTICIDE STORAGE: Store in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:
 Non-refillable container. **If empty:** Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-888-846-4231 for disposal instructions. Never place unused product down any indoor or outdoor drain.

For more information call our experts at 1-888-846-4231

Manufactured for: CAP IM Supply, Inc.
303 Perimeter Center North, Suite 300
Atlanta, GA 30346
Made in the USA

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not use on puppies under 7 weeks of age or weighing less than 3 lbs. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing dogs. Individual sensitivities, while rare, may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your dog is on medication, consult your veterinarian before using this or any other product.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies or consumer questions call 1-855-844-4375.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control center or doctor for treatment or advice.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

READ ENTIRE LABEL BEFORE EACH USE

RESTRICTIONS

USE ONLY ON DOGS OR ON PUPPIES 7 WEEKS OF AGE OR OLDER WEIGHING 3 to 10 lbs.

DO NOT USE ON OTHER ANIMALS

DO NOT EXCEED LABELED DOSAGE AMOUNT

FOR DOGS

DO NOT APPLY MORE THAN ONE (1) TUBE PER TREATMENT

DO NOT HAVE CONTACT OR ALLOW CHILDREN TO HAVE CONTACT WITH TREATED AREA UNTIL COMPLETELY DRY

Side Effects: Monitor your dog after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call 1-855-844-4375.



DO NOT USE ON CATS.

Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

HOW TO APPLY

1. Remove one applicator tube from the package.
2. Hold applicator tube in an upright position **facing away from you and your pet's face and eyes.** Pull cap off tube.
3. Turn the cap around and place other end of cap back on tube.
4. Twist cap to break seal, then remove cap from tube.
5. The dog should be standing for easy application. Part the hair on the dog's back, between the shoulder blades, until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin. **Do not get this product in your dog's eyes or allow your dog to ingest this product.** Do not allow the product to run off.
6. Discard empty tube as described in the Storage and Disposal section.
7. Under normal conditions the product is effective for a month. However, in case of severe flea infestation, retreatment may be necessary earlier than four weeks. Do not re-treat more often than once every seven (7) days. After flea control is obtained, return to a monthly retreatment schedule.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Non-refillable container. **If empty:** Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-888-846-4231 for disposal instructions. Never place unused product down any indoor or outdoor drain.

For more information call our experts at 1-888-846-4231

RM113042

Manufactured for: CAP IM Supply, Inc.
303 Perimeter Center North, Suite 300
Atlanta, GA 30346
Made in the USA

EPA Reg. No. 2596-180-91384
EPA Est. No. 2596-0H-1



113042

EPA Reg. No. 2596-180-91384
EPA Est. No. 2596-OH-1

**READ ENTIRE LABEL
BEFORE USE**

CAUTION

**KEEP OUT OF REACH
OF CHILDREN**

9.10% IMIDACLOPRID
0.46% PYRIPROXYFEN

advecta[™] II
for dogs


Only for Use on Dogs and Puppies
7 Weeks or Older Weighing
3 to 10 lbs.—0.014 fl. oz. (0.4 ml)

RM113036

advecta^{II} FOR dogs

REMINDER STICKERS

The first time you treat your dog, place the first month sticker on your calendar. Apply Advecta^{II} for Dogs monthly, every 30 days. Use these calendar stickers to remind you when your dog is due for the next application.



For more information call our experts at 1-888-846-4231

Manufactured for: CAP IM Supply, Inc.
303 Perimeter Center North, Suite 300 Atlanta, GA 30346

Made in the USA