Artwork shown at approximately 110%. PDF prints at approximately 100% from acrobat reader or when “Fit to printable area” settings are selected.

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

8013.71

Kills 99.9% of Bacteria and Viruses†

CLOROX Commercial SOLUTIONS®

CLOROX®

4 in ONE

DISINFECTANT & SANITIZER

CUATRO EN UNO
Desinfectante y Sanitizante

1 Disinfects in One Step

2 Reduces Allergens*

3 Sanitizes Soft Surfaces

4 Sanitizes the Air

Fresh Citrus Scent

ACTIVE INGREDIENTS:
Ethanol 66.34%
Dipropylene glycol 5.31%
OTHER INGREDIENTS‡ 28.35%
TOTAL: 100.00%

‡This product contains sodium nitrite.

NET WT. 0.875 LB (14 OZ) 397 g

KEEP OUT OF REACH OF CHILDREN
CAUTION: SEE BACK LABEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCIÓN: VEA LA ETIQUETA POSTERIOR PARA DECLARACIONES PREVENTIVAS ADICIONALES.
Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

R0967020

Shown on page 2



Artwork shown at approximately 110%. PDF prints at approximately 100% from acrobat reader or when "Fit to printable area" settings are selected.

MODO DE EMPLEO: El uso de este producto de una manera diferente a la especificada en la etiqueta constituye una violación a la ley federal. No lo use en vasos, platos ni utensilios.
Para Desinfectar y Desodorizar: Mantenga la lata en posición vertical a una distancia de 6–8 pulgadas de la superficie. Rocíe la superficie hasta que esté bien mojada. Deje reposar 5 minutos. Deje secar al aire. La mugre en exceso se debe quitar antes de desinfectar. Se requiere un enjuague con agua potable para las superficies que entran en contacto con los alimentos.
Para Reducir los Alérgenos*: Rocíe la superficie hasta que esté bien mojada. Déjela secar al aire.
Para Sanitizar las Superficies Blandas: Mantenga la lata en posición vertical a una distancia de 6–8 pulgadas de la superficie. Rocíe hasta que la tela esté mojada. NO LA SATURE. Deje reposar 30 segundos. Deje secar al aire. Vuelva a aplicar según sea necesario. La mugre en exceso se debe quitar antes de sanitizar.
Para Sanitizar el Aire: Cierre todas las puertas, ventanas y rejillas de ventilación. Mantenga la lata en posición vertical y rocíe durante 10 segundos hacia el centro del cuarto. Para máxima eficacia, la humedad relativa debe estar entre el 45% y el 70%. Restablezca la ventilación normal del aire después de que el rocío se asiente. Repita según sea necesario.
Para Controlar los Hongos y el Moho en las Telas: Mantenga la lata en posición vertical a una distancia de 6–8 pulgadas de la superficie. Rocíe la superficie hasta que esté mojada y repita cada 3 semanas para evitar que vuelvan a aparecer. La mugre en exceso se debe quitar antes de la aplicación para controlar los hongos y el moho.

DECLARACIONES PREVENTIVAS: RIESGOS PARA LOS SERES HUMANOS Y ANIMALES DOMÉSTICOS

PRECAUCIÓN: Causa irritación moderada a los ojos. Evite el contacto con los ojos o la ropa. Lávese bien con agua y jabón después de usar y antes de comer, beber, mascar goma, usar tabaco o usar el inodoro.
PRIMEROS AUXLIOS: CONTACTO CON LOS OJOS: Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15-20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando. Llame a un médico o a un centro de control de envenenamiento para obtener más asesoría sobre el tratamiento. Cuando llame a un centro de control de envenenamiento o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. ¿Preguntas o comentarios? Llame al 1-888-797-7225.
RIESGOS FÍSICOS: Inflamable. Contenido a presión. Manténgalo lejos del calor, chispas y llamas. No perfore ni incinere el envase. El exponerlo a temperaturas superiores a 130 °F puede causar que se estalle.

DISINFECTION

Bacteria – 5 minute contact time: *Acinetobacter baumannii* • Community Associated Methicillin Resistant *Staphylococcus aureus* • *Enterobacter aerogenes* • Extended Spectrum Beta-Lactamase (ESBL) producing *Escherichia coli* • *Klebsiella pneumoniae* • Methicillin Resistant *Staphylococcus aureus* (MRSA) • Multi-drug Resistant *Enterococcus faecium* • Multi-drug Resistant *Klebsiella pneumoniae* • Multi-drug Resistant *Staphylococcus aureus* • Multi-drug Resistant *Streptococcus pneumoniae* • *Pseudomonas aeruginosa* • *Salmonella enterica* • *Staphylococcus aureus* • Vancomycin Resistant *Enterococcus faecalis* (VRE)

†Viruses – 5 minute contact time: Coxsackie Type B3 Virus • Hepatitis A Virus • Herpes Simplex Virus type 1 • Influenza A Virus • Respiratory syncytial virus (RSV) • Rhinovirus 37 • Rotavirus

Fungus – 5 minute contact time: *Trichophyton mentagrophytes*

Deodorizes and disinfects hard, nonporous surfaces in: Schools • Dorms • Day Care Centers • Offices • Restaurants • Kitchens • Hotels • Health Clubs • Restrooms • Public Areas

Surfaces: Garbage Cans • Diaper Pails • Diaper Changing Tables • Desks • Gym Equipment • Tables • Faucets • Countertops • Doorknobs • Handles • Showers • Stainless Steel

SANITIZATION

Soft Surface Sanitization – 30 second contact time: *Enterobacter aerogenes* • *Staphylococcus aureus*

Use on couches, chairs, curtains and other soft surfaces.

MOLD AND MILDEW

Fabric Mildewstat: *Aspergillus brasiliensis* • *Penicillium variabile*

Contains no CFCs or other ozone-depleting substances. CONTAINS NO PHOSPHORUS.

- **One-step disinfectant**
- **No precleaning required**
- **Has a fresh citrus scent**
- **Reduces allergens***
- **Effective on fabric and air**

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use on glasses, dishes or utensils.
To Disinfect & Deodorize: Hold can upright 6"–8" from surface. Spray surface until thoroughly wet. Let stand for 5 minutes. Allow to air dry. Heavy soil must be removed prior to disinfecting. A potable water rinse is required for food-contact surfaces.
To Reduce Allergens*: Spray surface until thoroughly wet. Allow to air dry.
To Sanitize Soft Surfaces: Hold can upright 6"–8" from surface. Spray until fabric is wet. DO NOT SATURATE. Let stand for 30 seconds. Allow to air dry. Reapply as necessary. Heavy soil must be removed prior to sanitizing.
To Sanitize the Air: Close all doors, windows and air vents. Hold can upright and spray towards center of room for 10 seconds. For maximum effectiveness, relative humidity should be between 45% and 70%. Resume normal air ventilation after spray has settled. Repeat as needed.
To Control Mold and Mildew on Fabric: Hold can upright 6"–8" from surface. Spray surface until wet and repeat every 3 weeks to prevent regrowth. Heavy soil must be removed prior to application to control mold and mildew.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. Questions or comments? Call 1-888-797-7225.
PHYSICAL HAZARDS: Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE/DISPOSAL: Do not contaminate water, food or feed by storage or disposal.
Pesticide Storage: Store at temperatures below 130º F in a locked storage area inaccessible to children and persons unfamiliar with its use.
Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.
Container Handling: DO NOT PUNCTURE OR INCINERATE! Offer for recycling; if not available, discard in trash. If partially filled: Call your local solid waste agency for disposal instructions.

Questions? Comments? Call 1-888-797-7225. Visit us at www.cloroxprofessional.com. A list of this product's ingredients is available at www.IngredientsInside.com.

Mfd. for Clorox Professional Products Company,
1221 Broadway, Oakland, CA 94612. © 2014 Made in the U.S.A.

Commercial Solutions is a registered trademark of Clorox Professional Products Company. Clorox is a registered trademark of The Clorox Company.

EPA Reg. No. 67619-29.
EPA Est. No. 58996-MO-1.

*Cockroach matter, dust mite matter, pet dander.

*Materia de cucarachas, materia de los ácaros del polvo, caspa de las mascotas.

NI-23757

0 00000 00000 0

R0967020

Artwork shown at approximately 110%. PDF prints at approximately 100% from acrobat reader or when "Fit to printable area" settings are selected.

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2012-2014 LIC. NO.

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2015-2017 LIC. NO.
8013.71

R0967010

Shown on page 2

Artwork shown at approximately 110%. PDF prints at approximately 100% from acrobat reader or when "Fit to printable area" settings are selected.

MODO DE EMPLEO: El uso de este producto de una manera diferente a la especificada en la etiqueta constituye una violación a la ley federal. No lo use en vasos, platos ni utensilios.
Para Desinfectar y Desodorizar: Mantenga la lata en posición vertical a una distancia de 6–8 pulgadas de la superficie. Rocíe la superficie hasta que esté bien mojada. Deje reposar 5 minutos. Deje secar al aire. La mugre en exceso se debe quitar antes de desinfectar. Se requiere un enjuague con agua potable para las superficies que entran en contacto con los alimentos.
Para Sanitizar las Superficies Suaves: Mantenga la lata en posición vertical a una distancia de 6–8 pulgadas de la superficie. Rocíe hasta que la tela esté mojada. NO LA SATURE. Deje reposar 30 segundos. Deje secar al aire. Vuelva a aplicar según sea necesario. La mugre en exceso se debe quitar antes de sanitizar.
Para Sanitizar el Aire: Cierre todas las puertas, ventanas y rejillas de ventilación. Mantenga la lata en posición vertical y rocíe durante 10 segundos hacia el centro del cuarto. Para máxima eficacia, la humedad relativa debe estar entre el 45% y el 70%. Restablezca la ventilación normal del aire después de que el rocío se asiente. Repita según sea necesario.
Para Controlar los Hongos y el Moho en las Telas: Mantenga la lata en posición vertical a una distancia de 6–8 pulgadas de la superficie. Rocíe la superficie hasta que esté mojada y repita cada 3 semanas para evitar que vuelvan a aparecer. La mugre en exceso se debe quitar antes de la aplicación para controlar los hongos y el moho.

DECLARACIONES PREVENTIVAS: RIESGOS PARA LOS SERES HUMANOS Y ANIMALES DOMÉSTICOS

PRECAUCIÓN: Causa irritación moderada a los ojos. Evite el contacto con los ojos o la ropa. Lávese bien con agua y jabón después de usar y antes de comer, beber, mascar goma, usar tabaco o usar el inodoro.
PRIMEROS AUXILIOS: CONTACTO CON LOS OJOS: Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15-20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando. Llame a un médico o a un centro de control de envenenamiento para obtener más asesoría sobre el tratamiento. Cuando llame a un centro de control de envenenamiento o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. ¿Preguntas o comentarios? Llame al 1-888-797-7225.
RIESGOS FÍSICOS: Inflamable. Contenido a presión. Manténgalo lejos del calor, chispas y llamas. No perfore ni incinere el envase. El exponerlo a temperaturas por encima de 130°F puede causar que se estalle.

DISINFECTION

Bacteria – 5 minute contact time: *Acinetobacter baumannii* • Community Associated Methicillin Resistant *Staphylococcus aureus* • *Enterobacter aerogenes* • Extended Spectrum Beta-Lactamase (ESBL) producing *Escherichia coli* • *Klebsiella pneumoniae* • Methicillin Resistant *Staphylococcus aureus* (MRSA) • Multi-drug Resistant *Enterococcus faecium* • Multi-drug Resistant *Klebsiella pneumoniae* • Multi-drug Resistant *Staphylococcus aureus* • Multi-drug Resistant *Streptococcus pneumoniae* • *Pseudomonas aeruginosa* • *Salmonella enterica* • *Staphylococcus aureus* • Vancomycin Resistant *Enterococcus faecalis* (VRE)

†Viruses – 5 minute contact time: Coxsackie Type B3 Virus • Hepatitis A Virus • Herpes Simplex Virus type 1 • Influenza A Virus • Respiratory syncytial virus (RSV) • Rhinovirus 37 • Rotavirus

Fungus – 5 minute contact time: *Trichophyton mentagrophytes*

Deodorizes and disinfects hard, nonporous surfaces in: Schools • Dorms • Day Care Centers • Offices • Restaurants • Kitchens • Hotels • Health Clubs • Restrooms • Public Areas

Surfaces: Garbage Cans • Diaper Pails • Diaper Changing Tables • Desks • Gym Equipment • Tables • Faucets • Countertops • Doorknobs • Handles • Phones • Showers • Stainless Steel

SANITIZATION

Soft Surface Sanitization – 30 second contact time: *Enterobacter aerogenes* • *Staphylococcus aureus*

Use on couches, chairs, curtains and other soft surfaces.

MOLD AND MILDEW

Fabric Mildewstat: *Aspergillus brasiliensis* • *Penicillium variabile*

Contains no CFCs or other ozone depleting substances. Contains no phosphorus.

- **One-step cleaner disinfectant**
- **No precleaning required**
- **Has a fresh citrus scent**
- **Reduces allergens***
- **Effective on fabric and air**

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use on glasses, dishes or utensils.
To Disinfect & Deodorize: Hold can upright 6"–8" from surface. Spray surface until thoroughly wet. Let stand for 5 minutes. Allow to air dry. Heavy soil must be removed prior to disinfecting. A potable water rinse is required for food contact surfaces.
To Sanitize Soft Surfaces: Hold can upright 6"–8" from surface. Spray until fabric is wet. DO NOT SATURATE. Let stand for 30 seconds. Allow to air dry. Reapply as necessary. Heavy soil must be removed prior to sanitizing.
To Sanitize the Air: Close all doors, windows and air vents. Hold can upright and spray towards center of room for 10 seconds. For maximum effectiveness, relative humidity should be between 45% and 70%. Resume normal air ventilation after spray has settled. Repeat as needed.
To Control Mold and Mildew on Fabric: Hold can upright 6"–8" from surface. Spray surface until wet and repeat every 3 weeks to prevent regrowth. Heavy soil must be removed prior to application to control mold and mildew.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. Questions or comments? Call 1-888-797-7225.
PHYSICAL HAZARDS: Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE/DISPOSAL: Do not contaminate water, food or feed by storage or disposal.
Pesticide Storage: Store at temperatures below 130ºF in a locked storage area inaccessible to children and persons unfamiliar with its use.
Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.
Container Handling: DO NOT PUNCTURE OR INCINERATE! Offer for recycling; if not available, discard in trash. Nonrefillable container. Do not reuse or refill. If partially filled: Call your local solid waste agency for disposal instructions.

Questions? Comments? Call 1-888-797-7225. Visit us at www.cloroxprofessional.com. A list of this product's ingredients is available at www.IngredientsInside.com.

Mfd. for & © 2012 Clorox Professional Products Company,
1221 Broadway, Oakland, CA 94612.

Commercial Solutions is a registered trademark of Clorox Professional Products Company. Clorox is a registered trademark of The Clorox Company

EPA Reg. No. 67619-29.
EPA Est. No. 58996-MO-1

*Cockroach matter, dust mite matter, pet dander.

NI-18972

0 00000 00000 0

R0967010