

ACCEPTED

LICENSE NO. **8017.10**

Sani-Sure®

MULTI-SURFACE SANITIZER

90670

Chlorinated Product For Use On Both Food And Non-Food Contact Surfaces Including: Tabletops, Countertops, Floors, Walls, Sinks, Backsplashes, Trays And Food Processing/Preparation Equipment

ACTIVE INGREDIENT: Trichloromelamine	18.2%
OTHER INGREDIENTS:	81.8%
TOTAL:	100.0%

One pouch in 1.25 gallons (5 quarts) of water provides 125 ppm (parts per million) available chlorine.

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.
1-800-851-7145**

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

See Additional Precautionary Statements On Back Panel.

EPA Reg. No. 70627-28, EPA Est. No. 50702-KY-1

Manufactured for: ©2015 Diversey, Inc.,
PO Box 19747, Charlotte, NC 28219-0747

Net Wt. 1/8 oz. (3.5 g)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear safety glasses or face shield, protective clothing, and rubber gloves. Do not breathe dust. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Preparation:** Fill sanitizer container with 5 quarts of warm water (100°F) before adding contents of this package (1/8 oz.) and allow to stand five minutes before using.

To Use on Food Contact and Non-Food Contact Surfaces:

1. Always remove heavy soil from all surfaces by a pre-scrape, pre-flush or pre-soak treatment. Then pre-wash all surfaces with a detergent solution followed by a rinse with potable water.

2. Sanitize by wiping or swabbing surfaces with a solution prepared as stated above. Allow solution to remain on food contact surfaces 1 minute, non-food contact surfaces 5 minutes. Then air dry.

3. Store cloths or sponges in sanitizing solution between uses during each 8-hour shift. Clean and rinse cloths or sponges frequently in sanitizing solution.

4. Always prepare a fresh sanitizing solution and use on the same day. Periodically determine chlorine level with a supplied test strip. Change solution when testing indicates levels below federal, state or local regulations.

See Outer Carton For Storage And Disposal.

See SDS # MS0800692

300151602 (15/233)

Manufactured for: ©2015 Diversey, Inc.,
PO Box 19747, Charlotte, NC 28219-0747

19800
90670

Sani-Sure®

MULTI-SURFACE SANITIZER

ACTIVE INGREDIENT: Trichlorometamine	18.2%
OTHER INGREDIENTS:	81.8%
TOTAL:	100.0%

One pouch in 1.25 gallons (5 quarts) of water provides 125 ppm (parts per million) available chlorine.

KEEP OUT OF REACH OF CHILDREN DANGER

See additional precautionary statements on side panel.

Contains 100 x 1/8 oz. (3.5 g) Pouch Paks
TOTAL NET WT.: 12.5 oz. (354 g)

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.
1-800-851-7145

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

For use in Food Service areas of Restaurants, Schools, Non-Critical Areas of Nursing Homes and Hospitals, Food Processing Plants and in Institutional and Industrial Food Service Areas.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Preparation: Fill sanitizer container with 5 quarts of warm water (100°F) before adding contents of this package (1/8 oz.) and allow to stand five minutes before using.

To Use on Food Contact and Non-Food Contact Surfaces:

1. Always remove heavy soil from all surfaces by a pre-scrape, pre-flush or pre-soak treatment. Then pre-wash all surfaces with a detergent solution followed by a rinse with potable water.
2. Sanitize by wiping or swabbing surfaces with a solution prepared as stated above. Allow solution to remain on food contact surfaces 1 minute, non-food contact surfaces 5 minutes. Then air dry.
3. Store cloths or sponges in sanitizing solution between uses during each 8-hour shift. Clean and rinse cloths or sponges frequently in sanitizing solution.
4. Always prepare a fresh sanitizing solution and use on the same day. Periodically determine chlorine level with a supplied test strip. Change solution when testing indicates levels below federal, state or local regulations.

EPA REG. NO. 70627-28
EPA EST. NO. 50702-KY-1

Sani-Sure®

MULTI-SURFACE SANITIZER

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep tightly capped and store in dry, well-ventilated area away from chemicals, heat or open flame. Avoid contamination with food.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Completely empty container by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into sink. Wrap empty container and put in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER, Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear safety glasses or face shield, protective clothing, and rubber gloves. Do not breathe dust. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This chemical is toxic to aquatic organisms.

CHLORINATED PRODUCT FOR USE ON BOTH FOOD AND NON-FOOD CONTACT SURFACES INCLUDING: TABLETOPS, COUNTERTOPS, FLOORS, WALLS, SINKS, BACKSPASHES, TRAYS AND FOOD PROCESSING/PREPARATION EQUIPMENT

USE BY: _____

THIS SIDE UP

SHIP TO:



Sani-Sure[®] MULTI-SURFACE
SANITIZER

19800
90670

Contains
100 x 1/8 oz. (3.5 g) Pouch Paks
TOTAL NET WT.: 12.5 oz. (354 g)
TEST STRIPS INSIDE



1 00 19800 90670 9



LTD. QTY.