

# SKIDOO® INSTITUTIONAL FLYING INSECT KILLER

contains the botanical insecticide, Pyrethrum. It provides fast, effective control and repellency of the listed pests. Skidoo® Institutional Flying Insect Killer can be used in restaurants and other listed areas to kill, on contact, listed pests and is a fast, effective product for flying insect control. Effectively controls exposed stages of stored product pests without persistent residue problems, because it breaks down quickly on treated surfaces exposed to light.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. READ ALL DIRECTIONS COMPLETELY BEFORE USE. For most effective results, follow directions for specific use areas. SHAKE BEFORE USE AND AT INTERVALS DURING PROLONGED USE. Hold container upright with nozzle pointing away from face. Press valve down and spray as directed.

**FOR USE IN ANIMAL QUARTERS, Barns, Dairies, Milking Parlors, Milking Rooms, Poultry Houses, and other listed animal areas:** For rapid kill of Flies, Gnats, Stable Flies, House Flies, Horse Flies, Lesser House Flies, Deer Flies, Horn Flies, and Black Flies: Spray at the rate of 5 - 10 seconds per 1000 cubic feet of space, directing the spray toward the ceiling and upper corners of the room and not directly towards the animals or birds. For best results, close doors and windows if possible, before spraying and keep room closed for 10 - 15 minutes. Applicator should vacate the treated area and ventilate it prior to returning. **SPACE TREATMENT INDOORS: FOR USE IN FOOD AND NON-FOOD AREAS OF FOOD PROCESSING PLANTS, Industrial Installations, Bakeries, Rice and Wheat Mills, Restaurants, Tobacco Warehouses, Grain Elevators, and Warehouses:** Spray as directed to control listed flying insects. The use of this product in food processing or food-handling establishments should be confined to time periods when the plant is not in operation. Food should be covered or removed during treatment. For maximum efficacy, close all doors and windows, turn off fans and air conditioner, and spray upward into center of room with slow, sweeping motion. Spray 5 - 10 seconds for average size room [1,000 cubic feet] [10 ft. x 12 ft. x 8 ft.]. Keep room closed for 15 minutes after spraying. Ventilate room for 5 minutes before entry. **For use in Food Areas of Food-Handling Establishments:** When applying space treatment in food-handling areas, food-handling operations should be shut down. In food processing areas, all utensils, shelving, etc., where food will be handled should be covered or removed before treatment or washed with an effective cleaning compound followed by a potable water rinse prior to use. **FLIES, GNATS, FLYING MOTHS, exposed stages of Indian Meal Moths, Angoumois Grain Moths, Tobacco Moths, Clothes Moths, Chocolate Moths, Almond Moths, Miller Moths and other listed flying insects:** Direct spray into all parts of the room, paying special attention to hiding places. Sweep up and discard fallen insects. **SPACE TREATMENT OUTDOORS: GNATS, MIDGES, FLIES AND FLYING INSECT CONTROL:** Use prior to entry outdoors to reduce annoyance from these and other flying pests. Spray around patios, porches, gazebos, shrubbery, vegetation, and any other listed areas where these insects may rest. For best results, treat when the wind velocity does not exceed 5 miles per hour.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.  
**Pesticide Storage:** Store in a cool dry area. Always store pesticides in the original container. Store away from food and pet food.  
**Pesticide Disposal and Container Handling:** Do Not Puncture or Incinerate! Nonrefillable container. Do not reuse or refill this container.  
**If empty:** Place in trash or offer for recycling if available.  
**If partly filled:** Call your local solid waste agency for disposal instructions.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION** Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Avoid contamination of food or feedstuffs.

**ENVIRONMENTAL HAZARDS** For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

**PHYSICAL OR CHEMICAL HAZARDS** Contents under pressure. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. Do not use this product in or on electrical equipment due to possibility of shock hazard.

## FIRST AID

**IF SWALLOWED:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

4203286

Diversey™/MC

# SKIDOO®

## INSTITUTIONAL FLYING INSECT KILLER

*For use in: Bottling Plants, Commercial Buildings, Dumpsters, Factories, Food Processing Plants, Food Storage Areas, Garbage Cans, Hotels, Industrial Plants, Kennels, Kitchens, Restaurants, Ships, Stables, Utility Rooms, Veterinary Clinics, Warehouses.*  
*Kills: Stable Flies, Horse Flies, Face Flies, Deer Flies, House Flies and Gnats.*

### ACTIVE INGREDIENTS:

Pyrethrins ..... 0.25%  
\* Piperonyl butoxide, Technical ..... 2.50%

OTHER INGREDIENTS: ..... 97.25%  
TOTAL: ..... 100.00%

\* Equivalent to 4.00% (butylcarbityl) (6-propylpiperonyl) ether and 1.00% related compounds.

EPA Reg. No. 1021-1732-70627 EPA Est. No. 706-IL-1

## KEEP OUT OF REACH OF CHILDREN

# CAUTION

 SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

## Net Wt. 1 lb. (16 oz.) / 454 g



Questions? Comments:  
1-800-242-1677

Distributed by:  
©2010 Diversey, Inc.,  
8310 16th Street  
Sturtevant, WI 53177-1964  
MSDS Ref. No. MS0500008

5515943 (10/260)



Department of Agriculture  
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO.

8017.100  
Disc.



Department of Agriculture  
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.



Department of Agriculture  
STATE OF HAWAII

LICENSED

PERIOD 2009-2011 LIC. NO.