



Antibac B

Highly-Soluble Chlorinated Sanitizer

For Industry Use

ACTIVE INGREDIENT

Sodium dichloro-s-triazinetriene26.1%

OTHER INGREDIENTS73.9%

TOTAL100.0%

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.

1-800-851-7145

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO.

8017.103

Sealed Air 
Food Care

Diversey ™/MC



**KEEP OUT OF REACH
OF CHILDREN
DANGER**

Net Contents:

2.72 kg / 6 lb.

Product No.

08514270

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Final Sanitizing Rinse for Glasses, Dishes and Utensils

1. Scrape and pre-flush articles to be washed.
2. Wash in clean water with recommended detergent.
3. Rinse with potable water.
4. Sanitize in a solution using 1 ounce of this product in 12 gallons (0.6 grams per liter) of water (providing 100 ppm available chlorine). Immerse all articles for at least two minutes, or for contact time specified by governing sanitary regulations. Test solution periodically with chlorine test kit. Discard solution when it depreciates to 50 ppm available chlorine.
5. Air dry sanitized articles on clean drainboard.

Sanitizing Dairy, Beverage, Food Processing Equipment; Farm Tanks, Pails, Strainers, Milking Machine Parts.

1. Rinse with lukewarm water immediately after using. Drain.
2. Wash with recommended detergent. Drain.
3. Rinse with potable water.
4. Air dry – protect from dust and dirt.
5. Sanitize equipment prior to reuse with 1 ounce of this product in 12 gallons of cool water (100 ppm). Completely wet surface by immersion, coarse spraying or circulating sanitizer for at least 2 minutes. Drain. Test periodically with chlorine tester. Discard solution when it depreciates to 50 ppm available chlorine.

Special Applications

Deodorizing. Use 1 ounce of this product in 2 gallons (3.7 grams per liter) of water (600 ppm available chlorine). Coarse spray or rinse odor problem area. If applied to a food contact surface, treatment must be followed by a potable water rinse.

Stock Solutions. These may be required in automatic sanitizing units for milk and beverage bottles. Stock solutions can be made up to 20 ounces per gallon (150 gallons per liter) of water (25,000 ppm available chlorine) and may be held as long as 48 hours without excessive available chlorine loss. Sanitizing use solutions made from stock solutions of this product must not exceed 100 ppm available chlorine. Use cold or warm (up to 100°F, 38C) water to make stock solutions.

Sanitizing Commercial Eggs. Thoroughly clean all eggs. To sanitize clean shell eggs intended for food or food products, spray with a solution of 1 ounce of this product in 12 gallons of water (providing 100 ppm available chlorine). The solution must be equal to or warmer than the eggs, but not to exceed 130°F. Wet eggs thoroughly and allow to drain. Eggs that have been sanitized with this chlorine compound may be broken for use in the manufacture of egg products without a prior potable water rinse. Eggs must be reasonably dry before casing or breaking. Do not reuse the solution for sanitizing eggs.

This product fulfills the criteria of the Grade "A" Pasteurized Milk Ordinance 1978 Recommendations of the USPHS when tested by the AOAC Germicidal and Detergent Sanitizer Test.

MS0800628

EPA Registration No. 875-89

EPA Establishment No. 3635-OH-1 [SV]; 10508-OH-1 [RM]; 10508-PA-1 [SB];

875-WI-1 [EC]; 0312-WI-3 [NW]; 13938-CAN-1 [LD]

Lot Code letters indicate establishment number.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

PESTICIDE STORAGE: Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flames. Do not allow water to get into container. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of all excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Nonrefillable container. Do not reuse or refill this container. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. Offer drum for recycling or reconditioning if available.



SKU #: 08514270

LOT #:

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Causes skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear goggles, face shield or safety glasses. Wash thoroughly after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Use only clean, dry utensils and mix only with water. Mixing with other chemicals or gross filth (feces, urine, etc.) will start a chemical reaction resulting in the release of toxic gas, heat, and possible fire. If water or moisture enters the product container, harmful or irritating chlorine-containing gases will slowly be released by decomposition.

Manufactured for: ©2015 Diversey, Inc.
PO Box 19747, Charlotte, NC 28219-0747
Phone 800-233-1000