



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO.

8017.105

Sealed Air
Food Care

Diversey^{TM/AC}

Divosan[®] Forte

Peracetic Acid Sanitizer



For Institutional Use

ACTIVE INGREDIENT

Peroxyacetic Acid 15.0%

OTHER INGREDIENTS 85.0%

TOTAL 100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible.

**IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.
1-800-851-7145**

Have the product container or label with you when calling a
Poison Control Center or doctor or going in for treatment.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate gastric lavage.

See side panel for additional precautionary statements.

EPA Registration No. 875-107

EPA Establishment No. 279-NY-3 [FM]; 60156-IL-001 [SX]; 13938-CAN-1 [LD]

Lot code letters indicate establishment numbers.

Divosan Forte is recommended for use on pre-cleaned food contact surfaces such as food process equipment, pipelines, tanks, vats, fillers, evaporators and pasteurizers in dairies, breweries, (carbonated) beverage, wineries, bottled water, juice and other food processing plants (facilities). This product is an effective sanitizer when the sanitizing solution is prepared in water up to 500 ppm hardness calculated as CaCO₃.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Sanitizing Food Contact Surfaces:

1. Clean equipment immediately after use.
2. Remove gross food particles by flushing with water or scraping.
3. Wash with a detergent solution.
4. Rinse with potable water until equipment is cooled to less than 100° F.
5. Sanitize by metering this product directly from the original product container into a makeup tank by use of a Diversey automatic dispensing system. Dilute 1 fl. oz. of product in 5.8 gallons of water providing 200 ppm peroxyacetic acid.
6. Circulate the sanitizer solution for at least 2 minutes to thoroughly contact all surfaces.
7. Drain sanitized surfaces completely before restarting processing.

Prepare fresh sanitizer solution daily. If solution becomes visibly soiled or falls below strength when tested with a Test Kit, discard and prepare additional sanitizer. Sprayed or circulated sanitizer solutions may not be reused for sanitizing. Discharge solution to waste after use.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

PESTICIDE STORAGE: Keep container tightly closed. Do not store at elevated temperatures or in direct sunlight. Store only in original container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of all excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to the label directions, contact your State Pesticide or Environmental Control Agent, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Clean container promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer container for recycling, if available.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage or skin burns. Harmful if swallowed or absorbed through skin or inhaled. Do not get in eyes, on skin, or on clothing. Avoid breathing spray mist. Wear goggles or face shield (safety glasses), protective clothing, and chemical resistant rubber gloves when handling. Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet and after handling product. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting agency has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT. Mix only with water. Product must be diluted in accordance with label directions for use. Do not contaminate with cleaners or sanitizers as rapid decomposition of product with release of oxygen can occur which may initiate combustion.

Dispense directly from the original container. Use only dispensing equipment made of Teflon[®], polyethylene or suitable plastics. Do not use rubber hoses or metal pumping or sampling equipment. If concentrated product must be transferred, use only a clean, dry container made of polyethylene or suitable plastics.

Net Contents:

18.9 L / 5 U.S. Gal.

Product No.:

08277100

MSDS# MS0800626



UN3109



SKU #: 08277100

LOT #:

**ORGANIC
PEROXIDE
TYPE F, LIQUID,
(LESS THAN 18%
PEROXYACETIC ACID
STABILIZED)**