



D-Trol

Sanitizer

For Industry Use

Active Ingredients:

n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₈, 5% C₁₂)
dimethyl benzyl ammonium chlorides5.25%

n-Alkyl (68% C₁₂, 32% C₁₄)
dimethyl ethyl benzyl ammonium chlorides5.25%

Other Ingredients:89.50%

Total100.00%



**KEEP OUT OF REACH
OF CHILDREN
DANGER**

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.

1-800-851-7145

Have the product container or label with you when calling a
Poison Control Center or doctor or going in for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Net Contents:

3.78 L / 1 U.S. Gal.

Product No:

57597280

Manufactured For: © 2010 Diversey, Inc., 8310 16th Street, Sturtevant, WI 53177-1964 Phone: 800 233 1000

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For Final Sanitizing Rinse in Food Plants

For Sanitizing Equipment in and Poultry Plants

1. Pre-flush or pre-scrape utensils, glasses, and hard, non-porous surfaces to remove gross food particles. Pre-soak if necessary. Then thoroughly wash surfaces with detergent followed by a potable water rinse. Tilt moveable surfaces for proper drainage.
2. Sanitize in a 200 ppm solution (1/4 oz. per gallon of water). Immerse utensils, glasses, and plates for at least 2 minutes. Thoroughly wet immovable surfaces using cloth, spray, or sponge for 2 minutes.
3. Place sanitized utensils, glasses, and plates on rack or drain board to air dry. Do not rinse. Do not wipe. Prepare a fresh solution daily.

For hand wash operations, fresh sanitizing solution must be prepared at least daily; prepare more often if the solution becomes diluted or soiled. Solution used in spray operations may not be re-used for sanitizing. Only 1 sanitization per solution is allowed. The solution may be used for cleaning or other purposes if it is not soiled.

APPLICATIONS: After cleaning surfaces with suitable detergent and rinsing, this product may be applied by soaking, spraying with suitable spray equipment, a clean mop or clean sponge.

GLOVE SANITIZING: Wash gloves with warm water and soap. Rinse with potable water. Prepare a solution containing 1/4 ounce of this product per gallon of water providing 200 ppm quaternary. Immerse hands to completely wet surface to above wrist area. Drain and wipe with a single service towel. DO NOT rinse gloves with potable water unless required by regulating authorities. Test sanitizer solution with a test kit. Discard used solution daily or more often if it becomes diluted or soiled.

MICROBIOLOGICAL DATA:

This product sanitizes against *Staphylococcus aureus* (ATCC 6538), *Escherichia coli* (ATCC 11229), *Pseudomonas aeruginosa* (ATCC 15442) and *Listeria monocytogenes* (ATCC 15313) on food contact surfaces in 2 minutes using 1/4 oz. per gallon of water (200 ppm).



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO. **8017.106**

Disc.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep from freezing. If frozen, thaw and make useable. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available.

EPA Registration No. 875-187

EPA Establishment No. 3635-OH-1 [SV]; 10508-PA-1 [SB]; 875-WI-1 [EC]; 875-CA-4 [MD]; 4822-WI-1 [WD]; 0312-WI-3 [NW]; 13938-CN-1 [LD]; 10508-OH-1 [RM]; 10508-TX-1 [RD]; 10508-TN-1 [RC]; 7546-WI-1 [WT]

Lot code letters indicate establishment number

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses), protective clothing and rubber gloves. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse.

PHYSICAL OR CHEMICAL HAZARDS: Do not use, pour, or store near heat or open flame. This product is corrosive to mild steel. Do not store or transport in unlined metal containers. Do not contaminate food or feed by storage, disposal or cleaning of equipment.



SKU #:

57597280

LOT #:



5527629 (10/336)