

Pro Kleen™



Diversey™/MC

STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO. **8017.109**

Disc.



Self-Foaming Acidic Cleaner/Descaler/Sanitizer

For Industry Use

ACTIVE INGREDIENTS:

Phosphoric acid.....54.00%

Dodecylbenzene sulfonic acid.....4.50%

OTHER INGREDIENTS.....41.50%

TOTAL.....100.00%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible.

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.

1-800-851-7145

Have the product container or label with you when calling a
Poison Control Center or doctor or going in for treatment.

Note to Physician: Probable mucosal damage may contraindicate gastric lavage.

See additional precautionary statements on back panel.

Net Contents:

3.78 L / 1 U.S. Gal.

Product No:

57533004

Manufactured For: © 2010 Diversey, Inc., 8310 16th Street, Sturtevant, WI 53177-1964 Phone: 800 233 1000

MICROBIOLOGICAL DATA:

METHOD: Germicidal and Detergent Sanitizing Action of Disinfectants, A.O.A.C., 15th Ed., 1990.

RESULTS: Pro Kleen™ at 1:200 (2 1/2 ounces per 4 gallons of water) reduces bacterial numbers by 99.999% when tested by this method with a 30 second contact time in 500 ppm hard water. The organisms used in these tests were *Escherichia coli* (ATCC 11229), *Staphylococcus aureus* (ATCC 6538) and *Listeria monocytogenes* (ATCC 15313). Copies of the test data are available on request.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in areas inaccessible to children.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer container for recycling, if available.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear chemical splash-proof goggles or face shield, rubber gloves and protective clothing. Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet and after handling product. Remove contaminated clothing and wash before reuse.

PHYSICAL AND CHEMICAL HAZARDS

COMBUSTIBLE - Do not use or store near heat or open flames.

ACIDIC PRODUCT - Do not mix with other cleaners or chemicals, as hazardous gases or heat may be generated. Dilute only with water.

EPA Registration No. 875-185

EPA Establishment No. 3635-OH-1 [SV]; 10508-PA-1 [SB]; 875-WI-01 [EC]; 875-CA-4 [MD];

4822-WI-1 [WD]; 0312-WI-3 [NW]; 13938-CN-1 [LD]; 7546-WI-1 [WT]

Lot code letters indicate establishment number.

For use in spray, foam or immersion cleaning and institutional/industrial sanitization of previously cleaned, hard, non-porous food-contact surfaces and equipment: food preparation surfaces, tanks, transport tank trucks, pre-mix vending units, food serving equipment such as glasses, dishes, utensils, pots, and pans; belts, cutting tables and other utensils and equipment in:

- Dairies and Beverage Plants
- Meat and Poultry Processing/Packaging Plants
- Dairy Products Processing/Packaging Plants
- Food Processing/Packaging Plants
- Food Service Industry/Eating Establishments



SKU #:

57533004

LOT #:

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE PROCEDURES FOR SANITIZING:

1. Pre-flush with potable water to remove gross food particles.
2. Clean with recommended alkaline cleaner.
3. Rinse with potable water.
4. To sanitize, apply 1 part Pro Kleen™ to 200 parts water (2 1/2 ounces per 4 gallons of water) by immersion, flooding or spraying with a coarse droplet spray. Surface must remain wet for at least 1 minute.
5. Drain and air dry. Allow adequate draining before contact with food.

For manual operations, fresh sanitizing solution must be prepared at least daily. Prepare more often if the solution becomes diluted or soiled.

Solution used in spray operations may not be re-used for sanitizing. Only 1 sanitization per solution is allowed. The solution, if not soiled, may be used for cleaning, polishing stainless steel, or descaling.

FOAM CLEANING AND SANITIZING

This product can be applied as a foam for sanitizing previously cleaned hard, non-porous, food-contact surfaces and general environmental (non-food contact) hard non-porous surfaces such as floors, walls, ceilings, drains and boots. Foam applications can be used where penetration and retention of product for required times is difficult to achieve. Examples include operating conveyor belts, and vertical or uneven surfaces.

1. Pre-clean surfaces to be sanitized. Prepare a dilute solution by mixing Pro Kleen™ with water at 1:30 to 1:40 dilution and mix until it is in solution. The product is immediately ready to be foamed.
2. Apply the sanitizing solution as a foam using commercially available foam generating equipment. Allow foam to contact surfaces for at least 1 minute. For cleaning, allow the foam to remain on the surface to be cleaned until the soil is loosened.
3. Rinse well with a strong spray of potable water.

DESCALING, REMOVAL OF HARD WATER DEPOSITS AND MILKSTONE:

Use Pro Kleen™ at a rate of 1:30 to 1:40. This product may be applied as a foam. At this level it is an effective hard water protein scale remover. Lesser concentrations can be used for lighter soil and stronger concentrations for heavier soils.



5527776 (10/335)