

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting agency has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed. Wear chemical splash-proof goggles or face shield, rubber gloves and protective clothing when handling this product. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release irritating chlorine gases which are harmful to eyes, lungs and mucous membranes.



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO. **8017.115**
Disc.

 **Questions? Comments:**
1-800-626-5015
www.diversey.com

EPA Registration No.: 875-95
EPA Establishment No.: 3635-OH-1[SV]; 10508-PA-1[SB]; 875-CA-4[MD]; 81642-OH-1[HV];
13938-CN-1[LD]; 4822-WI-1[WD]; 0312-WI-3[NW]; 10508-TN-1[RC]; 10508-TX-1 [RD];
10508-OH-1 [RM]; 7546-WI-1 [WT]

Lot code letters indicate establishment number.

MSDS# MS0100408

Manufactured for: © 2010 Diversey, Inc. 8310 16 St., Sturtevant, WI 53177-1964

**Diversey**™/MC

LTT10

Low Energy Sanitizer

Disinfectant • Deodorizer • Sanitizer

For Institutional Use



ACTIVE INGREDIENT:

Sodium Hypochlorite 5.25%

OTHER INGREDIENTS: 94.75%

TOTAL: 100.00%



KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible.

**IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR
DOCTOR FOR TREATMENT ADVICE.
1-800-851-7145**

Have the product container or label with you when calling a Poison Control Center
or doctor or going in for treatment.

Note to Physician: Probable mucosal damage may contraindicate gastric lavage.

See additional precautionary statements on side panel.

Net Contents:

18.9 L / 5 U.S. Gal.

08643100

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of available chlorine.

MECHANICAL WASHERS

Wash-Dump or Sanitizing Rinse Section Types – After cleaning and rinsing equipment or containers, apply a sanitizing spray rinse containing 100 ppm available chlorine by adjusting mechanical feeding device to meter 2.5 oz. of product per 10 gallons of water. Test sanitizer frequently during operation with a chlorine test kit to ensure that solution does not drop below 50 ppm available chlorine. Remove the drained, sanitized items. Sanitizer used in automatic systems may be used in the general cleaning process but may NOT be reused for sanitizing purposes.

If no test kit is available or if available chlorine has dropped below 50 ppm during sanitizing, either discard the sanitizer solution or add sufficient product to reestablish a 200 ppm available chlorine sanitizer strength. Resanitize equipment. Do not rinse equipment with water after sanitizing and do not soak equipment overnight in sanitizer solution.


WISCONSIN STATE DIVISION OF HEALTH DIRECTIONS FOR EATING ESTABLISHMENTS CHEMICAL SANITIZING

Use for Manual Warewashing in Restaurants, Institutions, and Other Food Serving Establishments.

1. Scrape and pre-wash utensils and glasses whenever possible.
2. Wash with a good detergent or compatible cleaner.
3. Rinse with potable water.
4. Sanitize in a solution containing 5 oz. of product for each 10 gallons of tap water used (200 ppm available chlorine). Immerse all utensils for at least 2 minutes or contact time specified by governing sanitary code.
5. Place sanitized utensils on rack or drainboard to air dry.
6. Prepare fresh sanitizing solution at least daily or more often when visibly soiled or diluted.

NOTE: A clean potable water rinse following sanitization is not permitted under Section HSS 196, Appendix 7-204.11 of the Wisconsin Administrative Code.

FRUIT AND VEGETABLE WASHING: Thoroughly clean all fruits and vegetables in a wash tank. Thoroughly mix 1 1/4 oz. of this product in 20 gallons of water to make a sanitizing solution containing 25 ppm available chlorine. After draining the tank, submerge fruit or vegetables for 2 minutes in a second wash tank containing the recirculating sanitizing solution. Spray rinse vegetables with sanitizing solution prior to packaging. Rinse fruit with potable water only prior to packaging.



8

**HYPOCHLORITE
SOLUTION
UN1791**



7 74205 55005 8

5378141 (10/320)