

**ACCEPTED**

LICENSE NO. **8017.13**

90229

# Sani-Sure® POT SINK SANITIZER

**For Use In Sanitizing Dishware And Utensils  
Last Tank Rinse**

<b>ACTIVE INGREDIENT:</b> Trichloromelamine.....	18.2%
<b>OTHER INGREDIENTS:</b> .....	81.8%
<b>TOTAL:</b> .....	100.0%

Provides 100 ppm Available Chlorine.



## KEEP OUT OF REACH OF CHILDREN DANGER

### FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER  
OR DOCTOR FOR TREATMENT ADVICE.**

**1-800-851-7145**

Have the product container or label with you when calling a  
Poison Control Center or doctor or going in for treatment.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

See Additional Precautionary Statements On Back Panel.

**Net Wt. 1 oz. (28 g)**

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**To Clean & Sanitize Food & Drinking Utensils, Food Contact Surfaces and Equipment:**

**1.)** Scrape and rinse utensils before hand washing. **2.)** Wash in first compartment sink using warm water, dish detergent and brushes. **3.)** Rinse each piece in second (middle) compartment sink containing clear water. **4.)** In sanitizing sink (third compartment) mix contents of this package in 12 gallons of water. This provides 100 ppm available chlorine (200 ppm when mixed with 6 gallons of water). Use supplied test strips to assure required chlorine level. Replace solution when activity tests below local or federal sanitization code. Immerse dishes and utensils for at least two minutes in sanitizing solution or for contact time specified by governing sanitary code. **5.)** Place utensils on drain rack to air dry. Do not towel.

### PRECAUTIONARY STATEMENTS

#### HAZARD TO HUMANS AND DOMESTIC ANIMALS

**DANGER. Corrosive.** Causes irreversible eye damage and skin burns. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear safety glasses or face shield, protective clothing, and rubber gloves. Do not breathe dust. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

**See Outer Carton For Storage And Disposal Instructions.**



**Questions? Comments:**  
**1-800-558-2332**

EPA Reg. No. 70627-26, EPA Est. No. 50702-KY-1 • See SDS # MS0800698

Manufactured for: ©2015 Diversey, Inc.,  
PO Box 19747, Charlotte, NC 28219-0747

300151604 (15/233)

# Sani-Sure®

## POT SINK SANITIZER

ACTIVE INGREDIENT: Trichlorometamine .....	18.2%
OTHER INGREDIENTS: .....	81.8%
TOTAL: .....	100.0%

Provides 100 ppm Available Chlorine.

### KEEP OUT OF REACH OF CHILDREN DANGER

See additional precautionary statements on side panel.

Contains 50 x 1 oz. (28 g) Pouch Packs  
TOTAL NET WT.: 3.12 lb. (1.42 kg)

**TEST STRIPS INSIDE**

19800

90229

#### FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.  
**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER  
OR DOCTOR FOR TREATMENT ADVICE.**

1-800-851-7145

Have the product container or label with you when calling  
a Poison Control Center or doctor or going in for treatment.

**Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**To Clean & Sanitize Food & Drinking Utensils, Food Contact Surfaces and Equipment:**

1.) Scrape and rinse utensils before hand washing. 2.) Wash in first compartment sink using warm water, dish detergent and brushes. 3.) Rinse each piece in second (middle) compartment sink containing clear water. 4.) In sanitizing sink (third compartment) mix contents of this package in 12 gallons of water. This provides 100 ppm available chlorine (200 ppm when mixed with 6 gallons of water). Use supplied test strips to assure required chlorine level. Replace solution when activity tests below local or federal sanitization code. Immerse dishes and utensils for at least two minutes in sanitizing solution or for contact time specified by governing sanitary code. 5.) Place utensils on drain rack to air dry. Do not towel.

#### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Keep tightly capped and store in dry, well-ventilated area away from chemicals, heat or open flame. Avoid contamination with food.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Completely empty container by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into sink. Wrap empty container and put in trash.

#### PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

**DANGER. Corrosive.** Causes irreversible eye damage and skin burns. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear safety glasses or face shield, protective clothing, and rubber gloves. Do not breathe dust. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS:** This chemical is toxic to aquatic organisms.

19800

90229

# Sani-Sure®

## POT SINK SANITIZER

EPA REG. NO. 70627-26  
EPA EST. NO. 50702-KV-1

**USE BY:** \_\_\_\_\_

Manufactured for: ©2015 Diversey, Inc.,  
PO Box 19747, Charlotte, NC 28219-0747

**BOX # 300151605**

**Sani-Sure<sup>®</sup>** POT SINK  
SANITIZER

19800

**90229**

Contains  
50 x 1 oz. (28 g) Pouch Packs  
TOTAL NET WT.: 3.12 lb. (1.42 kg)  
*TEST STRIPS INSIDE*



1 00 19800 90229 9



**LTD. QTY.**