

**SIGNET**<sup>®</sup>STATE OF HAWAII  
Department of Agriculture**ACCEPTED**LICENSE NO. **8017.139****Hard Surface Sanitizer****ACTIVE INGREDIENTS:**

n-Alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> )	
dimethyl benzyl ammonium chloride .....	2.25%
n-Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> )	
dimethyl ethylbenzyl ammonium chloride.....	2.25%

<b>OTHER INGREDIENTS:</b> .....	95.50%
<b>TOTAL</b> .....	100.00%

**KEEP OUT OF  
REACH OF  
CHILDREN  
DANGER****FIRST AID****IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.**IN CASE OF EMERGENCY, CALL A  
POISON CONTROL CENTER OR DOCTOR  
FOR TREATMENT ADVICE.  
1-800-983-4582**

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

See additional precautionary statements on side panel.

U

**CINTAS**Sealed Air  
Diversey Care**Net Contents:****3.78 L / 1 U.S. Gal.      5519354**

Manufactured for: ©2015 Diversey, Inc., PO Box 19747, Charlotte, NC 28219-0747

EPA Reg. No. 875-106  
EPA Est. No.: 13938-CAN-1 [LD];  
7546-WI-1 [WT]; 0312-WI-3 [NW]  
Lot code letters indicate establishment number.  
SDS Ref. # MS0800596**Questions? Comments:  
877-448-5770****Z1**

This product is a phosphate-free concentrated detergent, which provides effective sanitization. It has been designed specifically for food processing plants, food service establishments, and other institutions where housekeeping is of prime importance. This product is for use as a sanitizer in restaurants, food processing plants and bars. For use on: chopping blocks, countertops, tables, glasses, dishes and utensils.

#### DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**Sanitization:** When used as a food contact sanitizer at 2.0 oz. of product per 3.5 gallons of water dilution (200 ppm quaternaly), this product reduces the following bacteria by 99.999% with a 1 minute contact time on pre-cleaned, hard, non-porous inanimate surfaces: *Staphylococcus aureus*, *Escherichia coli*

This product can be applied by mop, sponge, cloth, paper towel or hand pump coarse trigger sprayer.

#### To Sanitize Hard, Non-Porous Food Contact Surfaces and Equipment:

1. Prior to sanitization, remove gross particulate matter with a warm water flush, presoak or scrape, then wash equipment with detergent or cleaning solution and follow with a potable water rinse.
2. Prepare the sanitizing use solution by adding 2 oz. of this product per 3-1/2 gallons water (200 ppm active quat).
3. Apply sanitizing solution by immersion, coarse spray, mop, wipe, flood techniques or circulation techniques as appropriate to the equipment or surface to be treated. Allow a contact time of at least one (1) minute.
4. Allow surfaces to drain thoroughly and air dry before resuming operation. Do not rinse.

For Institutional Use

©2015 Diversey, Inc., PO Box 19747, Charlotte, NC 28219-0747

#### Sanitizing Food Contact Surfaces:

1. Pre-flush, scrape or pre-soak articles to be washed.
2. Wash areas or items to be sanitized with clean water and a recommended detergent.
3. Rinse with potable water.
4. Sanitize in a solution prepared by diluting 2 oz. of this product per 3-1/2 gallons water to 200 ppm quaternaly level. Immerse or wet all surfaces for at least 60 seconds (1 minute) or as required by local sanitation regulations. When solution depreciates or becomes soiled, discard. Test sanitizer solution periodically with a Quaternary Test Kit to ensure 200 ppm active quaternaly.
5. Drain and allow equipment or utensils to air dry.

**Note:** NO POTABLE WATER RINSING of equipment is required. Prepare a fresh solution daily or more frequently if soil is apparent.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Do not reuse empty container. Store in a dry place at 50° F to 120° F.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available.

**Environmental Hazards:** This product is toxic to fish.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Corrosive. Causes irreversible eye damage and skin burns. Harmful if absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear chemical splash-proof goggles or face shield, rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.



LISTED 148543



24 units

22 units

20 units

18 units

16 units

14 units

12 units

10 units

8 units

(5) (2015) 1802609