

MICROBIOLOGICAL DATA:

Method: Chlorine (Available) in Disinfectants, Germicidal Equivalent Concentration. A.O.A.C. 14th Edition, 1984, pgs. 68-69.

Results: This product at 100 ppm available chlorine (1.5 oz./10 gallons of water) is more than equivalent to 100 ppm of available chlorine derived from sodium hypochlorite. The organisms used in this test were *Salmonella typhosa* (ATCC 6539), *Staphylococcus aureus* (ATCC 6538) and *Listeria monocytogenes* (ATCC 15313).

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store this product in a cool dry area. Keep lid closed to prevent loss of strength.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Nonrefillable container. Do not reuse or refill this container. Completely empty pouch by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of pouch in a sanitary landfill or by incineration if allowed by State and local authorities or wrap empty pouch and put in trash. Wrap empty container and put in trash.

PRECAUTIONARY STATEMENTS**HAZARD TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Corrosive. Causes irreversible eye damage. Causes skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear chemical splash-proof goggles or face shield, rubber gloves and protective clothing when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix with acidic chemicals.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms.

MS0800629

EPA Registration No. 875-192

EPA Establishment No. 3635-OH-1[SV]; 10508-PA-1[SB]; 13938-CAN-1[LD]; 0312-WI-3[NW]; 875-WI-1[EC]; 10508-OH-1[RM]

Lot code letters indicate establishment number.



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO. **8017.174**

Sealed Air
Food Care

DiverseyTM

Multi-Chlor II

U

NOT SOLD FOR RESIDENTIAL USE**ACTIVE INGREDIENT:**

Sodium dichloro-s-triazinetrione dihydrate.....20.0%

OTHER INGREDIENTS80.0%

TOTAL: 100.0%

Available Chlorine 9.0%

**KEEP OUT OF REACH OF
CHILDREN
DANGER**

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

**IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.
1-800-851-7145**

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See side panel for additional precautionary statements.

Net contents/Contenu net/Contenido neto

227 g / 8 oz.

Product no./No de produit/No del producto

57413280

Manufactured for: ©2015 Diversey, Inc, PO Box 19747, Charlotte, NC 28219-0747 800 233 1000

Recommended for use in sanitizing operations, food plants, dairies, restaurants, beverage and brewery operations.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Concentration Chart

<u>Available Chlorine</u>	<u>Dilution Rate</u>
50 ppm	3/4 oz. to 10 gallons
100 ppm	1.5 oz. to 10 gallons

FOR SANITIZING UTENSILS, DISHES AND GLASSES IN HAND WASH OPERATIONS:

1. Pre-flush or pre-scrape utensils, dishes and glasses to remove gross food particles. Pre-soak if necessary.
2. Wash thoroughly with a recommended detergent.
3. Rinse with clean (potable) water.
4. Sanitize in a solution containing 100 ppm available chlorine (1.5 oz. per 10 gallons of water). Immerse all utensils, dishes and glasses for at least 2 minutes.
5. Place sanitized utensils on a rack or drainboard to air dry.

Note: NO POTABLE WATER RINSING is required. Prepare a fresh solution daily or more frequently if soil is apparent.

FOR SANITIZING UTENSILS AND EQUIPMENT IN CIRCULATION SYSTEMS, ONE-THROUGH OVERFLOW SYSTEMS OR BY SPRAYING:

1. Pre-flush system to remove gross food particles.
2. Wash system thoroughly with a recommended detergent.
3. Rinse system with clean (potable) water.
4. Sanitize in a solution containing 100 ppm available chlorine (1.5 oz. per 10 gallons of water). CIRCULATE through system, FLUSH through system or SPRAY over all surfaces of system. Allow at least minutes contact time with sanitizing solution.

Use solutions for circulating systems, once-through overflow systems or spray operations may not be re-used for sanitizing. Only one sanitization per solution is allowed. The solution may be used for cleaning or other purposes if it is not soiled.

EGG SANITIZING:

To sanitize clean shell eggs intended for food or food products, spray with a solution of 1.5 oz. of product in 10 gallons of water (providing 100 ppm available chlorine). The solution must be equal to or warmer than the eggs, but not to exceed 130°F. Wet eggs thoroughly and allow to drain. Eggs that have been sanitized with this chlorine compound may be broken for use in the manufacture of egg products without a prior potable water rinse. Eggs must be reasonably dry before casing or breaking. The solution must not be reused for sanitizing eggs.



**TO OPEN,
CUT AT CORNER**

Multi-Chlor II

NOT SOLD FOR RESIDENTIAL USE

ACTIVE INGREDIENT:	
Sodium dichloro-s-triazinetrione dihydrate.....	20.0%
OTHER INGREDIENTS:	80.0%
TOTAL:	100.0%

Available Chlorine 9.0%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.**IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.
1-800-851-7145**

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Recommended for use in sanitizing operations, food plants, dairies, restaurants, beverage and brewery operations.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Concentration Chart

Available Chlorine	Dilution Rate
50 ppm	3/4 oz. to 10 gallons
100 ppm	1.5 oz. to 10 gallons

FOR SANITIZING UTENSILS, DISHES AND GLASSES IN HAND WASH OPERATIONS:

1. Pre-flush or pre-scrape utensils, dishes and glasses to remove gross food particles. Pre-soak if necessary.
2. Wash thoroughly with a recommended detergent.
3. Rinse with clean (potable) water.
4. Sanitize in a solution containing 100 ppm available chlorine. Immerse all utensils, dishes and glasses for at least 2 minutes.
5. Place sanitized utensils on a rack or drainboard to air dry.

Note: NO POTABLE WATER RINSING is required. Prepare a fresh solution daily or more frequently if soil is apparent.

FOR SANITIZING UTENSILS AND EQUIPMENT IN CIRCULATION SYSTEMS, ONE-THROUGH OVERFLOW SYSTEMS OR BY SPRAYING:

1. Pre-flush system to remove gross food particles.
2. Wash system thoroughly with a recommended detergent.
3. Rinse system with clean (potable) water.
4. Sanitize in a solution containing 100 ppm available chlorine (1.5 oz. per 10 gallons of water). CIRCULATE through system, FLUSH through system or SPRAY over all surfaces of system. Allow at least 2 minutes contact time with sanitizing solution.

Use solutions for circulating systems, once-through overflow systems or spray operations may not be re-used for sanitizing. Only one sanitization per solution is allowed. The solution may be used for cleaning or other purposes if it is not soiled.

EGG SANITIZING: To sanitize clean shell eggs intended for food or food products, spray with a solution of 1.5 oz. of product in 10 gallons of water (providing 100 ppm available chlorine). The solution must be equal to or warmer than the eggs, but not to exceed 130°F. Wet eggs thoroughly and allow to drain. Eggs that have been sanitized with this chlorine compound may be broken for use in the manufacture of egg products without a prior potable water rinse. Eggs must be reasonably dry before casing or breaking. The solution must not be reused for sanitizing eggs.**MICROBIOLOGICAL DATA:****Method:** Chlorine Available in Disinfectants, Germicidal Equivalent Concentration. A.O.A.C. 14th Edition, 1984, pgs. 68-69.**Results:** This product at 100 ppm available chlorine (1.5 oz./10 gallons of water) is more than equivalent to 100 ppm of available chlorine derived from sodium hypochlorite. The organisms used in this test were *Salmonella typhosa* (ATCC 6539), *Staphylococcus aureus* (ATCC 6538) and *Listeria monocytogenes* (ATCC 15313).**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store this product in a cool dry area. Keep lid closed to prevent loss of strength.**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Completely empty pouch by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of pouch in a sanitary landfill or by incineration if allowed by State and local authorities or wrap empty pouch and put in trash. Wrap empty container and put in trash.**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS****DANGER:** Corrosive. Causes irreversible eye damage. Causes skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear chemical splash-proof goggles or face shield, rubber gloves and protective clothing when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.**PHYSICAL OR CHEMICAL HAZARDS:** Do not mix with acidic chemicals.**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and aquatic organisms.