

90234

Sani-Sure[®]**SOFT SERVE SANITIZER & CLEANER***A Sanitizer and Cleaner Combined with Hard Water Sequestrants***ACTIVE INGREDIENT:**

Sodium dichloro-s-triazinetriane dihydrate 6.25%

INERT INGREDIENTS: 93.75%

Sodium sulfate, sodium tripolyphosphate*

*Effective as sequestrants and cleaners.

AVAILABLE CHLORINE 3.25%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: IF SWALLOWED: Call physician or poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by physician or poison control center. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or physician for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call poison control center or physician for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call poison control center or physician for treatment advice. When talking with physician or poison control center, have container or label present.

EMERGENCY PHONE: 1-800-851-7145**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.**Net Wt. 1 oz. (28 g)**Department of Agriculture
STATE OF HAWAII**LICENSED****PERIOD 2014-2016 LIC. NO.****8017.34**Department of Agriculture
STATE OF HAWAII**LICENSED****PERIOD 2011-2013 LIC. NO.**

(607/01) 9188200

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

TO CLEAN SOFT SERVE MACHINES AND EQUIPMENT: Empty freezer and mixer. Fill mix hopper with cold water and rinse through freezer. Add 1 packet (1 oz.) of this product to 2 gallons of hot water and stir until all powder is dissolved. Pour this solution into mix hopper and operate 5 minutes, and drain.

TO SANITIZE SOFT SERVE MACHINES AND EQUIPMENT: Rinse after cleaning as above. Then sanitize with a fresh solution of 100 ppm of available chlorine (1 packet (1 oz.) to 2 gallons of water). After making sanitizing solution according to the above instructions, test the solution for ppm of chlorine. Pour this solution into mix hopper and operate for at least one minute, or the time specified by local ordinances. Drain and allow system to air dry.

MECHANICAL OPERATIONS: Sanitizing solution must be discarded after use and not reused.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE: Causes irreversible eye damage. Causes skin irritation. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wear goggles or face shield. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

See Outer Carton For Complete Directions For Use And Storage And Disposal.

Questions? Comments: 1-800-242-1677 / www.jdbrands.com

EPA Reg. No. 1275-27-70627 • EPA Est. No. 50702-KY-001

MSDS Ref. No. 126140001


Distributed by ©2010 Diversey, Inc., 8310 16th Street, Sturtevant, WI 53177-1964

5525316 (10/259)

Diversey™

Sani-Sure®
SOFT SERVE
SANITIZER &
CLEANER

1 9 8 0 0
9 0 2 3 4



1 0 0 1 9 8 0 0 9 0 2 3 4 3



Sani-Sure®
SOFT SERVE
SANITIZER &
CLEANER

DIRECTIONS FOR MAKING SANITIZING SOLUTIONS

Number of canses	Amount of Water	PPM Available Chlorine
1 canse	2 gal.	180
2 canses	4 gal.	180
4 canses	8 gal.	180
8 canses	12 gal.	180

Minimum solution temperature 75°F.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

THIS PRODUCT IS INTENDED FOR USE IN SANITIZING AND CLEANING SOFT SERVE MACHINES.

TO CLEAN SOFT SERVE MACHINES AND EQUIPMENT:

Empty freezer and mixer. Fill mix hopper with cold water and rinse through freezer. Add 1 packet (1 oz.) of this product to 2 gallons of hot water and stir until all powder is dissolved. Pour this solution into mix hopper and operate 5 minutes, and drain.

TO SANITIZE SOFT SERVE MACHINES AND EQUIPMENT:

Rinse after cleaning as above. Then sanitize with a fresh solution of 100 ppm of available chlorine (1 packet (1 oz.) to 2 gallons of water). After making sanitizing solution according to the above instructions, test the solution for ppm of chlorine. Pour this solution into mix hopper and operate for at least one minute, or the time specified by local ordinances. Drain and allow system to air dry.

MECHANICAL OPERATIONS: Sanitizing solution must be discarded after use and not reused.

STORAGE AND DISPOSAL: Store in a cool dry area away from direct sunlight and heat. In case of spill flood the area with large quantities of water. Do not contaminate food or feed by storage, disposal or cleaning of equipment. Nonrefillable container. Do not reuse or refill this container.

PACKET DISPOSAL: Do not reuse packet. Discard in trash or offer for recycling, if available.

BOX NO. 5525324

Diversey™
Sani-Sure®
SOFT SERVE
SANITIZER &
CLEANER



1 00 19800902343

19800

90234

TEST STRIPS
INSIDE

90234
19800

Sani-Sure®
SOFT SERVE
SANITIZER &
CLEANER

A SANITIZER AND CLEANER COMBINED WITH HARD WATER SEQUESTRANTS

ACTIVE INGREDIENT:	
Sodium dichloro-s-triazetrione dihydrate	6.25%
INERT INGREDIENTS:	93.75%
Sodium sulfate, sodium tripolyphosphate*	
*Effective as sequestrants and cleaners.	

Available Chlorine 3.25%

KEEP OUT OF REACH OF CHILDREN

DANGER: See Additional Precautionary
Statements on Back Panel.

EPA Reg. No. 1275-27-70627
EPA Est. No. 50702-KY-001

CONTAINS 100 X 1 OZ. (28 g) POUCH PAKS
TOTAL NET WT.: 6 lb. 42 oz.

FIRST AID: IF SWALLOWED: Call physician or poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by physician or poison control center. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or physician for treatment advice.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call poison control center or physician for treatment advice.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call poison control center or physician for treatment advice. When talking with physician or poison control center, have container or label present.

EMERGENCY PHONE: 1-800-851-7145

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE: Causes irreversible eye damage. Causes skin irritation. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wear goggles or face shield. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT.

Oxidizing agent. Mix only with water. Use clean dry utensils. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases. In case of contamination or decomposition do not reuse container. If possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

19800

90234

Distributed by: ©2010 Diversey, Inc.,
8310 16th Street, Sturtevant, WI 53177-1964
5525324