

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE — Store in a dry place no lower in temperature than 50°F or higher than 120°F. Store in an area inaccessible to children.

CONTAINER DISPOSAL — Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill.

PACKET DISPOSAL — Do not reuse packet. Discard packet in trash.

PESTICIDE DISPOSAL — Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, rubber gloves and protective clothing. May be fatal if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

 **Questions? Comments: 1-800-242-1677**

Distributed by ©2015 Diversey, Inc., PO Box 19747, Charlotte, NC 28219-0747

SDS Ref. No. MS0800459



STATE OF HAWAII
Department of Agriculture

ACCEPTED
LICENSE NO. **8017.36**

6055838 (15/192)



8 07174 50985 4

5412135

Sealed Air
Diversey Care

Diversey

EASYPAKS®

DETERGENT/DISINFECTANT

■ Cleaner ■ Detergent ■ Deodorizer ■ Disinfectant ■ *Virucide
■ Mildewstat (on hard inanimate surfaces) ■ Fungicide (against pathogenic fungi)

ACTIVE INGREDIENTS

Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈)
dimethyl benzyl
ammonium chlorides7.95%
Alkyl (68% C₁₂, 32% C₁₄)
dimethyl ethylbenzyl
ammonium chlorides7.95%

INERT INGREDIENTS84.10%

TOTAL100.00%

EPA REG. NO. 1839-93-70627
EPA EST. NO. 46275-IL-3

KEEP OUT OF REACH OF CHILDREN DANGER FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

You may contact 1-800-851-7145 for emergency medical treatment information.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

See side panel for additional precautionary statements.

TOTAL NET CONTENTS: 2.81 lbs. (1.28 kg) 90 Water Soluble Packets, Each Containing 1/2 oz. (14 g) of product

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is a phosphate-free formulation designed to provide effective cleaning, deodorizing, and disinfection specifically for hospitals, nursing homes and other institutions where housekeeping is of prime importance in controlling the hazard of cross-contamination.

This product, when used as directed, is formulated to disinfect inanimate, hard non-porous surfaces such as walls, floors, sink tops, tables and chairs. For larger areas such as operating rooms, patient care facilities, and restrooms, this product is designed to provide both general cleaning and disinfection.

PACKETS — Follow label dilution instructions by dropping packet directly into water. Do not remove packets before use. Store in cool dry place. Do not handle packets with wet hands.

DISINFECTION — To disinfect inanimate, hard non-porous surfaces add one pre-measured packet of product at the following use dilution: 1/2 ounce per 1 gallon of warm water. Stir gently to form a uniform solution. Apply solution with a mop, cloth, sponge or hand pump trigger sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air dry. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use.

BACTERICIDAL ACTIVITY — At the stated Disinfection dilution rate, this product exhibits effective disinfectant activity against the organisms: Pseudomonas aeruginosa PRD-10, Escherichia coli, Klebsiella pneumoniae, Salmonella (schottmuelleri) enterica, Salmonella (choleraesuis) enterica, Brevibacterium ammoniagenes, Streptococcus faecalis, Shigella dysenteriae, Staphylococcus aureus, Enterobacter aerogenes and meets all requirements for hospital use.

MILDEWSTAT — To control mold and mildew on pre-cleaned, hard, non-porous surfaces mix this product at the stated dilution rate for Disinfection. Apply solution with a mop, cloth, sponge or hand pump trigger sprayer making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears. At the disinfectant dilution rate, this product is also fungicidal against the pathogenic fungi, Trichophyton mentagrophytes.

***VIRUCIDAL ACTIVITY** — This product, when used on environmental, inanimate, hard surfaces at the Disinfection dilution rate, exhibits effective virucidal activity against HIV-1, Influenza A_e, Parainfluenza Type 1 (Sendai), Canine Distemper, Feline Pneumonitis, Vaccinia Virus, Herpes Simplex Type 1, Hepatitis B Virus (HBV), Hepatitis C Virus (HCV).

Kills Pandemic 2009 H1N1 Influenza A virus.

KILLS HIV-1, HBV and HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV and HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, and eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

CONTACT TIME: Allow surface to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

EFFICACY TESTS HAVE DEMONSTRATED THAT EASYPAKS® DETERGENT/DISINFECTANT IS AN EFFECTIVE BACTERICIDE AND FUNGICIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

DEODORIZING and CLEANING: To deodorize and clean inanimate, hard, non-porous surfaces add one (½ oz.) pre-measured packet of product as per the dilution rate in the DISINFECTION section. Stir gently to form a uniform solution. Apply solution with a mop, cloth, sponge or hand pump trigger sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air dry. Prepare a fresh solution for each use.