

Crew® NA_{SC}

Non-Acid Bowl and Bathroom Disinfectant Cleaner

Active Ingredients:

Octyl decyl dimethyl ammonium chloride1.140%
Dioctyl dimethyl ammonium chloride0.456%
Didecyl dimethyl ammonium chloride0.684%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride1.520%
Other Ingredients:96.200%
Total:100.000%

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

EMERGENCY TELEPHONE 1-800-851-7145

**KEEP OUT OF
REACH OF CHILDREN
DANGER**

See side panel for
Precautionary
Statements.

Sealed Air
Diversey Care

Diversey®

22

FEATURING
**SMART
DOSE**™/MC

5019237

This product is a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1, the AIDS Virus), fungicidal, and inhibits the growth of mold and mildew, and their odors, when used as directed. Use this product for non-scratch cleaning of sinks, showers and tubs, shower doors and curtains, glazed ceramic tiles, fiberglass, fixtures and toilet bowls.

This product will disinfect, clean and deodorize surfaces in rest rooms and toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors. This product is an economical concentrate that can be diluted for use with a mop and bucket, trigger sprayers, sponge or by soaking.



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO.

8017.38

6068381 (15/248)

For Schools, Public Rest Rooms, Athletic Facilities, Transportation Terminals, Hotels, Motels and Other Non-Medical Institutional and Industrial Uses: According to the AOAC Use-Dilution Test, this product is an effective broad spectrum general disinfectant in the presence of 5% organic serum against the following organisms: Staphylococcus aureus, Salmonella enterica, Brevibacterium ammoniagenes, Enterobacter aerogenes, Escherichia coli, Klebsiella pneumoniae, Salmonella schottmuelleri, Serratia marcescens, Shigella dysenteriae, Streptococcus faecalis

For *Virucidal Effectiveness: This product is an effective virucide in the presence of 5% serum against the following organisms:

*Influenza Virus Type A/Brazil

*Hepatitis B Virus (HBV)

*Hepatitis C Virus (HCV)

*Herpes Simplex Virus Type 1 and 2

*HIV-1 (AIDS virus)

*Vaccinia Virus

Kills Pandemic 2009 H1N1 Influenza A Virus.

Net Contents

1.48 U.S. Qt. / 1.4 L

Preparation of Use-Solution: Disinfection – Non Medical (1:128) 1 oz. per gallon of water
Virucide (1:128) 1 oz. per gallon of water

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISINFECTION/VIRUCIDAL*/FUNGICIDAL/ MOLD AND MILDEW CONTROL DIRECTIONS:

Apply use-solution to hard, nonporous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is recommended. Prepare fresh solution daily or more often if the solution becomes visibly dirty or diluted. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes as a disinfectant. For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from the surface, rub with a brush, sponge or cloth. Do not breathe spray.

For fungicidal activity: At 1 oz. per gallon of water, this product is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

For mold and mildew control: At 1 oz. per gallon of water, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces. Allow to dry on surface. Repeat every seven days or more often if new growth appears.

This product is not for use on medical device surfaces.

TO CLEAN AND DEODORIZE: Mix 1-2 oz. of this product per gallon of water to clean and deodorize surfaces. Apply using a cloth, mop, sponge or sprayer. Wipe or allow to air dry.

**NON-ACID TOILET BOWL AND URINAL
DISINFECTANT/CLEANER DIRECTIONS:** If surfaces are visibly dirty, preclean first.

From Use Solution: Empty toilet bowl or urinal and apply a 1-2 oz. per gallon use-solution to exposed surfaces and under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly, allow to stand for 10 minutes and flush.

***KILLS HIV, HBV, and HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B virus (HBV), or Hepatitis C virus (HCV).
SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV, or HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: Clean up must always be done wearing protective gloves, gowns, masks and eye protection.

CLEANING PROCEDURE: Blood and other body fluids containing HIV-1, HBV, or HCV must be thoroughly cleaned from surfaces and objects before application of this product.

CONTACT TIME: Leave surface wet for 10 minutes.
DISPOSAL OF INFECTIOUS MATERIAL: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

EPA Reg. No.: 6836-73-70627

EPA Est. No.: 0312-WI-3[NW]; 13938-CAN-1 [LD]

Lot code letters indicate establishment number.

See SDS # MS0800564

FOR INSTITUTIONAL USE



Questions? Comments:
1-800-558-2332

Sold by: ©2015 Diversey, Inc.,
PO Box 19747, Charlotte, NC 28219-0747

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective (rubber or chemical resistant) gloves. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.



8 07174 50379 1