



COGHLAN'S

No. 7620

STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO.
8037.5

**Emergency
Drinking Water
Germicidal
Tablets**

Active Ingredient:
Tetraglycine Hydroperoxide 16.7%
Other Ingredients 83.3%
Total 100.0%
Each Tablet Contains: 6.68% Titratable Iodine

**Net Contents: 0.21 oz (6 g)(50 Tablets)
(For Solution) Treats up to 25 quarts**

**KEEP OUT OF REACH OF CHILDREN
WARNING**
SEE FIRST AID AND OTHER PRECAUTIONS ON BACK PANEL.



MADE IN U.S.A., PRINTED IN U.S.A. - MANUFACTURED FOR: COGHLAN'S LTD.
© 2016 COGHLAN'S LTD, 121 IRENÉ ST,
WINNIPEG, MB, CANADA R3T 4C7

FIRST AID
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

GENERAL INFORMATION
Coghlan's Emergency Drinking Water Germicidal Tablets are intended for emergency disinfection of drinking water. When used as directed, they make water bacteriologically suitable for drinking. Not to be used on a continuous basis. For short term or limited emergency use only. This product has not been shown to inactivate Cryptosporidium cysts.
DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Add 2 tablets of Coghlan's Emergency Drinking Water Germicidal Tablets to 1 quart or liter of water and cap loosely to allow a small amount of leakage. Wait 5 minutes. Shake container to allow screw threads on the closure to be moistened, then tighten cap. Wait 30 minutes before drinking.
IMPORTANT INFORMATION
Keep cap on bottle tightly sealed. Humidity, moisture and exposure to air will reduce effectiveness of tablets. We recommend that you do not keep an open bottle for more than one year. Unopened bottles should remain effective up to four years.
STORAGE & DISPOSAL:
Do not contaminate food, water or feed by storage or disposal. Recap bottle tightly. Keep tablets dry. **Pesticide Storage:** Store in a cool dry place. **Pesticide Disposal and Container Handling:** Nonrefillable container. Do not reuse or refill this container. If empty, place in trash or offer for recycling if available. If **PARTLY FILLED:** Call your local solid waste agency for disposal instructions.
PRECAUTIONARY STATEMENTS AND HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.
IMPORTANT INFORMATION
Keep cap on bottle tightly sealed. Humidity, moisture and exposure to air will reduce effectiveness of tablets. We recommend that you do not keep an open bottle for more than one year. Unopened bottles should remain effective up to four years.

Net Contents: 0.21 oz. (6 g) (50 Tablets)
EPA Reg. No. 79533-1-37257
EPA Est. No. 88533-MN-2



PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

EPA Reg. No. 79533-1-37257 C1410D

EPA Est. No. 79533-WI-1

Made in USA

Manufactured for: Coghlan's Ltd.,
121 Irene St., Winnipeg, MB, Canada R3T 4C7

GENERAL INFORMATION: For use only when water is of questionable quality or known to be substandard. Not to be used on a continuous basis. This product has not been shown to inactivate *Cryptosporidium* cysts.

RECAP BOTTLE TIGHTLY. KEEP TABLETS DRY.

COGLAN'S

Emergency Drinking Water Germicidal Tablets

Active Ingredient:

Tetraglycine Hydroperiodide..... 16.7%

Other Ingredients83.3%

Total.....100.0%

Each tablet contains: 6.68% Titratable Iodine

**KEEP OUT OF THE REACH OF CHILDREN
WARNING**

See First Aid and other Precautions on back label.
Net Contents: 0.21 oz (6 g) 50 Tablets (For Solution)

Peel Here





DIRECTIONS: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **Step 1:** Add 2 tablets of Coghlan's Emergency Drinking Water Germicidal Tablets to 1 quart or liter of water and cap loosely to allow small amount of leakage. Wait 5 minutes. Shake container to allow screw threads on the closure to be moistened, then tighten cap. Wait 30 minutes before drinking.

STORAGE & DISPOSAL: Do not contaminate food, water or feed by storage or disposal. **Pesticide Storage:** Store in a cool, dry place. **Pesticide Disposal and Container Handling:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions.