



COGLANS

No. 9586

Two-Step Drinking Water Purification System

Use in emergency drinking water situations

Active Ingredient:
Tetraglycine Hydroperiodide 16.7%
Other Ingredients 83.3%
Total 100.0%
Each Tablet Contains: 6.68% Titratable Iodine

Effective against cyst such as
Giardia lamblia and bacteria
such as *Vibrio cholera*.

**KEEP OUT OF
REACH OF CHILDREN
WARNING**
SEE FIRST AID AND OTHER
PRECAUTIONS ON BACK PANEL.

MADE IN U.S.A.
PRINTED IN U.S.A.
© 2014
DISTRIBUTED BY:
COGLANS LTD.
121 IRENE ST., WINNIPEG,
MB, CANADA R3T 4C7

Each Bottle
Contains
50 Tablets
(For Solution)
Treats up to
25 quarts

**Net Contents: Coghlan's Emergency Drinking Water
Germicidal Tablets - 0.21 oz (6 g)(50 Tablets)
Coghlan's Drinking Water Tablets Neutralizer - 50 Tablets**



Coghlan's Emergency Drinking Water
Germicidal Tablets -
0.21 oz (6 g) (50 Tablets)
Coghlan's Drinking Water
Tablets Neutralizer
(50 Tablets)

**Net Contents: Coghlan's Emergency Drinking
Water Germicidal Tablets -
0.21 oz (6 g) (50 Tablets)
Coghlan's Drinking Water
Tablets Neutralizer
(50 Tablets)**

EPA Reg. No. 79533-1-3727
EPA Est. No. 88533-MN-2

Coghlan's Emergency Drinking Water
Germicidal Tablets are intended for
emergency disinfection of drinking water.
When used as directed, these water
purification tablets are bacteriologically
effective for drinking water.
Only this product has not been shown to
remove Cryptosporidium cysts. Coghlan's
Drinking Water Tablets Neutralizer Tablets
with Coghlan's Emergency Drinking
Water Tablets Neutralizer Tablets are
not to be used on a continuous basis.
For short term or limited emergency use
before 30 minutes may allow harmful
bacteria to remain in the drinking water.
DO NOT ADD COGLANS
EMERGENCY DRINKING WATER
GERMICIDAL TABLETS AND COGLANS'
DRINKING WATER TABLETS
NEUTRALIZER AT THE SAME TIME.
Add 2 Coghlan's Drinking Water Tablets
Neutralizer Tablets per quart of water.
Shake container well. Wait 3 minutes
before drinking. Tablets do not have to
completely dissolve to be effective.
**STORAGE &
DISPOSAL:**
Pesticide Storage: Store in a cool dry
place. Pesticide Disposal and
Container Handling: Nonrefillable
containers. Do not reuse or refill this
container. If EMPTY, place in trash
or other for recycling if available. If
PARTLY FILLED: Call your local solid
waste agency for disposal instructions.
**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**
WARNING: Avoid eye contact. Will cause
severe irritation to eyes and mucous
membranes. Harmful if swallowed.
Wash hands thoroughly with soap and
water after handling and before eating,
drinking, chewing gum, or using tobacco.
FIRST AID
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20
minutes. Remove contact lenses, if present, after the first 5 minutes, then
continue rinsing eyes. **IF SWALLOWED:** Call a poison control center or doctor
for treatment advice. Have a person sip glass of water if able to do so.
Do not induce vomiting unless told to by a poison control center or
doctor. Do not give anything to an unconscious person.
Call a poison control center or doctor for further treatment advice. Have the
product container or label with you when calling a poison control center or
doctor or going for treatment.



LICENSED

PERIOD 2015-2016 LIC.NO.

8037.5



PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING: Avoid eye contact. Will cause severe irritation to eyes and mucous membranes. Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

GENERAL INFORMATION: For use only when water is of questionable quality or known to be substandard. Not to be used on a continuous basis. This product has not been shown to inactivate Cryptosporidium cysts.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person.
Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

DIRECTIONS: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **Step 1:** Add 2 tablets of Coghlan's Emergency Drinking Water Germicidal Tablets to 1 quart or liter of water and cap loosely to allow small amount of leakage. Wait 5 minutes. Shake container to allow screw threads on the closure to be moistened, then tighten cap. Wait 30 minutes before drinking.

RECAP BOTTLE TIGHTLY. KEEP TABLETS DRY.

COGLAN'S

Emergency Drinking Water Germicidal Tablets

Active Ingredient:

Tetraglycine Hydroperiodide..... 16.7%
Other Ingredients..... 83.3%
Total.....100.0%

Each tablet contains: 6.68% Titratable Iodine

WARNING

KEEP OUT OF THE REACH OF CHILDREN

See First Aid and other Precautions on inside panel.
Net contents 0.21 oz (6g) 50 Tablets (For Solution)
Peel Here





STORAGE & DISPOSAL: Pesticide Storage: Store in a cool, dry place.
Pesticide Disposal and Container Handling: Non refillable container.
Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling, if available.
If partly filled: Call your local solid waste agency for disposal instructions.

EPA Reg. No. 79533-1-37257 EPA Est. No. 79533-WI-1

Manufactured in U.S.A. for:

Coghlan's Ltd., 121 Irene St., Winnipeg, MB, Canada R3T 4C7

