Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2015-2017 LIC. NO. 8054.17

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.

LICENSED
HAWAII
DEPT. OF AGRICULTURE
Period 2003-2005 No. 8054.17

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2006-2008 LIC. NO.

Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2009-2011 LIC. NO.

Andersons™
GOLF PRODUCTS

Fertilizer

22-0-10

with **RONSTAR**® Herbicide

**FOR SALE TO, USE AND STORAGE BY PROFESSIONAL TURF MAINTENANCE PERSONNEL ONLY.
NOT FOR USE ON HOME LAWNS**

- **Provides preemergent control or suppression of crabgrass, *Poa annua*, goosegrass, and foxtail**
- **Contains NS-52 slow release nitrogen**
- **SGN 215**

Guaranteed Analysis

Total Nitrogen (N)	22.00%
22.00% Urea Nitrogen*	
Soluble Potash (K_2O)	10.00%
Sulfur (S)	8.02%
8.92% Free Sulfur (S)	

Plant nutrients derived from potassium chloride and polymer coated sulfur coated urea.

Chlorine (Cl) Max	8.45%
***22.00% Slowly Available Nitrogen from Polymer Coated Sulfur Coated Urea.**	**F292**

The Andersons Golf Products logo is a trademark of The Andersons Agriservices, Inc.; Ronstar is a registered trademark of Aventis.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-ap.com.

Active Ingredient:

Oxadiazon†	1.0%
Other Ingredients:	99.0%
Total	100.0%

EPA Reg. No. 9198-203 EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A
†CAS # 19666-30-9 Underlined letter is first letter used in run code on bag.

This product and/or its use is covered by one or more of the following US patents and foreign counterparts thereof: US Pat No 5,219,465; 5,300,135.

Attention: This product contains a chemical known to the State of California to cause cancer.

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING. May be fatal if inhaled. Causes substantial but temporary eye injury. Wear goggles or safety glasses when applying this product. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Wear protective clothing including long sleeved shirt and gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Statement of Practical Treatment

IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting or give anything by mouth to an unconscious person. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. **IF IN EYES:** Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention. **IF ON SKIN:** Wash with plenty of soap and water. Get medical attention. **IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

Environmental Hazards

This pesticide is toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.
- For use on established or sprigged bermudagrass, zoysiagrass, Seashore paspalum* (see pre cautions), and St. Augustinegrass ornamental turf for preemergent control or suppression of sprouting:

crabgrass	yellow foxtail	*Poa annua*
goosegrass	green foxtail	

*Not currently registered in California.

HOW TO USE

- Apply prior to or after sprigging 150 to 300 lbs. of product per acre (1.5 to 3.0 lbs. AI/acre) for suppression or control of listed annual grassy weeds in bermudagrass, zoysiagrass, and St. Augustinegrass.
- After application of this product on newly sprigged bermudagrass, zoysiagrass, and St. Augustinegrass, wait until the grass has filled in and the stolons have rooted down before application of other herbicide, combination fertilizer/herbicide or growth regulator products.
- On Seashore paspalum make application 10-14 days after sprigging.
- For established turf, apply at 200 to 400 lbs. of product per acre (2.0 to 4.0 lbs. AI/acre).

WHEN TO USE

Use this product to control or suppress the listed annual grassy weeds when establishing new turf areas or when treating established turf that has been thinned from winter injury, insects, diseases or other factors.

PRECAUTIONS

- Avoid contact with flowers and shrubs.
- This product should not be used on established putting greens and tees because of the varied cultural practices used.
- Do not apply product to moist turfgrass foliage.
- This product may cause discoloration of bermudagrass and St. Augustinegrass. This discoloration is temporary and will normally be outgrown within 2 to 3 weeks.
- On Seashore paspalum wait 10-14 days after sprigging before application. An application made close to the time of sprigging may cause objectionable injury.
- Irrigate immediately after application for best results.
- Seeding into treated areas should be delayed until 4 months after treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.
PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.
CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE:
Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:
WARRANTY DISCLAIMER and LIMITATION of LIABILITY:
Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.
LEGAL RIGHTS:
THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Manufactured by:
The Andersons Lawn Fertilizer Division, Inc.,
P.O. Box 119, Maumee, OH 43537

Suggested Spreader Settings

To provide proper distribution calibrate spreader before application.
50 lbs. treats 11,100 sq. ft. at 200 lbs. product/acre - LOW RATE (2.0 lbs. ai/A)
50 lbs. treats 8,800 sq. ft. at 250 lbs. product/acre - MEDIUM RATE (2.5 lbs. ai/A)
50 lbs. treats 7,400 sq. ft. at 300 lbs. product/acre - HIGH RATE (3.0 lbs. ai/A)

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	LOW RATE 200 Lbs/A RATE	MED RATE 250 Lbs/A RATE	HIGH RATE 300 Lbs/A RATE
Andersons Broadcast AccuPro A					
SR-2000 (cone 7)	3 mph	12 ft.	J 3/4	K 1/2	M
Scotts Rotaries					
R-8A (cone 7)	3 mph	11 ft.	I 1/2	J	K
Lely Model W PTO at 450 rpm	4.5 mph	36 ft.	6 1/4 IIIB	5 3/4 IIIB	6 1/2 IIIB
Vicon (402 Series, Standard Spout)	4.5 mph	32 ft.	30	37	43

SGN 215
Treats up to 11,100 Sq. Ft.
Net Wt. 50 Lbs. (22.68 kg)

B3 (AGCBLKPBRN.1B)

AGC222R5