



STATE OF HAWAII  
Department of Agriculture

**ACCEPTED**

LICENSE NO. **8062.9**

**Disc.**



**SUPC 8729149**

# **RELIANCE GERMICIDAL BLEACH**

**COMMERCIAL/INSTITUTIONAL USE**



## **KILLS VIRUSES\* THAT CAUSE COLDS & FLU†**

**DISINFECTS • SANITIZES • DEODORIZES • BACTERICIDAL • MILDEWICIDAL • FUNGICIDAL  
FOR FOODSERVICE APPLICATIONS • RESTAURANT USE • HOSPITAL USE**

### **PRECAUTIONARY STATEMENTS**

#### **Hazards to Humans and Domestic Animals**

**DANGER:** Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses and rubber gloves when handling this product. Wash after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

**Environmental Hazards:** This product is toxic to fish and aquatic organisms. **Physical and Chemical Hazards:** Strong oxidizer. Flush drains before and after use. Do not use or mix with other household chemicals, such as toilet bowl cleaners, rust removers, acid or ammonia containing products. To do so will release hazardous gasses. Prolonged contact with metal may cause pitting or discoloration.

#### **ACTIVE INGREDIENT:**

Sodium Hypochlorite ..... 6.0%

OTHER INGREDIENTS..... 94.0%

TOTAL ..... 100.0%

Yields 5.7% Available Chlorine

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

**Net Contents: 128 Fl. Oz. (1 Gallon) 3.78 L**

### **FIRST AID**

Call poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

- If in eyes**
  - Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- If on skin or clothing**
  - Take off contaminated clothing.
  - Rinse skin with plenty of water for 15-20 minutes.
- If swallowed**
  - Have person sip a glass of water if able to swallow.
  - Do not induce vomiting unless told to do so by the poison control center or doctor.
  - Do not give anything by mouth to an unconscious person.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

### **STORAGE & DISPOSAL**

Do not contaminate food or feed by storage, disposal or cleaning of equipment. Store in a cool, dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood area with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. **CONTAINER DISPOSAL:** Non refillable container. Do not reuse or refill this container. Offer for recycling if available or place in trash collection.

EPA REG NO.: 70271-13-29055

EPA Est. No. 70271-1

CA-02  
CAN-01  
CO-01  
FL-01  
GA-01  
TX-01  
VA-01  
WA-01

55852-IL-01

Actual Est. No. shown in code above or below label printed on bottle

SEAL TO FALL HERE



#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DILUTION TABLE:** PPM (Parts Per Million) Available Chlorine. Check chlorine concentration with standard test strip: ½ oz. of this product (1 tablespoon) + 1 gallon water = 200 ppm, 2 oz. of this product (¼ cup) + 1 ½ gallons of water = 600 PPM, 12 oz. of this product (1 ½ cups) + one gallon water = 5000 ppm. **SANITIZING NONPOROUS FOOD CONTACT SURFACES:** Prepare a sanitizing solution by thoroughly mixing 2 Tbsp. (1 oz.) of this product with 2 gallons of water to provide approximately 200 ppm available chlorine by weight. Clean all surfaces in the normal manner. Prior to use, rinse all surfaces thoroughly with the sanitizing solution, maintaining contact with the sanitizer for at least 2 minutes. Do not rinse equipment with water after treatment and do not soak equipment overnight. **SANITIZING POROUS FOOD CONTACT SURFACES:** Prepare a solution of approximately 600 ppm by thoroughly mixing 6 Tbsp. (3 ozs.) of this product with 2 gallons of water. Clean surfaces in the normal manner. Rinse all surfaces thoroughly with the 600 ppm solution, maintaining contact with the sanitizer for at least 2 minutes. Prepare a 200 ppm sanitizing solution by thoroughly mixing 2 Tbsp. (1 oz.) of this product with 2 gallons of water. Prior to using equipment, rinse all surfaces with 200 ppm available chlorine solution. Do not rinse with water and do not soak equipment overnight. **DISINFECTING FLOORS, WALLS AND OTHER HARD INANIMATE SURFACES NOT IN DIRECT CONTACT WITH FOOD:** Prewash surfaces and rinse. Mix ¾ cup bleach with 1 gallon of water. Spray, rinse, or wipe surface with bleach solution and let stand for 5 minutes. Drain or rinse and air dry. **WAREWASHING: FOR SANITIZING TABLEWARE IN LOW TEMPERATURE DISHWASHING MACHINE** -Dispense this product into final rinse water at 100 ppm available chlorine. Do not allow concentration to fall below 50 ppm. Air dry. Dispenser should be set to deliver 6.5 cc of sanitizing solution per gallon of water to give approximately 100 ppm of available chlorine. Only a qualified service representative should set or adjust dispenser on the machine. **DIRECTIONS FOR SANITIZING EATING AND DRINKING UTENSILS:** Prepare sanitizing solution immediately prior to use. 1. Scrape and pre-wash utensils and glass whenever possible. 2. Wash with good detergent or compatible cleaner. 3. Rinse with clean water. 4. Sanitize in solution of 1 oz to 2 gallons of water (200 ppm). 5. Immerse utensils at least 2 minutes or for contact time specified by governing sanitary code. 6. Do not reuse sanitizing solution. **SPECIAL LABEL INSTRUCTIONS FOR CLEANING PRIOR TO DISINFECTION AGAINST CLOSTRIDIUM DIFFICILE ENDOSPORES: PERSONAL PROTECTION:** Wear appropriate barrier protection such as gloves, gowns, masks or eye covering. **CLEANING PROCEDURE:** Fecal matter/waste must be thoroughly cleaned from surfaces/objects before disinfection by application with clean cloth, mop and/or sponge saturated with product intended for disinfection. Cleaning should include vigorous wiping and/or scrubbing until visible soil is removed. Special attention is needed for high-touch surfaces. Surfaces in patient rooms should be cleaned in an appropriate manner, with restrooms and other "dirty" areas cleaned last. Do not reuse soiled cloths. **INFECTIOUS MATERIALS DISPOSAL:** Cleaning materials used that may contain feces/wastes should be disposed of immediately in accordance with local regulations for infectious materials disposal. **FOR KILLING CLOSTRIDIUM DIFFICILE SPORES:** Use 1 part bleach to 5 parts water to achieve a 1:5 dilution (~ 10,000 ppm available chlorine) before use. Clean hard, non-porous surfaces by removing gross filth. Apply 1:5 solution and let stand for 10 minutes. Rinse and air dry. Do not use on non-stainless steel, aluminum, silver or chipped baked enamel. **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST \*HIV (AIDS VIRUS), HBV (HEPATITIS B VIRUS) and HCV (HEPATITIS C VIRUS) ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:** Kills HIV-1 (AIDS virus), HBV (Hepatitis B virus) and HCV (Hepatitis C virus) on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human immunodeficiency virus type 1 (HIV-1) (associated with AIDS), HBV (Hepatitis B virus) and HCV (Hepatitis C virus). **PERSONAL PROTECTION:** Disposable latex or vinyl gloves, gowns, masks, and/or eye coverings as appropriate must be worn during all cleaning and decontamination procedures of blood and other body fluids. **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before applying this product. **DISINFECTANT USE AND CONTACT TIME:** Effective against HIV-1 (AIDS virus), HBV (Hepatitis B virus) and HCV (Hepatitis C virus) on hard non-porous surfaces. Prepare disinfectant by mixing 12 fl.oz. (1 ½ cups) of this product per gallon of water to provide 5,000 ppm of available chlorine. Leave surfaces wet for 5 minutes for HIV and 10 minutes for HBV/HCV. Drain and let air dry. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

This product, when used as directed on hard, non-porous surfaces, is effective against the following:

#### FUNGICIDAL

- Trichophyton mentagrophytes (Athlete's foot fungus)
- Aspergillus brasiliensis (mildew)

#### BACTERICIDAL

- Escherichia coli O157:H7 (E. coli)
- Pseudomonas aeruginosa (pseudomonas)
- Salmonella enterica (salmonella)
- Shigella dysenteriae
- Staphylococcus aureus (staph)
- Methicillin Resistant Staphylococcus aureus (MRSA)
- Clostridium difficile spore (C. diff)
- Streptococcus pyogenes (strep)

#### VIRUCIDAL\*

- \*Adenovirus type 2
- \*Avian Influenza A virus (Avian Flu virus)
- \*Canine Parvovirus
- \*Cytomegalovirus
- \*Feline Panleukopenia virus (Parvovirus)
- \*Hepatitis A virus
- \*Hepatitis B virus
- \*Hepatitis C virus
- \*Herpes simplex virus type 1 (herpes)
- \*Herpes simplex virus type 2 (herpes)
- \*Human immunodeficiency virus type 1 (HIV-1)
- \*H1N1 Influenza A virus†
- \*Influenza A virus (Strain Hong Kong)
- \*Poliovirus type 1
- \*Respiratory syncytial virus
- \*Rhinovirus type 37†
- \*Rotavirus

\* See directions in the Service Bulletin titled "Special Instructions For Using Reliance Germicidal Bleach"

MSDS Information: [www.sysco.com](http://www.sysco.com)



DISTRIBUTED BY SYSCO CORPORATION  
1390 ENCLAVE PARKWAY, HOUSTON, TEXAS 77077  
174341

REV082310



Service Bulletin
Special Instructions for Using

RELIANCE GERMICIDAL BLEACH

(EPA Reg. No. 70271-13-29055)

See product label for additional information.

FOR USE IN:

DAYCARE CENTER
HEALTH CLUBS
HOSPITAL
HOTEL

HOUSEHOLD
INSTITUTION
LOCKER ROOM
MEDICAL CLINIC

MEDICAL FACILITY
NURSING HOME
RESTROOM
SCHOOL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

LAUNDRY:

Use to bleach white and colorfast Acrylics, Cotton, Nylon, Polyester, Rayon (test to be sure). Do not use on Acetate, Leather, Silk, Spandex or Wool, Mohair and non-fast colors. Sort laundry by color and fabric. Separate whites from colors, light colors from dark colors.

Bleach Test: Before using, mix 1 1/2 tablespoons of bleach with 1/4 cup of water in a glass, rubber, glazed porcelain, or plastic container and test a small piece of fabric in a place that doesn't show. Test all colors, including trim. Let stand one minute, then blot dry. No color change means the article can be bleached safely.

Top Loading Machine - Before adding clothes, mix 3/4 cup of bleach with water in top-loading 16 gallon machines or for large top loading automatics or larger heavily soiled loads, use 1 1/4 cups. Add clothes.

Front Loading or High Efficiency Machine - Mix 1/3 cup bleach with water in front-loading or HE 8 gallon machines. If clothes are in machine the addition of bleach can cause damage. \*For HE Washers, add using the bleach dispenser following the machine manufacturer's instructions.

TOP LOAD AUTOMATIC. . . . . 3/4 CUP LARGE TOP LOADING AUTOMATIC..... 1 1/4 CUPS

FRONT LOAD AUTOMATIC. . . . . 1/3 CUP LARGE/HEAVY SOILED LOADS ..... 1 1/4 CUPS

\*For HE Washers, add using the bleach dispenser following the machine manufacturer's instructions.

To Whiten Nylon and Other Synthetics that have turned yellow or grey: 1 tablespoon of this product per gallon water. Soak clean fabric in solution for 15 to 20 minutes. Rinse well. Repeat if necessary.

Machine Washing Directions: Use at least once per month to keep your washing machine smelling fresh and clean. If your HE machine has a cleaning cycle, check the manufacturer's directions before use. 1. Select the hot water setting. 2. Fill the bleach dispenser to the maximum level. 3. Run the cycle until it is completed. 4. Run a rinse cycle, manually to flush out any remaining bleach.

LAUNDRY SANITIZATION:

Household Laundry Sanitizers

In Soaking Suds - Thoroughly mix 4.5 fl.oz. of this product to 10 gallons of wash water to provide 200 ppm available chlorine.

Wait 5 minutes, then add soap or detergent. Immerse laundry for at least 11 minutes prior to starting the wash/rinse cycle.

In Washing Suds - Thoroughly mix 4.5 fl.oz. of this product to 10 gallons of wash water containing clothes to provide 200 ppm available chlorine. Wait 5 minutes, then add soap or detergent and start the wash/rinse cycle.

Commercial Laundry Sanitizers

Wet fabrics or clothes should be spun dry prior to sanitization. Thoroughly mix 4.5 fl.oz. of this product with 10 gallons of water to yield 200 ppm available chlorine. Promptly after mixing the sanitizer, add the solution into the prewash prior to washing fabrics/clothes in the regular wash cycle with a good detergent. Test the level of available chlorine, if solution has been allowed to stand. Add more of this product if the available chlorine level has dropped below 200 ppm.

## **DISINFECTING:**

**Kitchen:** Clean and disinfect appliances, countertops, hard non-porous plastic cutting boards, faucets, floors, freezers, garbage disposals, glass, glazed ceramic tile, linoleum, microwaves, painted woodwork, refrigerators, sinks, stoves, stove tops, trash cans, trash bins, vinyl, walls, work surfaces:

1. Use  $\frac{3}{4}$  cup of Bleach per gallon of water.
2. Wash, rinse, or wipe surfaces and then apply disinfecting solution.
3. Let stand 5 minutes, then rinse thoroughly and air dry.

**Bathroom:** Disinfect and deodorize bathtubs, countertops, faucets, floors, glazed ceramic tile, glazed porcelain, showers, plastic shower curtains, shower walls, sinks, vinyl, walls:

1. Use  $\frac{3}{4}$  cup of Bleach per gallon of water.
2. Wash, rinse, or wipe surfaces and then apply disinfecting solution.
3. Let stand 5 minutes, then rinse thoroughly and air dry.

### **Disinfect Hard Non-porous Surfaces:**

1. Use  $\frac{3}{4}$  cup of Bleach per gallon of water.
2. Wash, rinse, or wipe surfaces and then apply disinfecting solution.
3. Let stand 5 minutes, then rinse thoroughly and air dry.

### **Disinfecting and Deodorizing Kitchen, Dishes, Sinks:**

1. Use  $\frac{1}{4}$  cup bleach mixed with 1 quart of water to soak cleaned dishes, teapot, cups, sinks, etc. for 5 minutes.
2. Rinse with a solution of approximately 1 Tbsp. of bleach per gallon of water to prepare a 200 ppm solution. Do not use on silverware. Bleach solution can be used on glazed porcelain, baked enamel, etc. surfaces after cleaning.
3. Let air dry.

### **Kill Germs and Odors in Garbage Cans:**

1. Rinse with soap and water.
2. Put a solution of  $\frac{3}{4}$  cup of bleach per gallon of water in the garbage can.
3. Let stand 5 minutes then drain.

**Sickroom Equipment:** Wash all surfaces thoroughly. Rinse, then spread a solution of 1  $\frac{1}{2}$  cups of this product per 2 gallons of water over all surfaces. Let stand 5 minutes, then drain.

## **Swimming Pool Water Disinfection**

For a new pool or spring start-up, superchlorinate with 107 to 213 fl.oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.6. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm. To maintain the pool, add manually or by a feeder device 22 fl.oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers. Every 7 days, or as necessary, superchlorinate the pool with 107 to 213 fl.oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Reentry into treated pools is prohibited above levels of 4.0 ppm due to risk of bodily harm.

At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

**Winterizing Pools** - While water is still clear & clean, apply 6.5 fl.oz. of product per 1000 gallons, while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions.

## **Spas, Hot-Tubs, Immersion Tanks, Etc.**

**Spas / Hot Tubs** - Apply 11 fl.oz. of product per 1000 gallons of water to obtain a free available chlorine concentration of 5 ppm, as determined by a suitable chlorine test kit. Adjust and maintain pool water pH to between 7.2 and 7.8. Some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of the product. To maintain the water, apply 11 fl.oz. of product per 1000 gallons of water over the surface to maintain a chlorine concentration of 5 ppm. After each use, shock treat with 17 fl.oz. of this product per 500 gallons of water to control odor and algae. Reentry into treated spas is prohibited above levels of 5.0 ppm due to risk of bodily harm. During extended periods of disuse, add 6.5 fl.oz. of product daily per 1000 gallons of water to maintain a 3 ppm chlorine concentration.

**Hydrotherapy Tanks** - Add 2.5 fl.oz. of this product per 1000 gallons of water to obtain a chlorine residual of 1 ppm, as determined by a suitable chlorine test kit. Pool should not be entered until the chlorine residual is below 3 ppm. Adjust and maintain the water pH to between 7.2 and 7.6. Operate pool filter continuously. Drain pool weekly, and clean before refilling.

## **SANITIZING - Non-Food Contact:**

**Bathroom:** Sanitize and deodorize bathtubs, countertops, faucets, floors, glazed ceramic tile, glazed porcelain, showers, non-porous shower curtains, shower walls, sinks, vinyl, walls:

1. Use 1 tablespoon per gallon of water.
2. Wash, rinse, or wipe surfaces and then apply sanitizing solution.
3. Let stand 5 minutes, and air dry.

### **To Sanitize Hard Non-porous Surfaces:**

1. Use 1 tablespoon of Bleach per gallon of water.
2. Wash, rinse, or wipe surfaces and then apply sanitizing solution.
3. Let stand 5 minutes and air dry.

### **Sanitizing Your Pet's Litter Boxes:**

1. Wash thoroughly with water and dish detergent.
2. Sanitize with 2/3 cup of bleach mixed with a gallon of water.
3. Let stand 5 minutes then rinse with water and allow to dry.

### **Sanitizing Children's Hard Non-porous Furniture and Toys:**

1. Ensure all surfaces are colorfast. Wash all surfaces thoroughly.
2. To kill 99.9% germs, use a solution of 1 tablespoon of bleach per gallon of water to sanitize children's surfaces.
3. Let stand for 5 minutes, then rinse and allow to dry.

**Toilet Bowls:** To sanitize and deodorize pre-cleaned toilet bowls, use 1 cup of this product.

1. Flush, pour in bleach – swab with brush, making sure to get under the rim, and
2. Let stand for 10 minutes.
3. Flush. DO NOT use with bowl cleaners or any other household chemicals.

## **Sanitization of Porous Non-Food Contact Surfaces**

**Rinse Method** - Prepare a sanitizing solution by thoroughly mixing 13 fl.oz. of this product with 10 gallons of water to provide approximately 600 ppm available chlorine by weight. Clean surfaces in the normal manner. Prior to use, rinse all surfaces thoroughly with the sanitizing solution, maintaining contact with the sanitizer for at least 2 minutes. Do not rinse equipment with water after treatment and do not soak equipment overnight.

**Immersion Method** - Prepare a sanitizing solution by thoroughly mixing, in an immersion tank, 13 fl.oz. of this product with 10 gallons of water to provide approximately 600 ppm available chlorine by weight. Clean equipment in the normal manner. Prior to use, immerse equipment in the sanitizing solution for at least 2 minutes and allow the sanitizer to drain. Do not rinse equipment with water after treatment.

**Spray/Fog Method** - After cleaning, sanitize non-food contact surfaces with 600 ppm available chlorine by thoroughly mixing the product in a ratio of 13 fl.oz. of this product with 10 gallons of water. Use spray or fogging equipment which can resist hypochlorite solutions. Always empty and rinse spray/fog equipment with potable water after use. Prior to using equipment, thoroughly spray or fog all surfaces until wet, allowing excess sanitizer to drain. Vacate area for at least 2 hours.

## **Sanitization of Non-Porous Non-Food Contact Surfaces**

**Rinse Method** - Prepare a sanitizing solution by thoroughly mixing 4.5 fl.oz. of this product with 10 gallons of water to provide approximately 200 ppm available chlorine by weight. Clean equipment surfaces in the normal manner. Prior to use, rinse all surfaces thoroughly with the sanitizing solution, maintaining contact with the sanitizer for at least 2 minutes. Do not rinse equipment with water after treatment and do not soak equipment overnight.

**Immersion Method** - Prepare a sanitizing solution by thoroughly mixing, in an immersion tank, 4.5 fl.oz. of this product with 10 gallons of water to provide approximately 200 ppm available chlorine by weight. Clean equipment in the normal manner. Prior to use, immerse equipment in the sanitizing solution for at least 2 minutes and allow the sanitizer to drain. Do not rinse equipment with water after treatment.

**Spray/Fog Method** - Preclean all surfaces after use. Prepare a 200 ppm. available chlorine sanitizing solution of sufficient size by thoroughly mixing the product in a ratio of 4.5 fl.oz. product with 10 gallons of water. Use spray or fogging equipment which can resist hypochlorite solutions. Prior to using equipment, thoroughly spray or fog all surfaces until wet, allowing excess sanitizer to drain. Vacate area for at least 2 hours.

## **SANITIZING - Food Contact Surfaces:**

**For Sanitizing** - Mix 1 tablespoon bleach with 1 gallon of water.

*Work Surfaces:* Pre-wash with detergent, rinse, cover surface with bleach solution for at least 2 minutes, drain, let air dry.

*Dishes, Glassware, Utensils:* After washing, soak for at least 2 minutes in bleach solution. Drain and let air dry.

*Refrigerators, Freezers:* Wash, rinse, apply bleach solution for at least 2 minutes, drain let air dry.

Before using this product, remove or carefully protect food. Remove gross food particles from surface. Prewash surface with a good detergent and rinse thoroughly with potable water. Mix approximately 1 tablespoon of bleach per gallon of water to prepare a 200 ppm available chlorine solution. Cover surface with bleach solution for at least 2 minutes. Air dry.

### **Directions for Sanitizing Eating and Drinking Utensils:**

Prepare sanitizing solution immediately prior to use.

1. Scrape and pre-wash utensils and glass whenever possible.
2. Wash with good detergent or compatible cleaner.
3. Rinse with clean water.
4. Sanitize in solution of 1 fl.oz. to 2 gallons of water (200 ppm).
5. Immerse utensils at least 2 minutes or for contact time specified by governing sanitary code.
6. Do not reuse sanitizing solution.

**Sanitizing Tableware in Low Temperature Dishwashing Machine** - Dispense this product into final rinse water at 100 ppm available chlorine. Do not allow concentration to fall below 50 ppm. Air dry. Dispenser should be set to deliver 6.5 cc of sanitizing solution per gallon of water to give approximately 100 ppm of available chlorine. Only a qualified service representative should set or adjust dispenser on the machine.

### **Plastic Cutting Boards:**

1. Wash with water and dish detergent.
2. Clean with a solution of 1 tablespoon of bleach per gallon of water.
3. Let stand 2 minutes then rinse with water and allow to dry.

### **Wooden Cutting Boards:**

1. Wash with water and dish detergent.
2. Clean with a solution of 3 tablespoons of bleach per gallon of water.
3. Let stand 2 minutes then rinse with a solution of 1 tablespoon of bleach per gallon of water and allow to dry.

## **Sanitizing of Porous Food Contact Surfaces**

**Rinse Method** - Prepare a sanitizing solution by thoroughly mixing 13 fl.oz. of this product with 10 gallons of water to provide 600 ppm available chlorine by weight. Clean surfaces in the normal manner. Prior to use, rinse all surfaces thoroughly with the sanitizing solution, maintaining contact with the sanitizer for at least 2 minutes and allow the sanitizer to drain. Prepare a 200 ppm sanitizing solution by thoroughly mixing 4.5 fl.oz. of this product with 10 gallons of water and rinse all surfaces with this 200 ppm solution. Do not rinse with water and do not soak equipment overnight.

**Immersion Method** - Prepare a sanitizing solution by thoroughly mixing, in an immersion tank, 13 fl.oz. of this product with 10 gallons of water to provide 600 ppm available chlorine by weight. Clean equipment in the normal manner. Prior to use, immerse equipment in the sanitizing solution, maintaining contact for at least 2 minutes and allow the sanitizer to drain. Following this, prepare a 200 ppm sanitizing solution by thoroughly mixing 4.5 fl.oz. of this product with 10 gallons of water and rinse all surfaces with this 200 ppm solution. Do not rinse with water and do not soak equipment overnight.

**Spray/Fog Method** - Preclean all surfaces after use. Prepare a 600 ppm available chlorine sanitizing solution of sufficient size by thoroughly mixing the product in a ratio of 13 fl.oz. product with 10 gallons of water. Use spray or fogging equipment which can resist hypochlorite solutions. Always empty and rinse spray/fog equipment with potable water after use. Thoroughly spray or fog all surfaces until wet, allowing excess sanitizer to drain. Vacate area for at least 2 hours. Prior to using equipment, rinse all surfaces with a 200 ppm available chlorine solution. Prepare a 200 ppm sanitizing solution by thoroughly mixing 4.5 fl.oz. of this product with 10 gallons of water.

## **SANITIZING - Food Contact Surfaces (Continued):**

### **Sanitization of Non-Porous Food Contact Surfaces**

**Rinse Method** - A solution of 100 ppm available chlorine may be used in the sanitizing solution if a chlorine test kit is available. Solutions containing an initial concentration of 100 ppm available chlorine must be tested and adjusted periodically to insure that the available chlorine does not drop below 50 ppm. Prepare a 100 ppm sanitizing solution by thoroughly mixing 2.5 fl.oz. of this product with 10 gallons of water. If no test kit is available, prepare a sanitizing solution by thoroughly mixing 4.5 fl.oz. of this product with 10 gallons of water to provide approximately 200 ppm available chlorine by weight. Clean equipment surfaces in the normal manner. Prior to use, rinse all surfaces thoroughly with the sanitizing solution, maintaining contact with the sanitizer for at least 2 minutes. If solution contains less than 50 ppm available chlorine, as determined by a suitable test kit, either discard the solution or add sufficient product to reestablish a 200 ppm residual. Do not rinse equipment with water after treatment and do not soak equipment overnight. Sanitizers used in automated systems may be used for general cleaning but may not be re-used for sanitizing purposes.

**Immersion Method** - A solution of 100 ppm available chlorine may be used in the sanitizing solution if a chlorine test kit is available. Solutions containing an initial concentration of 100 ppm available chlorine must be tested and adjusted periodically to ensure that the available chlorine does not drop below 50 ppm. Prepare a 100 ppm sanitizing solution by thoroughly mixing 2.5 fl.oz. of this product with 10 gallons of water. If no test kit is available, prepare a sanitizing solution by thoroughly mixing 4.5 fl.oz. of this product with 10 gallons of water to provide approximately 200 ppm available chlorine by weight. Clean equipment in the normal manner. Prior to use, immerse equipment in the sanitizing solution for at least 2 minutes and allow the sanitizer to drain. If solution contains less than 50 ppm available chlorine, as determined by a suitable test kit, either discard the solution or add sufficient product to reestablish a 200 ppm residual. Do not rinse equipment with water after treatment. Sanitizers used in automated systems may be used for general cleaning but may not be re-used for sanitizing purposes.

**Flow/Pressure Method** - Disassemble equipment and thoroughly clean after use. Assemble equipment in operating position prior to use. Prepare a volume of a 200 ppm available chlorine sanitizing solution equal to 110% of volume capacity of the equipment by mixing the product in a ratio of 4.5 fl.oz. product with 10 gallons of water. Pump solution through the system until full flow is obtained at all extremities, the system is completely filled with the sanitizer and all air is removed from the system. Close drain valves and hold under pressure for at least 2 minutes to ensure contact with all internal surfaces. Remove some cleaning solution from drain valve and test with a chlorine test kit. Repeat entire cleaning/sanitizing process if effluent contains less than 50 ppm available chlorine.

**Clean-In-Place Method** - Thoroughly clean equipment after use. Prepare a volume of a 200 ppm available chlorine sanitizing solution equal to 110% of volume capacity of the equipment by mixing the product in a ratio of 4.5 fl.oz. product with 10 gallons of water. Pump solution through the system until full flow is obtained at all extremities, the system is completely filled with the sanitizer and all air is removed from the system. Close drain valves and hold under pressure for at least 10 minutes to ensure contact with all internal surfaces. Remove some cleaning solution from drain valve and test with a chlorine test kit. Repeat entire cleaning/sanitizing process if effluent contains less than 50 ppm available chlorine.

**Spray/Fog Method** - Preclean all surfaces after use. Use a 200 ppm available chlorine solution to control bacteria, mold or fungi and a 600 ppm solution to control bacteriophage. Prepare a 200 ppm sanitizing solution of sufficient size by thoroughly mixing the product in a ratio of 4.5 fl.oz. product with 10 gallons of water. Prepare a 600 ppm solution by thoroughly mixing the product in a ratio of 13 fl.oz. product with 10 gallons of water. Use spray or fogging equipment which can resist hypochlorite solutions. Always empty and rinse spray/fog equipment with potable water after use. Thoroughly spray or fog all surfaces until wet, allowing excess sanitizer to drain. Vacate area for at least 2 hours. Prior to using equipment, rinse all surfaces treated with 600 ppm solution with a 200 ppm solution.

## Table of Proportions

Mix quantity of bleach with quantity of water to obtain ppm level indicated.

PPM*	Quantity of Bleach	+	Quantity of Water	PPM*	Quantity of Bleach	+	Quantity of Water	
5	1 Part		11,999 Parts	600	1 Part		99 Parts	
	1 Drop (0.0017 fl. oz.)		2 Cups		1 Tbsp (0.5 fl. oz.)		6 Cups	
	1 Tsp (0.17 fl. oz.)		15 Gallons		¼ Cup (2 fl. oz.)		1 ½ Gallons	
10	1 Part		5999 Parts		½ Cup (4 fl. oz.)		3 Gallons	
	2 Drops (0.0034 fl. oz.)		2 Cups		¾ Cup (6 fl. oz.)		4 ½ Gallons	
	1 Tsp (0.17 fl. oz.)		7 ½ Gallons		10 Gallons (1,280 fl. oz.)		1000 Gallons	
25	1 Part		2399 Parts		800	1 Part		74 Parts
	5 Drops (0.0085 fl. oz.)		2 ½ Cups			1 Tbsp (0.5 fl. oz.)		4 ½ Cups
	1 Tsp (0.17 fl. oz.)		3 Gallons			¼ Cup (2 fl. oz.)		1 Gallon
50	1 Part		1199 Parts			½ Cup (4 fl. oz.)		2 ¼ Gallons
	5 Drops (0.0085 fl. oz.)		1 ¼ Cups	¾ Cup (6 fl. oz.)			3 ¼ Gallons	
	1 Tbsp (0.5 fl. oz.)		4 Gallons	1 Cup (8 fl. oz.)		4 ½ Gallons		
75	¼ Cup (2 fl. oz.)		18 Gallons	1200	1 Part		49 Parts	
	1 Part		799 Parts		1 Tbsp (0.5 fl. oz.)		3 Cups	
	15 Drops (0.0255 fl. oz.)		2 ½ Cups		¼ Cup (2 fl. oz.)		¾ Gallon	
100	¼ Cup (2 fl. oz.)		12 Gallons		½ Cup (4 fl. oz.)		1 ½ Gallons	
	1 Part		599 Parts		¾ Cup (6 fl. oz.)		2 ¼ Gallons	
	1 Tbsp (0.5 fl. oz.)		2 Gallons	2700	1 Part		21 Parts	
¼ Cup (2 fl. oz.)		9 Gallons	¼ Cup (2 fl. oz.)			5 Cups		
200	1 Part		299 Parts		¾ Cup (6 fl. oz.)		1 Gallon	
	1 Tbsp (0.5 fl. oz.)		1 Gallon		1 ½ Cups (12 fl. oz.)		2 Gallons	
	2 Tbsp (1.0 fl. oz.)		2 Gallons		3 Cups (24 fl. oz.)		4 Gallons	
	5 Tbsp (2.5 fl. oz.)		5 Gallons	6 Cups (48 fl. oz.)		8 Gallons		
	¼ Cup (2 fl. oz.)		4 Gallons	5000	1 Part		11 Parts	
½ Cup (4 fl. oz.)		8 Gallons	½ Cup (4 fl. oz.)			5 Cups		
¾ Cup (6 fl. oz.)		12 Gallons	1 ½ Cups (12 fl. oz.)			1 Gallon		
400	1 Part		149 Parts		3 Cups (24 fl. oz.)		2 Gallons	
	1 Tsp (0.17 fl. oz.)		3 Cups		½ Gallon (64 fl. oz.)		5 Gallons	
	1 Tbsp (0.5 fl. oz.)		½ Gallon	1 Gallon (128 fl. oz.)		10 Gallons		
	¼ Cup (2 fl. oz.)		2 Gallons	10,000	1 Part		5 Parts	
	½ Cup (4 fl. oz.)		4 Gallons		½ Cup (4 fl. oz.)		2 ½ Cups	
	¾ Cup (6 fl. oz.)		6 Gallons		2 ½ Cups (20 fl. oz.)		3 Quarts	
	1 Cup (8 fl. oz.)		8 Gallons		1 Gallon (128 fl. oz.)		5 Gallons	

\* PPM (Parts Per Million) of available chlorine (approximate)

**Check chlorine concentration with standard test strip**



**DISTRIBUTED BY SYSCO CORPORATION**  
**1390 ENCLAVE PARKWAY, HOUSTON, TEXAS 77077**  
**174341**



# RELIANCE

SUPC 8729061

# GERMICIDAL BLEACH

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Follow the directions for use on the pesticide label when applying this product.

**ACTIVE INGREDIENT:** Sodium Hypochlorite 6.00%.

The product in this container is diluted as directed on the pesticide product label.

## DANGER

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

**DANGER:** Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses and rubber gloves when handling this product. Wash after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

**Environmental Hazards:** This product is toxic to fish and aquatic organisms.

**Physical and Chemical Hazards:** Strong oxidizer. Flush drains before and after use. Do not use or mix with other household chemicals, such as toilet bowl cleaners, rust removers, acid or ammonia containing products. To do so will release hazardous gasses. Prolonged contact with metal may cause pitting or discoloration.

**MSDS Information:** [www.sysco.com](http://www.sysco.com)



DISTRIBUTED BY SYSCO CORPORATION  
1390 ENCLAVE PARKWAY, HOUSTON, TEXAS 77077  
174341

CARTON

4 Bottles of 128 oz

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DILUTION TABLE:** PPM (Parts Per Million) Available Chlorine. Check chlorine concentration with standard test strip. 1/2 oz. of this product (1 tablespoon) + 1 gallon water = 200 ppm, 2 oz. of this product (1/4 cup) + 1 1/2 gallons of water = 600 PPM, 12 oz. of this product (1 1/2 cups) + one gallon water = 800 ppm. **SANITIZING NONPOROUS FOOD CONTACT SURFACES:** Prepare a sanitizing solution by thoroughly mixing 2 tsp. (1 oz.) of this product with 2 gallons of water to provide approximately 200 ppm available chlorine by weight. Clean all surfaces in the normal manner. Prior to use, rinse all surfaces thoroughly with the sanitizing solution, maintaining contact with the sanitizer for at least 2 minutes. Do not rinse equipment with water after treatment and do not soak equipment overnight. **SANITIZING POROUS FOOD CONTACT SURFACES:** Prepare a solution of approximately 600 ppm by thoroughly mixing 6 tsp. (3 oz.) of this product with 2 gallons of water. Clean surfaces in the normal manner. Rinse all surfaces thoroughly with the 600 ppm solution, maintaining contact with the sanitizer for at least 2 minutes. Prepare a 200 ppm sanitizing solution by thoroughly mixing 2 tsp. (1 oz.) of this product with 2 gallons of water. Prior to using equipment, rinse all surfaces with 200 ppm available chlorine solution. Do not rinse with water and do not soak equipment overnight. **DISINFECTING FLOORS, WALLS AND OTHER HARD INANIMATE SURFACES NOT IN DIRECT CONTACT WITH FOOD:** Pre-wash surfaces and rinse. Mix 1/2 cup bleach with 1 gallon of water. Spray, rinse, or wipe surface with bleach solution and let stand for 5 minutes. Drain or rinse and air dry. **WAREWASHING: FOR SANITIZING TABLEWARE IN LOW TEMPERATURE DISHWASHING MACHINE:** Dispense this product into final rinse water at 100 ppm available chlorine. Do not allow concentration to fall below 50 ppm. Air dry. Dispenser should be set to deliver 6.5 cc of sanitizing solution per gallon of water to give approximately 100 ppm of available chlorine. Only a qualified service representative should set or adjust dispenser on the machine. **DIRECTIONS FOR SANITIZING EATING AND DRINKING UTENSILS:** Prepare sanitizing solution immediately prior to use. 1. Scrape and pre-wash utensils and glass whenever possible. 2. Wash with good detergent or compatible cleaner. 3. Rinse with clean water. 4. Sanitize in solution of 1 oz. to 2 gallons of water (200 ppm). 5. Inverse utensils at least 2 minutes or for contact time specified by governing sanitary code. 6. Do not reuse sanitizing solution.

**SPECIAL LABEL INSTRUCTIONS FOR CLEANING PRIOR TO DISINFECTION AGAINST CLOSTRIDIUM DIFFICILE ENDOSPORES: PERSONAL PROTECTION:** Wear appropriate barrier protection such as gloves, gowns, masks or eye covering. **CLEANING PROCEDURE:** Feed matter/waste must be thoroughly cleaned from surfaces/objects before disinfection by application with clean cloth, mop and/or sponge saturated with product intended for disinfection. Cleaning should include vigorous wiping and/or scrubbing until visible soil is removed. Special attention is needed for high-touch surfaces. Surfaces in patient rooms should be cleaned in an appropriate manner, with restrooms and other "dry" areas cleaned last. Do not reuse soiled cloths. **INFECTIOUS MATERIALS DISPOSAL:** Cleaning materials used that may contain feces/wastes should be disposed of immediately in accordance with local regulations for infectious materials disposal. **FOR KILLING CLOSTRIDIUM DIFFICILE SPORES:** Use 1 part bleach to 5 parts water to achieve a 1:5 dilution (~10000 ppm available chlorine) before use. Clean hard, non-porous surfaces by removing gross film. Apply 1:5 solution and let stand for 10 minutes. Rinse and air dry. Do not use on non-stainless steel, aluminum, silver or chipped enamel.

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV (AIDS VIRUS), HBV (HEPATITIS B VIRUS) AND HCV (HEPATITIS C VIRUS) ON SURFACE/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:** Kills HIV-1 (AIDS virus), HBV (Hepatitis B virus) and HCV (Hepatitis C virus) on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency virus type 1 (HIV-1) (associated with AIDS), HBV (Hepatitis B virus) and HCV (Hepatitis C virus). **PERSONAL PROTECTION:** Disposable latex or vinyl gloves, gowns, masks, and/or eye coverings as appropriate must be worn during all cleaning and decontamination procedures of blood and other body fluids. **CLEANING PROCEDURE:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before applying this product. **DISINFECTANT USE AND CONTACT TIME:** Effective against HIV-1 (AIDS virus), HBV (Hepatitis B virus) and HCV (Hepatitis C virus) on hard non-porous surfaces. Prepare disinfectant by mixing 12 fl. oz. (1 1/2 cups) of this product per gallon of water to provide 5,000 ppm of available chlorine. Leave surfaces wet for 6 minutes for HIV and 10 minutes for HBV/HCV. Drain and let air dry. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.



**RELIANCE**  
**GERMICIDAL BLEACH**  
COMMERCIAL/INSTITUTIONAL USE

**SUPC 8729149**

ACTIVE INGREDIENT:  
Sodium Hypochlorite ..... 6.0%  
OTHER INGREDIENTS..... 94.0%  
TOTAL ..... 100.0%  
Yields 5.7% Available Chlorine

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**

**PRECAUTIONARY STATEMENTS**  
**Hazards to Humans and Domestic Animals**  
**DANGER:** Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses and rubber gloves when handling this product. Wash after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.  
**Environmental Hazards:** This product is toxic to fish and aquatic organisms. **Physical and Chemical Hazards:** Strong oxidizer. Flush drains before and after use. Do not use or mix with other household chemicals, such as toilet bowl cleaners, rust removers, acid or ammonia containing products. To do so will release hazardous gasses. Prolonged contact with metal may cause pitting or discoloration.

This product, when used as directed on hard, non-porous surfaces, is effective against the following:

- FUNGICIDAL**
- Trichophyton mentagrophytes (Athlete's foot fungus)
  - Aspergillus brasiliensis (mildew)
- BACTERICIDAL**
- Escherichia coli O157:H7 (E. coli)
  - Pseudomonas aeruginosa (pseudomonas)
  - Salmonella enterica (salmonella)
  - Shigella dysenteriae
  - Staphylococcus aureus (staph)
  - Methicillin Resistant Staphylococcus aureus (MRSA)
  - Clostridium difficile spore (C. diff)
  - Streptococcus pyogenes (strep)
- VIROCIDAL \***
- \*Adenovirus type 2
  - \*Avian Influenza A virus (Avian Flu virus)
  - \*Canine Parvovirus
  - \*Cytomegalovirus
  - \*Feline Panleukopenia virus (Parvovirus)
  - \*Hepatitis A virus
  - \*Hepatitis B virus (HBV)
  - \*Hepatitis C virus (HCV)
  - \*Herpes simplex virus type 1 (herpes)
  - \*Herpes simplex virus type 2 (herpes)
  - \*Human immunodeficiency virus type 1 (HIV-1)
  - \*H1N1 Influenza A virus†
  - \*Influenza A virus (Strain Hong Kong)
  - \*Poliovirus type 1
  - \*Respiratory syncytial virus
  - \*Rhinovirus type 37†
  - \*Rotavirus



EPA REG NO.: 70271-13-29055  
EPA Est. No. 70271-13-29055  
CA-02  
CAN-01  
CO-01  
FL-01  
GA-01  
TX-01  
VA-01  
WA-01  
55852-IL-01  
Actual Est. No. shown in code on carton.

FIRST AID	
Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
If in eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
If on skin or clothing	• Take off contaminated clothing. • Rinse skin with plenty of water for 15-20 minutes.
If swallowed	• Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.	

DISTRIBUTED BY SYSCO CORPORATION  
1390 ENCLAVE PARKWAY, HOUSTON, TEXAS 77077  
174341

**FOR POSITION ONLY**  
**0 07 34730 25170 7**



# RELIANCE GERMICIDAL BLEACH

COMMERCIAL/INSTITUTIONAL USE

## SUPC 8729149



### KILLS VIRUSES\* THAT CAUSE COLDS & FLU†

DISINFECTS • SANITIZES • DEODORIZES • BACTERICIDAL • MILDEWCIDAL • FUNGICIDAL  
FOR FOODSERVICE APPLICATIONS • RESTAURANT USE • HOSPITAL USE

MSDS Information: [www.sysco.com](http://www.sysco.com)

EPA REG NO.:  
70271-13-29055

EPA Est. No.  
70271-

- CA-02
- CAN-01
- CO-01
- FL-01
- GA-01
- TX-01
- VA-01
- WA-01

55852-IL-01

Actual Est.  
No. shown in  
code on  
carton.

This product, when used as directed on hard, non-porous surfaces, is effective against the following:

#### FUNGICIDAL

- Trichophyton mentagrophytes (Athlete's foot fungus)
- Aspergillus brasiliensis (mildew)

#### BACTERICIDAL

- Escherichia coli O157:H7 (E. coli)
- Pseudomonas aeruginosa (pseudomonas)
- Salmonella enterica (salmonella)
- Shigella dysenteriae
- Staphylococcus aureus (staph)
- Methicillin Resistant Staphylococcus aureus (MRSA)
- Clostridium difficile spore (C. diff)
- Streptococcus pyogenes (strep)

#### VIRUCIDAL\*

- \*Adenovirus type 2
- \*Avian Influenza A virus (Avian Flu virus)
- \*Canine Parvovirus
- \*Cytomegalovirus
- \*Feline Panleukopenia virus (Parvovirus)
- \*Hepatitis A virus
- \*Hepatitis B virus (HBV)
- \*Hepatitis C virus (HCV)
- \*Herpes simplex virus type 1 (herpes)
- \*Herpes simplex virus type 2 (herpes)
- \*Human immunodeficiency virus type 1 (HIV-1)
- \*H1N1 Influenza A virus†
- \*Influenza A virus (Strain Hong Kong)
- \*Poliovirus type 1
- \*Respiratory syncytial virus
- \*Rhinovirus type 37†
- \*Rotavirus

### STORAGE & DISPOSAL

Do not contaminate food or feed by storage, disposal or cleaning of equipment. Store in a cool, dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood area with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available or place in trash collection.

ACTIVE INGREDIENT:  
Sodium Hypochlorite ..... 6.0%  
OTHER INGREDIENTS..... 94.0%  
TOTAL ..... 100.0%  
Yields 5.7% Available Chlorine

FOR POSITION ONLY  
0 07 34730 25170 7

NET CONTENTS 4/128 FL OZ BOTTLES





# RELIANCE GERMICIDAL BLEACH

COMMERCIAL/INSTITUTIONAL USE

SUPC 8729149



## KILLS VIRUSES\* THAT CAUSE COLDS & FLU†

DISINFECTS • SANITIZES • DEODORIZES • BACTERICIDAL • MILDEWICIDAL • FUNGICIDAL  
FOR FOODSERVICE APPLICATIONS • RESTAURANT USE • HOSPITAL USE

MSDS Information: [www.sysco.com](http://www.sysco.com)

EPA REG NO.:  
70271-13-29055

EPA Est. No.  
70271-

CA-02  
CAN-01  
CO-01  
FL-01  
GA-01  
TX-01  
VA-01  
WA-01

55852-IL-01

Actual Est.  
No. shown in  
code on  
carton.

This product, when used as directed on hard, non-porous surfaces, is effective against the following:

### FUNGICIDAL

- Trichophyton mentagrophytes (Athlete's foot fungus)
- Aspergillus brasiliensis (mildew)

### BACTERICIDAL

- Escherichia coli O157:H7 (E. coli)
- Pseudomonas aeruginosa (pseudomonas)
- Salmonella enterica (salmonella)
- Shigella dysenteriae
- Staphylococcus aureus (staph)
- Methicillin Resistant Staphylococcus aureus (MRSA)
- Clostridium difficile spore (C. diff)
- Streptococcus pyogenes (strep)

### VIRUCIDAL\*

- \*Adenovirus type 2
- \*Avian Influenza A virus (Avian Flu virus)
- \*Canine Parvovirus
- \*Cytomegalovirus
- \*Feline Panleukopenia virus (Parvovirus)
- \*Hepatitis A virus
- \*Hepatitis B virus (HBV)
- \*Hepatitis C virus (HCV)
- \*Herpes simplex virus type 1 (herpes)
- \*Herpes simplex virus type 2 (herpes)
- \*Human immunodeficiency virus type 1 (HIV-1)
- \*H1N1 Influenza A virus†
- \*Influenza A virus (Strain Hong Kong)
- \*Poliovirus type 1
- \*Respiratory syncytial virus
- \*Rhinovirus type 37†
- \*Rotavirus

## STORAGE & DISPOSAL

Do not contaminate food or feed by storage, disposal or cleaning of equipment. Store in a cool, dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood area with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available or place in trash collection.

ACTIVE INGREDIENT:  
Sodium Hypochlorite ..... 6.0%  
OTHER INGREDIENTS..... 94.0%  
TOTAL ..... 100.0%  
Yields 5.7% Available Chlorine

FOR POSITION ONLY  
0 07 34730 25170 7

NET CONTENTS 4/128 FL OZ BOTTLES