STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO.
8079.108

Expert
GARDENER®

WEED & FEED



Effectively Controls Dandelions And Other Broadleaf Weeds

Feeds for 3 months

Nutre durante 3 meses

- **Feeds up to 3 times longer than ordinary soluble lawn fertilizer**
  Nutre durante hasta 3 veces más tiempo que el fertilizante soluble común para césped
- **Lawn Fertilizer Plus Weed Control**
  Fertilizante de césped y control de malezas

WEED & FEED

28-0-3

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid*	0.808%
Dimethylamine Salt of (+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid**‡	0.157%
Dicamba (3,6-Dichloro-o-Anisic Acid)	0.060%
OTHER INGREDIENTS:	98.975%
TOTAL:	100.000%

Isomer Specific Method, Equivalent to:

*2-Methyl-4-Chlorophenoxyacetic Acid	0.66%
**(+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid	0.13%

‡CONTAINS THE SINGLE ISOMER FORM OF MECOPROP-p

KEEP OUT OF REACH OF CHILDREN

CAUTION / PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)
SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

COVERS 5,000 SQ FT
MONEY BACK GUARANTEED† • NET WT 16 LB (7.26 KG)

28-0-3
SEE BACK PANEL FOR ANALYSIS DESCRIPTION

Expert GARDENER®

WEED & FEED

COVERS 5,000 SQ FT
NET WT 16 LB (7.26 KG)

28-0-3

PHOSPHATE FREE FERTILIZER

FERTILIZANTE SIN FOSFATO

28-0-3 (N-P-K)

CUTOFF 14"

SGS Southern Graphic Systems, SGS Charlotte, 9201-A Forsythe Park Drive, Charlotte, NC 28273, Phone: 704-587-3899, Fax: 704-587-3898	CUSTOMER: GroTec	PRINTER: Plastic Packaging	PRINTER #:
	DESCRIPTION: GroTec - Expert Gardener 007021 North Weed and Feed 28-0-3 5M 3/cs_ 00702_16 LB	LOCATION: Hickory, NC	END USER #:
	JOB #: 3136290_PT6	OTHER: XXX	CYL: xx; ACR: x; ARO: x
	DATE: 11.23.10	CSR: Chris Walker	WEB: xx; CODE: UPC - A 0-21496-00702-1
	DRAWING # XX-XX-XX; SPEC# XX-XX-XX; DIE# XX-XX-XX	DISTORT: xx% Around	CUTOFF: xx; MAG: 100%; BWA: -0.003; L/S: 130
MAC- SJ, Suz; QC-; Final Color QC-	PRINT COLORS: LINE BLACK, PRO BLACK, Red 186 Bkgd, Green 349, Red 186 Bump, Process Cyan, Pro Yellow, Combo Yellow, White		

Placed Images:
shutterstock 18671005 ICC cc4.eps

ATTENTION:
Due to the bright, clean colorants used to create some of the PANTONE MATCHING SYSTEM Colors, not all PANTONE colors will be accurately simulated on this proof. The above swatches should be used as a reference only. Please refer to a PANTONE® Color Formula Guide for precise color communication.



WEED & FEED

28-0-3

Expert GARDENER

COVERS 15,000 SQ FT

NET WT 48 LB (21.79 KG)

PHOSPHATE FREE FERTILIZER

28 0 3
N-P-K
nitrogen — For lush, green plant growth
phosphate — 0
potassium — For overall plant health and vigor

STOP READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

GUARANTEED ANALYSIS — 28-0-3

Total Nitrogen (N) 28.00%
28.00% Urea Nitrogen*
Soluble Potash (K$_2$O) 3.00%

Derived from: Urea, Polymer Coated Urea and Muriate of Potash.
*Part of the nitrogen in this product has been polymer coated to provide 5.60% coated slow release nitrogen.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION / PRECAUCIÓN: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This pesticide may adversely affect non-target plants. Do not apply directly to water. Drift or runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Do not contaminate water when disposing of equipment washwaters or rinsate.

FIRST AID

If on Skin or Clothing
- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 to 20 minutes.
- Call a poison control center or doctor for treatment advice.

If in Eyes
- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a Poison Control Center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS. This product is a stable mixture of three herbicides. It is for use on residential turf.

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing .89 pounds of nitrogen per 1,000 square feet and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program.

This product may be used on Bahia, common Bermuda, Blue Grass, Centipede, Fescue, Rye, St. Augustine, and Zoysia grass. DO NOT USE on Dichondra and Carpet grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants. Do not apply this product in a way that will contact any person or pets, either directly or through drift. Keep people and pets out of the area during application.

OTHER USE PRECAUTIONS

Do not apply directly to or near water, storm drains, gutters, sewers or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays and oceans. Do not apply when windy. Apply this product directly to your lawn or garden and sweep any product landing the driveway, sidewalk, gutter or street, back onto the treated area. To prevent product runoff, do not over water the treated area to the point of runoff or apply when raining or rain is expected that day.

This product is designed to promote lush green growth in lawns and controls many broadleaf weeds such as:

Buttercup	English daisy	Mankelele	Redeem		Wild aster
Bindweed	Fat hen	Mexican poppy	Sheep sorrel		Wild carrot
Black medic	Fennel	Morningglory	Shepherdspurse		Wild garlic
Buckhorn	Florida pusley	Mustard	Sickleposl		Wild geranium
Burcucumber	Frenchweed	Nettle	Smartweed		Wild gooseberry
Burdock	Galinsoga	Oxalis	Sneezeweed		Wild lettuce
Butterweed	Geardarod	Pennycress	Soursbutte		Wild marigold
Canada thistle	Goldenrod	Pennywort	Speedwell		Wild onion
Carpetweed	Ground ivy	Peppergrass	Spurge		Wild petunia
Cassur	Halberd-leaved saltbush	Pepperweed	Spurweed		Wild radish
Cheeseweed	Hawkweed	Pigweed	Stinging nettle		Wild sage
Chickweed	Healall	Plantain	Stinkweed		Wintercress
Chicory	Heartleaf dyrmary	Poison hemlock	Stitchwort		Witchweed
Cinquefoil	Hempnettle	Poison ivy	Sudan		Woodsorrel
Clover	Henbit	Poison oak	Sunflower		Yarrow
Cocklebur	Hoary cress	Prickly lettuce	Thistle		Yellow rocket
Croton	Honeysuckle	Puncture vine	Thoroppple		Yellow sheet
Daisy	Jimsonweed	Purslane	Toadflax		Yellow daisy
Dandelion	Knotweed	Ragweed	Veronica		Yellow rocket
Dock	Kochia	Red clover	Vetch		
Dogfennel	Lambsquarter	Red root	Whitebrush		
Dragonhead mint	Mallow	Red sorrel	White top		

WHEN TO APPLY

Best results are obtained when weeds are growing actively in spring or early fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers especially when applying with a sweep (spinner) type spreader. Do not exceed for at least 3 to 4 weeks after application. Do not apply weekly or twice weekly. Do not apply more than 3 times per year. Do not apply more than 11 Avoid mowing 1 to 2 days before and after application. **(2) Apply when grass is moist (after a rain spritzing or dew).** (3) Avoid unnecessary disturbances, including pedestrian traffic, for at least 24 hours after application. Do not apply when temperatures are below 50°F or above 90°F. Do not apply when temperature is expected to exceed 90°F within 24 hours. Do not apply when temperature is expected to exceed 90°F within 24 hours. If lawn is heavily overseeded with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor health, a second application may be made 30 days after initial treatment; however, do not exceed the maximum yearly broadcast application rate (1.5 lbs a.e. MCPP-p per acre). Do not exceed specified rates because damage to turf may occur.

NOTE: When applying to Southern Grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOW TO APPLY

This 48 pound bag treats 15,000 square feet. Apply evenly with a lawn spreader at a rate per application. A two pass application, criss-crossing the area at half the rate each time is also acceptable. The following settings are approximate and may vary depending on the type of spreader used. Refer to the chart for the listed settings. Settings are based on an average walking speed. Reduce setting for slower speed, raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 8 pound 250 square feet.

Restrictions: Do not apply more than 2 applications per year with a minimum retreatment interval of 30 days.

SUGGESTED SPREADER SETTINGS

ONE PASS APPLICATION
DROP SPREADERS:
First, mow lawn then apply 2 border strips along each end of the lawn. Apply fertilizer along the edge of the lawn with the dropping slightly between passes.
ROTARY SPREADERS:
First, mow lawn then apply fertilizer in a circular pattern, working from the outer edge towards the center of the lawn. Overlap slightly to insure uniform application and complete coverage.
The listed suggested spreader settings are approximate. In general, spreaders should be calibrated to apply 1 lb. of this fertilizer product per 275 square feet of lawn. Be sure to close spreader openings when loading, turning or when stopped.

SPREADER SETTINGS

BROADCAST SPREADER	
Scotts SpeedGreen	5
Scotts Basic	5
Scotts S-Lawn Pro	5
Scotts Edge Guard Deluxe	5
Scotts Edge Guard Mini	5
Precision Rotary	3.75
EV-N-SPRED	11.5
DROP SPREADER	
Scotts AccuGreen	6.5
Earthway	9.5

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
PESTICIDE STORAGE: Always use original container to store pesticides and keep any bags containing unused product in locked storage area inaccessible to children and domestic animals. Do not store near other feed or foodstuffs. To prevent cross-contamination, do not store near open container of fertilizer, seed or other products.
PESTICIDE DISPOSAL: If empty - Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled** - If product cannot be used as directed, or offered to others for their use, call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain. For nonrefillable bags of granular or dry formulation
CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment, then offer for recycling if available, or dispose of empty bag in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Swap (do not wash) all fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash not sprayer after each use and allow it to dry thoroughly. Treat any exposed metal sprayer areas with oil to reduce corrosion.

EPA Reg. No. 228-330-59144
EPA Est. No. 59144-CA-1(A), 32802-MO-1(B), 37351-CO-1(C), 8378-IN-1(D), 9404-FL-1(E), 961-PA-01(F), 961-IL-01(G), 35407-OR-1(H), 49991-TX-2(I)
Letter in parenthesis is first letter of lot number.

FERTILIZANTE SIN FOSFATO

28 0 3
N-P-K
nitrógeno — Para un verdoseo lozano
fósforo — 0
potasio — Contribuye al crecimiento y al vigor de la planta en general

ALTO LEA TODA LA ETIQUETA ANTES DE USAR EL PRODUCTO. RESPETE ESTRICTAMENTE LAS PRECAUCIONES E INSTRUCCIONES DE LA ETIQUETA.

PRECAUCIONES

Riesgos para Humanos y Animales Domésticos

PRECAUCIÓN: Su absorción por la piel es perjudicial. Produce irritación moderada de los ojos. Evite el contacto con los ojos, la piel y la vestimenta. Lávese las manos antes de comer, beber, masticar chicle, usar tabaco o ir al baño. Quítese la ropa inmediatamente si el plaguicida ha entrado. A continuación, lávese bien y póngase prendas limpias. Quítese la ropa de inmediato después de manipular el producto. Lávese bien y póngase prendas limpias a la brevedad.

Riesgos Ambientales

Este plaguicida puede afectar adversamente las plantas a cuya aplicación no está destinado. No aplicar directamente sobre el agua. Su derrame puede ser riesgoso para los organismos acuáticos de los cuerpos de agua adyacentes a las áreas tratadas. Puede reducirse el derrame evitando la aplicación si se han pronosticado lluvias dentro de las 48 horas siguientes. No contamine el agua al desechar el agua del lavado o enjuague de equipos.

PRIMEROS AUXILIOS

En caso de Contacto con la piel o la ropa	• Quítese de inmediato la prenda contaminada. • Enjuague la piel de inmediato con abundante agua durante 15 a 20 minutos. • Llame a un centro de control de intoxicaciones o un médico para solicitar indicaciones para el tratamiento.
En caso de Contacto con los ojos	• Mantenga el ojo abierto y enjuague lentamente y delicadamente con agua durante 15-20 minutos. • Retire los lentes de contacto, si los tiene, después de los primeros 5 minutos, luego siga enjuagando el ojo. • Llame a un centro de control de intoxicaciones o a un médico para obtener indicaciones para el tratamiento.

LLAMADOS A LÍNEAS DE URGENCIA

Tenga el envase del producto o la etiqueta junto a usted al llamar a un centro de control de intoxicaciones o a un médico o para el tratamiento de emergencia. Puede llamar al 1-877-325-1840 para obtener información sobre el tratamiento médico de urgencia.

INSTRUCCIONES DE USO

La utilización del producto en contrario de las indicaciones del etiquetado constituye una violación de la legislación federal.
LEA TODA LA ETIQUETA ANTES DE USAR ESTE PRODUCTO. RESPETE ESTRICTAMENTE LAS PRECAUCIONES E INSTRUCCIONES DE LA ETIQUETA. Este producto es una mezcla estable de tres herbicidas. Para la aplicación en césped residencial.

En general, el césped consume entre 1 y 4 libras de nitrógeno cada 1,000 pies^2 por temporada de crecimiento. Si se ha acatado con las instrucciones, este producto complementará su programa habitual de fertilización incorporando 0.89 libra de nitrógeno cada 1,000 pies^2 y herbicida para controlar las malezas indicadas. Consulte a la oficina local de difusión en caso de duda sobre programas periódicos de fertilización.

Este producto puede aplicarse en zacate bahía (*Paspalum notatum*), zacate Bermuda (*Cynodon dactylon*), zacate azul (*Poa pratensis*), hierba centipida (*Eremochloa ophiuroides*), festuca, ryegrass, zacate de San Agustín, césped del gitano Lofiatus, pasto San Agustín (*Stenotaphrum secundatum*) y Zoysia. NO APLIQUE SOBRE dichondra ni zacate gitano (*Phalaris arundinacea*).

NO UTILICE este producto en áreas que contengan tréboles deseables y evitar que el viento lo "arrastre" hacia flores, vegetales, plantas decorativas, arbustos, árboles u otras plantas deseables.

No aplique este producto de manera que tenga contacto con personas o mascotas, ya sea en forma directa o por arrastre. Mantenga a personas y mascotas fuera del área a entrar durante la aplicación.

OTRAS PRECAUCIONES DE USO

No aplique directamente ni cerca de cuerpos de agua, bocas de tormenta, alcantarillas, sumideros ni zanjas de desvío. No aplique a distancias menores de 25 pies de ríos, estanques, lagos, lagunas, arroyos, presas, pantanos, estuarios, bahías ni océanos. No aplique si el clima es ventoso. Aplique el producto directo sobre sobre el césped o jardín y barra cualquier cantidad del producto que se deposite en entradas para automóviles, veredas, alcantarillas o calles nuevamente hacia el área tratada. Para prevenir el derrame, no riegue el área tratada excesivamente ni aplique bajo lluvia o si se han pronosticado lluvias en el día.

CUÁNDO APLICAR

Los mejores resultados se obtienen cuando la maleza se encuentra en crecimiento activo durante la primavera o a inicios del otoño. Evite el contacto con arbustos, plantas, vegetales o flores deseables, especialmente al aplicar con un esparcidor por voleo (giratorio). No remueber hasta que los hayan transcurrido al menos 3 o 4 semanas después de la aplicación. No aplique sobre césped recién sembrado ni tepes recién colocados antes de haberlos cortado 3 veces. Para aplicaciones periódicas, espere 3 semanas entre aplicaciones. **(2) Aplique cuando el césped está húmedo (después de la lluvia o el rocío).** (3) Evite las interrupciones innecesarias, incluido el tránsito de las áreas tratadas, durante las 48 horas posteriores a la aplicación. No aplique cuando la temperatura supera los 90°F. **No aplique si se ha pronosticado lluvias dentro de las 48 horas posteriores a la aplicación.** El riego ligero o rocío después de la aplicación ayuda a la absorción del producto. Evite aplicar cuando la temperatura supera los 90°F. Evite aplicar cuando la temperatura supera los 90°F dentro de las 24 horas. Evite aplicar cuando la temperatura supera los 90°F dentro de las 24 horas. Si el césped está demasiado invadido por malezas o en caso de que predominen las condiciones adversas de baja humedad y el estado de desarrollo de las malezas sea deficiente. No exceda las cantidades máximas anuales de aplicación al valor (1.5 lb de equivalente ácido MCPP-p por acre). No exceda las cantidades especificadas porque puede dañarse el césped.

NOTA: Al aplicar sobre malezas sureñas (en condiciones de humedad inadecuada, alta temperatura y alta humedad) la aplicación excesiva puede provocar un cambio leve y temporal de color en la hierba (zoysia) y el pasto de San Agustín. Se recomienda reducir las cantidades aplicadas un 50% durante épocas de alta temperatura y añadir para evitar la posible deshidratación del césped o que adquiera una tonalidad amarronada.

CÓMO APLICAR

Este bidón de 48 libras trata 15,000 pies^2. Aplique uniformemente con un esparcidor para césped en una sola pasada. También es aceptable aplicar en dos pasadas entrecruzadas distribuyendo la mitad de la cantidad en cada pasada. Las siguientes son configuraciones aproximadas para aplicar el contenido de 8 pasos por 250 pies^2 de la cantidad recomendada de 3.2 libras cada 1,000 pies^2. Las configuraciones corresponden a una velocidad promedio de caminata. Reduzca la configuración en caso de una velocidad menor; auméntela en caso de velocidad mayor. Controle el esparcidor cada 250 pies^2 y ajuste para aplicar de acuerdo con la tabla de 8 libras cada 250 pies^2.

Restricciones: No aplicar más de 2 aplicaciones por año con un intervalo mínimo de 30 días entre repeticiones.

CONFIGURACIÓN RECOMENDADA DEL ESPARCIDOR

APLICACIÓN EN UNA PASADA:
ESPARCIDORES POR GRAVEDAD:
En primer lugar, corte el césped y luego aplique 2 franjas en los bordes de cada extremo del césped. Aplique fertilizante a lo largo del césped superponiendo levemente las pasadas.
ESPARCIDORES POR VOLEO:
En primer lugar corte el césped y luego aplique el fertilizante en forma circular, desde el borde exterior hacia el centro. Superponga levemente para asegurar una aplicación uniforme y una cobertura total.
Las configuraciones recomendadas para el esparcidor son aproximadas. En general, es necesario calibrar los esparcidores para aplicar 1 lb. de fertilizante cada 275 pies^2 de césped. No olvide cerrar las aberturas del esparcidor al cargarlo, girar o cuando esté detenido.

ALMACENAMIENTO Y DESHECHO

No contamine el agua, los alimentos ni el pienso al almacenar o desechar el producto.
ALMACENAMIENTO DE PLAGUICIDAS: no almacene el envase original para almacenar plaguicidas y mantenga las bolsas con productos sin usar en un área bajo llave a la que no puedan acceder niños ni animales domésticos. No almacene cerca de piensos ni alimentos. Para evitar la contaminación cruzada, no almacene cerca de recipientes abiertos de fertilizante, semillas u otros plaguicidas.

DESECHO DEL PLAGUICIDA: Si el envase está vacío: no vuelva a utilizar este recipiente. Deposite en la basura o, si es posible, ofrézcalo para su reciclaje. **Si el envase está parcialmente lleno:** marca vacía el frasco del producto sin usar en desvagas interiores (incluidos inodoros) ni exteriores (incluidos sumideros). En el caso de bolsas no recargables de formulación seca o granulada.

DESECHO DEL ENVASE: envase no recargable. No vuelva a utilizar ni rellene este envase. Vacíe la bolsa por completo en el interior del equipo aplicador y, si fuera posible, ofrézcala para su reciclaje o deséchela en un relleno sanitario o incinere. Alternativamente, si las autoridades estatales o locales lo autorizan, quémela. En este caso, aléjese del humo.

When applied as directed, this product meets the guidelines for metals adopted by the Association of American Plant Food Control Officials. Information regarding the contents and levels of metals in this product is available on the Internet at **http://www.aapfco.org/metals.htm**

WARRANTY DISCLAIMER
The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EXPRESSED OR IMPLIED, BY OPERATION OF LAW OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, USE, OR SUITABILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE, UNDERSTANDING OR CONSEQUENCES, INCLUDING, BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY
TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR OTHER DAMAGES IN THEIR NATURE OR PENALTIES RELATING TO THE GOODS SOLD, INCLUDING LIFE, APPLICATION, HANDLING, AND ON BEHALF, TO THE EXTENT CONSISTENT WITH APPLICABLE LAW MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO THIRD PARTIES, OR OTHERWISE, FOR ANY LOSS OR DAMAGE, WHETHER DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL, ARISING OUT OF THE USE, OR FAILURE TO EXERCISE LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYERS OR USERS'EXCLUSIVE REMEDY, AND MAXIMUM LIABILITY OF MANUFACTURER OR SELLER TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of the directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

***MONEY BACK GUARANTEE**
If you are not completely satisfied with this product, please mail your name, address and proof of purchase (package UPC) and a brief explanation for seeking a refund.

Theresa Martinez, 2010 Used under license from Shutterstock.com

Manufactured for
Gro Tec, Inc.
P.O. Box 290
Madison, GA 30650

Covers up to 15,000 sq ft
Net Wt 48 lb (21.79 kg)

R3/092310