

Gro Tec Eliminator  
20 oz canister label  
9-7/8" x 11"  
May 21, 2012



LICENSED

PERIOD 2014-2016 LIC. NO. 8079.114

## ELIMINATOR® Ant, Flea & Tick Killer PLUS Granules

### PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

#### CAUTION

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

#### FIRST AID

<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF IN EYES</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>

#### NOTE TO PHYSICIAN

This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

#### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**In New York, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).**

**In New York State, do make a single repeat application of Bifenthrin 0.1% Lawn Granules if there are signs of renewed insect activity, but not sooner than two weeks after the first application.**

Do not allow children or pets to enter the area until dry.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off.

Do not make applications during the rain.

#### LAWN, HOME PERIMETER, ORNAMENTAL & FLOWER GARDENS Surface-Feeding Insects

Use this product for the control of ants, including Carpenter, Red Harvester, Odorous Pyramid, Pharaoh (Sugar), Foraging Fire Ants, Armyworms (including Fall Armyworms), Billbug (including Bluegrass Billbug), Chiggers, Chinch Bugs, Cockroaches, Crickets, Cutworms (including Black Cutworms), Earwigs, Grasshoppers, Mealybugs, Pillbugs, Silverfish, Sod Webworms (Lawn Moth), Sowbugs, and Weevils (including Hyperodes and Bluegrass).

**Application Instructions:** Apply this product evenly at the rate of 1.2 to 2.4 pounds per 1,000 sq. ft. by using any hand held or power operated gravity or rotary type spreader designed for the application of granular materials. A 12-pound bag will treat a 5,000 to 10,000 square feet area.

Ant, Flea & Tick Killer PLUS Granules should be applied when insects first appear. If suitable signs of renewed insect activity become apparent and re-treatment becomes necessary, applications must be limited to no more than one application per a seven day period and at the instructed rate to obtain best results. Best results will be obtained by

thoroughly watering the treated area immediately after application.

**Argentine Ants, Black Turf Ants, Black Turfgrass Ataenius, Fleas (including Cat Fleas), Leafhoppers, Spiders (including Brown Recluse Spiders) and Ticks (including Brown Dog Ticks)**

Evenly apply 4 ounces over a 100 sq. ft. area. Irrigate or water thoroughly immediately after application.

**Centipedes, Millipedes, Pavement Ants**

Uniformly apply 4 to 8 ounces over a 100 sq. ft. area. Irrigate or water thoroughly immediately after application.

**Mole Crickets (including Tawny Mole Crickets)**

Uniformly apply 8 ounces over a 100 sq. ft. area. Treat Mole Crickets in late spring. Irrigate or water thoroughly immediately after application.

**For Fire Ant Mounds**

Uniformly apply 1 tablespoon or 3 tablespoons\*\* of this product to the surface of each mound. Apply in cool weather, 65° to 80° F, or in early morning or late evening hours. Avoid disturbing ants. Treat new mounds as they appear. Irrigate or water thoroughly immediately after application. \*\* Food utensils such as tablespoons/teaspoons must not be used for food purposes after use in measuring pesticides.

**Ornamental Flower Beds (Outdoors) Pests Controlled:** Ants, crickets, earwigs, grasshoppers, spiders and ticks.

**How to Apply:** Evenly apply 2 ounces of product for every 50 sq. ft. area. Repeat application as necessary only if there are signs of renewed insect activity. Repeat application must be limited to no more than once per seven days.

**Home Invading Insects: Barrier Treatment Around House Foundation Pests Controlled:** Ants, chiggers, crickets, earwigs, grasshoppers, spiders and ticks.

**How to Apply:** Evenly apply a 2-foot band of granules next to the house foundation. Use 2 ounces for each 50 sq. ft. (2 ft. X 25 ft.). Repeat applications every 2 weeks only if there are signs of renewed insect activity.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **PESTICIDE STORAGE:** Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use close tightly. **CONTAINER DISPOSAL:** If empty: Non-refillable container. Do not reuse or refill this container. Empty container through use according to label instructions. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

**NOTICE:** Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

#### WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

**If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.**

For More Information Call 888-648-9855

Eliminator® is a registered trademark of Gro Tec, Inc.


Distributed by Gro Tec, Inc.  
P.O. Box 290 Madison GA 30650

EPA Reg. No. 53883-121-59144  
EPA Est. No. 59144-GA-1A, 67572-GA-1B, 44616-MO-1c  
Subscript used is first letter of run code on container

[www.eliminator.com](http://www.eliminator.com)

# ELIMINATOR®

## 20 OZ SIZE



# Ant, Flea & Tick Killer PLUS Granules

FAST ACTING  
AND  
ODOR FREE

## Kills Ants & Spiders



<b>ACTIVE INGREDIENT:</b>	By Wt.
Bifenthrin*	0.1%
<b>OTHER INGREDIENTS:</b>	99.9%
<b>TOTAL:</b>	100.0%

\*Cis isomers 97% minimum, trans isomers 3% maximum.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Side Panel for First Aid and Additional Precautions.

**For Chemical Spill, Leak, Fire, or exposure,  
Call CHEMTREC (800) 424-9300  
For Medical Emergencies Only,  
Call (877) 325-1840  
For Product Inquiry, Call 888-648-9855**

**NET CONTENTS 20 OZ (567 grams)**

11"

9-7/8"

# ELIMINATOR® Ant, Flea & Tick Killer PLUS Granules

## PRECAUTIONARY STATEMENTS

**CAUTION:** Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco or using the toilet.

### FIRST AID

- IF SWALLOWED:**
- Call a poison control center or doctor immediately for treatment advice.
  - Have person sip a glass of water if able to swallow.
  - Do not induce vomiting unless told to do so by the poison control center or doctor.
  - Do not give anything by mouth to an unconscious person.
- IF IN EYES:**
- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a poison control center or doctor for treatment advice.

### NOTE TO PHYSICIAN

This product is a pyrethroid. If large amounts have been ingested, milk, cream or other digestible fats and oils may increase absorption and so should be avoided.

### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that water or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area or the lawn or garden will help to prevent run off to water bodies or drainage systems.

### BREATHING RISK USE

This is a cautionary risk factor to use this product in a manner inconsistent with its labeling.

In New York State, this product may NOT be applied to any grass or turf area (lawn) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do not make a single open application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Do not allow children or pets to enter the treated unit dry.

Application prohibited on any sensitive plants, or on any area like a gutter where drainage to sewers, storm drains, water bodies, ditches, or streams is possible.

Apply this product directly to the lawn or garden area. Water treated area as directed on the label, but not water to point of run-off. Do not make applications during rain.

**LAWN, HOME PERIMETER, ORNAMENTAL & FLOWER GARDENS**

**Surface-Feeding Insects**  
Use this product for the control of ants, including Carpenter Ant, Harvesters, Odorous Housefly, Pharaoh (Sugar), Argentine Fire Ants, Armyworms (including Fall Armyworms), Billbug (including Bluegrass Billbug), Chiggers, Chinch Bugs, Crickets, Cutworms (including Black Cutworms), Earwigs, Grasshoppers, Katydids, Leafhoppers, Sod Webworms (Lawn), and Sod Webworms (Lawn). Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Home Inhabiting Insects: Barrier Treatment Around House Foundation**  
Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Pests Control: Ants, Chiggers, crickets, earwigs, grasshoppers, spiders and ticks.**  
Application instructions: Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Application Instructions:** Evenly apply 1/2 lb. of product for every 200 sq. ft. area. Repeat application as often as necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per seven days.

**Home Inhabiting Insects: Barrier Treatment Around House Foundation**  
Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Pests Control: Ants, Chiggers, crickets, earwigs, grasshoppers, spiders and ticks.**  
Application instructions: Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Application Instructions:** Evenly apply 1/2 lb. of product for every 200 sq. ft. area. Repeat application as often as necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per seven days.

**Home Inhabiting Insects: Barrier Treatment Around House Foundation**  
Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Pests Control: Ants, Chiggers, crickets, earwigs, grasshoppers, spiders and ticks.**  
Application instructions: Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Application Instructions:** Evenly apply 1/2 lb. of product for every 200 sq. ft. area. Repeat application as often as necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per seven days.

**Home Inhabiting Insects: Barrier Treatment Around House Foundation**  
Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Pests Control: Ants, Chiggers, crickets, earwigs, grasshoppers, spiders and ticks.**  
Application instructions: Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Application Instructions:** Evenly apply 1/2 lb. of product for every 200 sq. ft. area. Repeat application as often as necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per seven days.

**Home Inhabiting Insects: Barrier Treatment Around House Foundation**  
Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Pests Control: Ants, Chiggers, crickets, earwigs, grasshoppers, spiders and ticks.**  
Application instructions: Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Application Instructions:** Evenly apply 1/2 lb. of product for every 200 sq. ft. area. Repeat application as often as necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per seven days.

**Home Inhabiting Insects: Barrier Treatment Around House Foundation**  
Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Pests Control: Ants, Chiggers, crickets, earwigs, grasshoppers, spiders and ticks.**  
Application instructions: Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Application Instructions:** Evenly apply 1/2 lb. of product for every 200 sq. ft. area. Repeat application as often as necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per seven days.

**Home Inhabiting Insects: Barrier Treatment Around House Foundation**  
Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Pests Control: Ants, Chiggers, crickets, earwigs, grasshoppers, spiders and ticks.**  
Application instructions: Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Application Instructions:** Evenly apply 1/2 lb. of product for every 200 sq. ft. area. Repeat application as often as necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per seven days.

**Home Inhabiting Insects: Barrier Treatment Around House Foundation**  
Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Pests Control: Ants, Chiggers, crickets, earwigs, grasshoppers, spiders and ticks.**  
Application instructions: Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Application Instructions:** Evenly apply 1/2 lb. of product for every 200 sq. ft. area. Repeat application as often as necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per seven days.

**Home Inhabiting Insects: Barrier Treatment Around House Foundation**  
Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Pests Control: Ants, Chiggers, crickets, earwigs, grasshoppers, spiders and ticks.**  
Application instructions: Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Application Instructions:** Evenly apply 1/2 lb. of product for every 200 sq. ft. area. Repeat application as often as necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per seven days.

**Home Inhabiting Insects: Barrier Treatment Around House Foundation**  
Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Pests Control: Ants, Chiggers, crickets, earwigs, grasshoppers, spiders and ticks.**  
Application instructions: Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Application Instructions:** Evenly apply 1/2 lb. of product for every 200 sq. ft. area. Repeat application as often as necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per seven days.

**Home Inhabiting Insects: Barrier Treatment Around House Foundation**  
Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Pests Control: Ants, Chiggers, crickets, earwigs, grasshoppers, spiders and ticks.**  
Application instructions: Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**Application Instructions:** Evenly apply 1/2 lb. of product for every 200 sq. ft. area. Repeat application as often as necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per seven days.

**Home Inhabiting Insects: Barrier Treatment Around House Foundation**  
Apply 2-4 pounds per 1,000 sq. ft. area. Water thoroughly immediately after application.

**APPROVED**  
By Lisa Adamson at 12:54 pm, Aug 05, 2013

### SPREADER TIPS

Spreader	Spreader Settings	Directions
Scotts Broadcast®	500-1,000 sq. ft. 0.5-1.2 1.2-2.4 2.4-4.8	How soon first cut grass is tall enough to touch the bottom of the spreader. First apply two header strips. Operate spreader when you have reached the header strips or stopped.
Scotts Speed/Green®	2	Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.

### HOME VEGETABLE GARDEN SPREADER TIPS

Spreader	Spreader Settings	Directions
Scotts Broadcast®	500-1,000 sq. ft. 0.5-1.2 1.2-2.4 2.4-4.8	Operate spreader the longest way of the garden area. Overlap when you have reached the header strips or stopped. Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one so some overlapping occurs.

### VEGETABLES

Vegetables	Days to Wait	Pests
Green Peas, Green Beans (Wax Beans, Snap Beans), 2 Beans (Black-Top, Wax, Green), Sweet Corn	3 Days	ants, cutworms, crickets, earwigs, grasshoppers, quills, seed maggot, weevils and wireworms.
1 Day	ants, cutworms, crickets, earwigs, grasshoppers, quills, seed maggot, weevils and wireworms.	
3 Days	ants, cutworms, crickets, earwigs, grasshoppers, quills, seed maggot, weevils and wireworms.	
7 Days	ants, cutworms, crickets, earwigs, grasshoppers, quills, seed maggot, weevils and wireworms.	
7 Days	ants, cutworms, crickets, earwigs, grasshoppers, quills, seed maggot, weevils and wireworms.	
7 Days	ants, cutworms, crickets, earwigs, grasshoppers, quills, seed maggot, weevils and wireworms.	
7 Days	ants, cutworms, crickets, earwigs, grasshoppers, quills, seed maggot, weevils and wireworms.	

**STORAGE AND DISPOSAL**  
Do not contaminate water, food or feed by storage or disposal. Store in original containers only. Store in a cool dry place and avoid excess heat. Carefully open containers. After period use close tightly.

**CONTAINER DISPOSAL:** If empty: Non-refillable container. Do not reuse or refill this container. Empty container through use according to label instructions. Place in trash or other for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any drain (including toilet) or outdoor (including sewer) drain.

**For Chemical Spill, Leak, Fire, or exposure, Call CHEMTREC: (800) 424-9300**  
**For Medical Emergencies Only, Call (877) 325-1840**

**For More Information Call 888-648-9855**  
**www.eliminator-info.com**

Distributed by Geo Tec, Inc.  
P. O. Box 290 Madison GA 30660  
EPA REG. NO. 53883-121-5014  
EPA EST. NO. 59144-04-14, 07572-54-1b,  
4461P-MD-1c

Shisler used its first letter of run code on container.



## ELIMINATOR® Ant, Flea & Tick Killer PLUS Granules


- **Kills 50+ listed insects including chinch bugs, mole crickets and grubs**
- **For Use on Lawns, Home Perimeter, Ornamental & Flower Gardens**

**READY TO USE**  
Treats up to 8,000 sq. ft.

**Kills Listed Insects in Lawns & Landscapes**  
**Keeps insects away for up to 2 months**

# Ant, Flea & Tick Killer PLUS Granules

**FAST ACTING AND ODOR FREE**



**ELIMINATOR®**

**RESEALABLE BAG**  
TO OPEN CUT ALONG DOTTED LINE



14" Pouch

**SGS**  
Job #: 3576987\_PT8  
File: Eliminator Ant Killer for Control Solutions 101b  
Client: Central Garden and Pet  
Printer: Central Garden and Pet  
Date: 07.25.13  
CSR: Chris W  
MAC: SJ,CW, SJ

BLACK 1002  
BLACK 1003  
CYAN 1005  
RED PMS 185  
MAGENTA 1952  
WARM RED  
YELLOW PMS 109  
YELLOW 1953  
WHITE FLOODCOAT 1001



