

**DIRECTIONS FOR USE:** It is violation of Federal law to use this product in a manner inconsistent with its labeling.

**H.Orange, Super Concentrate 112**, when used as directed as a sanitizer, kills 99.99% of the following: Staphylococcus aureus, Salmonella enterica, Klebsiella pneumoniae, Pseudomonas aeruginosa, Streptococcus faecalis, and Escherichia coli. When used as directed as a virucide, H.Orange, Super Concentrate 112, kills the following viruses in 5 minutes at room temperature (20+/-1°C): Herpes simplex virus Type 2, Influenza A2/Japan, and HIV-1 (Human Immunodeficiency Virus). To insure that all bacterial and viral agents, except HIV-1, are killed as stated, use 5 oz. of H<sub>2</sub>Orange<sub>2</sub> Super Concentrate 112 (5 parts to 123 parts) of cold tap water.

**CLEANING:** Using the appropriate cleaning solution for the type of surface to be treated, thoroughly clean the surface, allow to air dry. If needed use additional solution. Replace mop-bucket solution daily.

**TO USE AS A SANITIZER AND VIRUCIDE IN BATHROOMS:** Add 5 oz. of H.Orange<sub>2</sub> Super Concentrate 112 (5 parts to 123 parts) of cold tap water for sinks, faucets, counters, urinals, toilets and all hand contact surfaces as well as walls, stalls and floors where urine and soils build up. Replace mop-bucket solution daily. Follow instructions for inanimate, hard, non-porous surfaces.

**TO USE AS A SANITIZER AND VIRUCIDE ON INANIMATE, HARD, NON-POROUS SURFACES:** Add 5 oz. of H.Orange<sub>2</sub> Super Concentrate 112 (5 parts to 123 parts) of cold tap water. Apply solution liberally to pre-cleaned hard surfaces, with a spray bottle, pump up pressure sprayer with a coarse spray, cloth, sponge or mop. Allow surface to remain wet for 5 minutes, then, either allow to air dry or wipe dry to remove excess liquid. Heavily soiled surfaces should be pre-cleaned with the same solution. Replace mop-bucket solution daily.

**HIV-1:** To kill HIV-1 in 5 minutes at room temperature (20-25° C) on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids use 1/2 oz. of H.Orange<sub>2</sub> Super Concentrate 112 per gallon (1/2 part to 127 1/2 parts) of cold tap water. For use in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surface/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1 Associated with AIDS).

This product has demonstrated effectiveness against Influenza A2/Japan and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 formerly called swine flu.

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HBV (HEPATITIS B VIRUS) AND HIV-1 (HUMAN IMMUNODEFICIENCY VIRUS OR AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:**

**Personal Protection:** Wear appropriate barrier protection such as latex gloves, gowns, masks and eye coverings.

**Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of diluted product using the Heavy Duty Cleaning Solution.

**Contact time:** While the HIV-1 virus is inactivated in 5 minutes, at use concentration of 1/2 oz/gallon, with both organic load and when diluted in hard water (up to 400 ppm hardness), use the recommended contact time for sanitization and virucidal activity as given on this label.

**Infectious Materials Disposal:** Cleaning materials that may contain blood and other body fluids must be disposed of by autoclaving or as directed by the facility safety officer.

**DEODORIZING:** For general deodorizing, use 1 oz. of H.Orange<sub>2</sub> Super Concentrate 112 (1 part to 127 parts) of cold tap water. Apply to hard, non-porous surfaces to eliminate generally offensive odors. For effective, high level, deodorizing, use 5 oz. of H.Orange<sub>2</sub> Super Concentrate 112 (5 parts to 123 parts) of cold tap water. Apply to hard, non-porous surface thoroughly to eliminate odors due to spillage from post-colostomy, post-ileostomy dressing and bag changes, and other spills such as urine or fecal matter; smoke or soot deposits, industrial plant processes, mildew and mold, and surfaces in musty closets.

**CLEANING SOLUTION DILUTIONS & APPLICATIONS**

**LIGHT DUTY (1/2 Oz / gal) GREEN (bottle or label)**

- Streak free window, mirror and stainless steel cleaning
- General floor cleaner for mopping & auto scrubbers
- Bonnet cleaning solution for carpets
- Light wipe down cleaner

**HEAVY DUTY (5 Oz / gal) RED (bottle or label)**

- Bathroom, shower room, tile & grout cleaner
- Urine and garbage odor eliminator
- Pre-spray for carpet extraction
- General degreaser
- Heavy soil wipe down cleaner
- Heavy carpet spot remover
- Cleans mold & mildew stains

**GENERAL PURPOSE (1 Oz / gal) BLUE (bottle or label)**

- General wipe down cleaner
- Mopping solution for bathroom & kitchen floors
- General carpet spot remover

**SUPER DUTY (12-24 Oz / gal) PURPLE (bottle or label)**

- Renovation of tile & grout surfaces
- Difficult urine & garbage odor destruction
- Scuff marks and stubborn stains
- Cleans heavy mold & mildew

**CARPET EXTRACTION**

For Cleaning, Deodorizing and Killing Odor Causing Bacteria For the extraction of dirt, soil, and other contaminants in carpets, use 5 oz of H.Orange<sub>2</sub> Concentrate 112 Super Concentrate per gallon (5 parts per 123 parts) of cold tap water. Pre-spray the carpet (400sq ft per gallon of RTU Dilution), let sit for 10 minutes, then extract with cold tap water only.



**LICENSED**

PERIOD **2011-2013** LIC. NO.



**LICENSED**

PERIOD **2014-2016** LIC. NO.

**8080.1**



**Oxidizing Multi-Purpose Cleaner, Degreaser & Sanitizer (Non-Food Contact Surfaces) Virucide & Deodorizer for Hard, Non-Porous Surfaces, Carpet Extraction for Cleaning, Deodorizing, and Killing Odor Causing Bacteria**

**H<sub>2</sub>Orange<sub>2</sub> Super Concentrate 112**



**ACTIVE INGREDIENT**  
Hydrogen peroxide..... 7.95%  
**OTHER INGREDIENTS** ..... 92.05%  
**TOTAL** ..... 100.00%

**DANGER**  
**KEEP OUT OF REACH OF CHILDREN**  
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

THIS PRODUCT IS NOT TO BE USED AS A TERMINAL STERILANT/DISINFECTANT ON ANY SURFACE OR INSTRUMENT THAT (1) IS INTRODUCED DIRECTLY INTO THE HUMAN BODY, EITHER INTO OR IN CONTACT WITH THE BLOODSTREAM OR NORMALLY STERILE AREAS OF THE BODY, OR (2) CONTACTS INTACT MUCOUS MEMBRANES, BUT WHICH DOES NOT ORDINARILY PENETRATE THE BLOOD BARRIER OR OTHERWISE ENTER NORMALLY STERILE AREAS OF THE BODY. THIS PRODUCT MAY BE USED TO PRECLEAN OR DECONTAMINATE CRITICAL OR SEMI-CRITICAL MEDICAL DEVICES PRIOR TO STERILIZATION OR HIGH LEVEL DISINFECTION.

**EPA Reg. No. 69268-1 • EPA Est. No. 69268-IL-001**  
**Envirox, L.L.C. • 1938 E. Fairchild St., Danville, IL 61832**

**Net Contents: One Gallon (3.785 Liters) / El Contenido Neto: Un Galón (3.785 Litros)**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMAN AND DOMESTIC ANIMALS**

**Danger.** Undiluted product concentrate may cause severe eye damage. Do not get in eyes, on skin or clothing. Wear safety glasses or other eye protection and rubber gloves when handling concentrate. Avoid contamination of food. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. After product is diluted in accordance with directions for use, safety glasses or other eye protection are not required. Product, after dilution according to directions, is non-irritating.

**FIRST AID**

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then, continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.



package

Manufactured by / Fabricado por



Danville, IL • 800-281-9604  
www.EnviroxClean.com

**STORAGE AND DISPOSAL**

**IN CASE OF SPILL:** To clean up spill, flood area with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer.

**PESTICIDE STORAGE:** Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. Avoid freezing conditions. Avoid high temperatures. Do not exceed storage temperatures of 95°F Best storage temperatures are between 35°F and 85°F. Overheating in storage may result in increased degradation of product, which will decrease product effectiveness. Keep concentrate away from incompatible materials. Refillable container: Refill this container with pesticide only. Do not reuse this container for any other purpose.

**PESTICIDE DISPOSAL:** Do not contaminate food or feed by storage, disposal or cleaning of equipment. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER HANDLING: If Empty:** Do not reuse container. Place in trash or offer for recycling if available. **If Partially Filled:** Call your local solid waste for disposal instructions. Never place unused product down any indoor or outdoor drain. Triple rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Cleaning before refilling is the responsibility of the refiller.

If in plastic bag with original box, discard in trash, sanitary landfill or by incineration, or if allowed by State and Local Authorities, by burning. If burned, stay out of smoke.

Questions? Call 1-800-281-9604