

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS & DOMESTIC ANIMALS**

DANGER

CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS. HARMFUL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH SKIN. HARMFUL IF INHALED. AVOID BREATHING SPRAY MIST. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. PROLONGED OR FREQUENTLY REPEATED SKIN CONTACT MAY CAUSE ALLERGIC REACTION IN SOME INDIVIDUALS. REMOVE CONTAMINATED CLOTHING AND WASH CLOTHING BEFORE REUSE.

Mixers, loaders, and others exposed to this product must wear long-sleeved shirt and long pants; chemical resistant gloves such as nitrile or butyl rubber; shoes plus socks; goggles and face shield; and chemical resistant apron. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly. This product may cause skin sensitization reactions in some people. This product is corrosive to mild steel.

ENVIRONMENTAL HAZARDS: This chemical is toxic to terrestrial and aquatic plants, fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: This product is corrosive to mild steel. Do not store or transport in unlined metal containers. Do not contaminate water, food or feed by storage, disposal, or cleaning of equipment.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL:

Nonrefillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by procedures approved by state and local authorities.

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning of the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean container before final disposal, empty contents into application equipment and triple rinse. Pour or pump rinsate into application equipment or rinsate collection system. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

GENERAL: CONSULT FEDERAL, STATE AND LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

**CHEMICAL TREATMENT
CL-2150**

Industrial microbiocide for use in recirculating water cooling towers, air washer systems, paper mill slime control, recirculating closed loop water cooling systems, brewery pasteurizers, and can warmer systems.

ACTIVE INGREDIENT:

5-Chloro-2-methyl-4-isothiazolin-3-one.....1.11%

2-Methyl-4-isothiazolin-3-one.....0.39%

INERT INGREDIENTS:98.5%

TOTAL.....100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

If in eyes

*Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.

*Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

*Call a poison control center or doctor for treatment advice.

If on skin

*Take off contaminated clothing.

*Rinse skin immediately with plenty of water for 15 – 20 minutes.

*Call a poison control center or doctor for advice.

If inhaled

*Move person to fresh air.

*If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth.

*Call a poison control center or doctor for advice.

If swallowed

*Call a poison control center or doctor immediately for advice.

*Do not induce vomiting unless told to by a poison control center or doctor.

*Have person sip a glass of water if able to swallow.

NOTE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

See Side Panel for Additional Precautionary Statements

Manufactured by:

ChemTreat, Inc.

10040 Lickinghole Road

Ashland, Virginia 23005

(804) 935-2000

Emergency Telephone: 800-424-9300

EPA REGISTRATION NO. 15300-24

EPA ESTABLISHMENT NO.:

15300-VA-1 _____

15300-IA-1 _____

15300-TX-1 _____

Chemical Treatment CL-2150 weighs 8.4 lbs. per gallon

NET CONTENTS _____ (GALLONS)

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons.

INDUSTRIAL RECIRCULATING WATER COOLING TOWERS, INDUSTRIAL RECIRCULATING CLOSED LOOP WATER COOLING SYSTEMS, BREWERY PASTEURIZERS, AND CAN WARMER SYSTEMS

For the control of bacteria, algae, and fungi, add Chemical Treatment CL-2150 to industrial recirculating water cooling towers, industrial recirculating closed loop water cooling systems, brewery pasteurizers, and can warmer systems. Add Chemical Treatment CL-2150 at some point in the system to ensure uniform mixing.

Initial Dose: When the system is noticeably fouled, apply 148-883 ppm Chemical Treatment CL-2150 (1.26-7.46 pounds or 19-113 fluid ounces of Chemical Treatment CL-2150 per 1000 gallons of water in the system). Repeat until control is achieved. Badly fouled systems should be cleaned before treatment is begun.

Subsequent Dose: When microbial control is evident, add 35-219 ppm Chemical Treatment CL-2150 (0.3-1.86 pounds or 4.5-28 fluid ounces of Chemical Treatment CL-2150 per 1000 gallons of water in the system) weekly, or as needed to maintain control.

PAPER MILLS

Chemical Treatment CL-2150 is recommended for the control of bacterial and fungal slime in the production of paper.

Point of addition: Chemical Treatment CL-2150 should be added to a point in the system to ensure uniform mixing such as the beater, hydropulper, or fan or broke storage pumps.

Dosage: Apply 0.44 to 1.5 lbs (7-23 fluid ounces) of Chemical Treatment CL-2150 per ton (dry basis) of pulp or paper produced as a slug dose. If needed, repeat daily. Badly fouled systems should be cleaned before initial treatment.

AIR WASHERS

Chemical Treatment CL-2150 is used to control bacteria in industrial air washing systems that maintain effective mist eliminating bacteria and other deposits.

Initial Dose: When the system is noticeably fouled, apply 1.26-7.46 lbs. (19-113 fluid ounces) of Chemical Treatment CL-2150 per 1000 gallons of water in the system. Repeat until control is achieved.

Subsequent Dose: When microbial control is evident, add 0.3 to 1.86 lbs. (4.5-28 fluid ounces) Chemical Treatment CL-2150 per 1000 gallons of water in the system weekly, or as needed to maintain control. Badly fouled systems should be cleaned before treatment is begun.



LICENSED

PERIOD 2014-2016 LIC. NO. 8102.8

**CORROSIVE LIQUIDS, N.O.S.
(5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND
2-METHYL-4-ISOTHIAZOLIN-3-ONE)
UN1760**