

KILLS THE FOLLOWING GERMS – ON PRE-CLEANED HARD NON-POROUS SURFACES:

Bacteria: Salmonella enterica, Pseudomonas aeruginosa, Staphylococcus aureus, Mycobacterium bovis, (BCG vaccine strain).

Fungi: Trichophyton mentagrophytes (the cause of athlete's foot fungus).

Viruses: Feline Calicivirus, Norovirus, Human Corona Virus Strain 229E, Polio Virus Sabin Strain Type 1, Influenza A2 Virus (Aichi), Respiratory Syncytial Virus (RSV), Rhinovirus Type 37, Adenovirus Type 2, Herpes Simplex Virus Type 1 & 2, HIV (Human Immunodeficiency Virus), Parainfluenza 1 Virus (Sendai), Avian Influenza A (H3N2) Virus, Influenza A Virus Hong Kong Strain, Kills Pandemic 2009 H1N1 Influenza A Virus.

Use *Asepticare* on door handles, clean-up carts, light switches, dressing or linen carts, handrails, diaper pails, toilet seats, bedpans, plastic mattress covers, and lockers.

Asepticare is designed for use in hospitals, clinics, nursing homes, extended care, educational institutions, offices, pet care areas, motels and institutional and industrial facilities where odor and bacterial control is desired. This product is suitable for use on materials such as: Corian® Glass, Glazed ceramic, Glazed enameled surfaces, Laminated surfaces, Linoleum, Stainless steel, Formica, and plastic.

Not to be used on food preparation surfaces or in food-handling areas.

CONTROLS MOLD & MILDEW-*Asepticare* controls mold and mildew on hard nonporous surfaces if not washed or rubbed off.

GENERAL PRECAUTIONS AND RESTRICTIONS

Do not spray in face.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical devices prior to sterilization or high-level disinfection.

DIRECTIONS FOR USE:

In the U.S.: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To Disinfect: Clean surface prior to application. Hold container 6-8 inches from the surface. Spray 3-5 seconds or until surface is wet. Allow to remain wet for 10 minutes then air dry without wiping. *Staphylococcus aureus* (MRSA), *Pseudomonas aeruginosa*, *Mycobacterium bovis*, *Salmonella enterica*, *Enterococcus faecalis* Vancomycin Resistant, *Staphylococcus aureus*, *Trichophyton mentagrophytes*, *Feline Calicivirus*, *Norovirus*, *Human Corona Virus*, *Polio Virus Sabin Strain Type 1*, *Influenza A2 Virus (Aichi)*, *Adenovirus Type 2*, *Herpes Simplex Virus Type 1 & 2*, *Parainfluenza 1 Virus (Sendai)*. For the following organisms allow to remain wet for 5 minutes then air dry without wiping: *Respiratory Syncytial Virus (RSV)*, *Rhinovirus Type 37*, *Avian Influenza A (H3N2) Virus*. Allow to remain wet for 2 minutes for *Human Corona Virus Strain 229E* and 1 minute for *Influenza A Virus (Hong Kong Strain)*. Avoid using spray on delicate fabrics, lacquered, shellacked, or other finished wood surfaces.

To Control Mold & Mildew: Clean surface prior to application. Spray as described in the "To Disinfect" section. Repeat application in 7 days or as necessary to maintain control.

***KILLS HIV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS**

PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency Virus Type 1 (HIV-1).

Special instructions for cleaning and decontamination against HIV-1 on surfaces/objects soiled with blood/body fluids.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex or vinyl gloves, gowns, masks or eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.

CONTACT TIME: 30 seconds (10 minutes for all other microorganisms.)

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in cool, dry place away from flames, sparks or other sources of heat or ignition. Containers heated above 130° F (54° C) may burst.

Pesticide Disposal: Waste resulting from the use of this product may be disposed of onsite or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Do Not Puncture or Incinerate!

If empty: This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If recycling option is not available, wrap the container and discard in the trash. **If partly filled:** Call your local solid waste agency for disposal instructions.

EPA Reg. No. 42964-17


EPA Est.: 706-IL-1 (C), 33595-MO-2 (PL)

The superscript refers to the first letter of the date code.

For questions or comments,
call 1-866-444-7450.

Airkem Professional Products,
Division of Ecolab Inc.
370 Wabasha Street N., St. Paul, MN 55102

© 2011 Ecolab Inc.
All Rights Reserved Made in U.S.A.
749873/7101/0611

**ACTIVE INGREDIENTS:**

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
dimethyl benzyl ammonium chlorides..... 0.15%

n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl
ammonium chlorides..... 0.15%

Ethanol..... 62.74%

INERT INGREDIENTS..... **36.96%**

TOTAL..... **100.00%**

(Includes Essential Oil Odor Control Agents)



**KEEP OUT OF REACH OF CHILDREN
WARNING**



FLAMMABLE



**CONTAINER MAY
EXPLODE IF HEATED**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: Causes substantial, but temporary eye injury or skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield (safety glasses). Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow.

Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA,

CALL 1-800-328-0026.

FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE,

CALL 1-651-222-5352 IN USA.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **PHYSICAL AND CHEMICAL HAZARDS:** Flammable. Contents under pressure. Do not use in the presence of open flame or spark. Do not place in hot water or near radiators, stoves, or other sources of heat. Do not puncture or incinerate container or store in temperatures over 54° C (130° F).

Product No.

8000039

Net Weight: 14 oz. (.397 grams)