25% MORE*
*VS 4 Lb SIZE

BAYER

BAYER ADVANCED™

100% SATISFACTION GUARANTEED

2 IN 1 SYSTEMIC

Rose & Flower Care

READY-TO-USE GRANULES II

FEEDS & PROTECTS in ONE EASY STEP

¿HABLA ESPAÑOL? VER EL PANEL TRASERO

Fertiliza y protege en un solo paso simple

- *Protects against insects*
- *Promotes strong roots & beautiful blooms*
- *Rainproof Protection*

Protects for up to 8 Weeks & Feeds

Active Ingredients:
Imidacloprid 0.22%
Other Ingredients ...99.78%
Total Ingredients ...100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION See back panel for additional precautionary statements

Not for sale, sale into, distribution, and or use in Nassau, Suffolk, Kings, and Queens counties of New York

79524773b R.1

6-9-6
NET WT 5LBS (2.27kg)

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2011-2013 LIC. NO.

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2014-2016 LIC. NO.
8126.118

BAYER ADVANCED

2 IN 1 SYSTEMIC

Rose & Flower Care

READY-TO-USE GRANULES II

This product's formula protects against insects for up to eight weeks, and feeds your plants. Now you can grow beautiful roses, flowers and shrubs in one easy step.

READ THE LABEL FIRST!

READ LABEL FIRST

Indicaciones en español después de las de inglés

QUICK FACTS

- **Feeds and Protects in One Easy Step**
- **Easy-to-Use Granules**

KILLS	Adelgids, Aphids, Black Vine Weevil Larvae, Japanese Beetle Adults, Lacebugs, Leaf Beetles (including Viburnum Leaf Beetles), Leafhoppers, Leafminers, Mealybugs, Pine Tip Moth Larvae, Psyllids, Sawfly Larvae, Scales (including Armored Scale (suppression) and Soft Scale), Thrips, Whiteflies
FEEDS	6-9-6 fertilizer for strong roots and blooms
COVERAGE	Treats up to 40 medium-sized roses
WHERE TO USE	Roses, Flowers & Shrubs
WHEN TO USE	Every 8 weeks throughout the growing season
HOW MUCH TO USE	Use easy measuring cap to apply as directed
	For questions or comments, call toll-free 1-877-BayerAG (1-877-229-3724)

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENT:
Imidacloprid 0.22%
OTHER INGREDIENTS 99.78%
100.00%

Imidacloprid is the chemical name for Merit® insecticide

GUARANTEED ANALYSIS 6-9-6
Total Nitrogen (N) 6%
6% Ammoniacal Nitrogen
Available Phosphate (P_2O_5) 9%
Soluble Potash (K_2O) 6%
Sulfur (S) 2%
2% Combined Sulfur (S)

Derived from: Ammonium Sulfate, Ammonium Phosphate, Muriate of Potash

F 1514

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-ba.com.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
For best results, read and follow all label directions.

BEFORE YOU USE
Read and follow directions when using:

- Do not apply near fish pools, ponds, lakes or streams.
- Do not use in vegetable gardens.

HOW TO USE

WHEN TO USE

- Apply when planting.
- For established plants, use any time prior to pest problems or immediately when seen.
- Apply again every 8 weeks during the growing season.

HOW MUCH TO APPLY

- Fill measuring cap to top of inner circle (2 oz.).

Roses: 1 capful per plant
Shrubs: 2 capfuls per foot of plant height
Flower beds: 2 capfuls per 12 sq. ft. (3'x 4' bed area)

HOW TO APPLY

1. Apply granules to soil around base of plant, sprinkling evenly in the area under branches.
2. Work granules into top 1 to 2 inches of soil.

(cont'd)

HOW TO USE *(cont'd)*

HOW TO APPLY *(cont'd)*

3. Water thoroughly after applying. For flower beds, sprinkle granules evenly over the bed.

FOR BEST RESULTS

Apply evenly, cultivate lightly and water thoroughly.

HOW IT WORKS

This product is absorbed by roots and moves through the entire plant. Even new growth is fed and protected against insects for up to 8 weeks. Rain or watering cannot wash off this internal protection!

IMPORTANT - Directions for Storage and Disposal

STORAGE CONDITIONS

Store in original container in a cool, dry place, out of the reach of children, preferably in a locked storage cabinet.

DISPOSAL

- Non-refillable container. Do not refill or reuse empty container.
- Place empty container in trash.

Important: It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow any applicable state and local guidelines.

794513 6b R.1

EPA Reg. No. 72155-57

EPA Est. No. indicated by 3rd & 4th digits of the batch number on this pack.
(79)=5905-GA-01 (46)=5905-IA-01 (77)=070989-MO-001
(89) = 9198-AL-1

6 87073 01100 5

OPEN Label for Additional Information

¡LEER LA ETIQUETA ANTES DE UTILIZAR EL PRODUCTO!

DATOS RÁPIDOS

• Fertiliza y protege en un solo paso simple
• Gránulos fáciles de usar

MATA	Adélgidos, áfidos, larvas del gorgojo negro de enredadera, escarabajos japoneses adultos, chinches de encaje, escarabajos de la hoja (incluso los escarabajos de la hoja del viburnum), saltarillas, minadores de las hojas, cocos, polillas de la punta del pino, psílidos, larvas de himenóptero dipriónido, escamas (incluso escamas armadas (supresión) y cochinillas blandas), trips, moscas blancas
FERTILIZA	Fertilizante 6-9-6 para raíces y brotes resistentes
COBERTURA	Trata hasta 40 rosas medianas
DÓNDE USAR	Rosas, flores y arbustos
CUÁNDO USAR	Cada 8 semanas durante toda la temporada de crecimiento
CUÁNTO USAR	Utilizar la tapa medidora para aplicar según las indicaciones
☎	Para hacer preguntas o comentarios, llamar al número gratuito 1-877-BayerAG (1-877-229-3724)

SÓLO PARA USO RESIDENCIAL EN EXTERIORES

INGREDIENTE ACTIVO:
Imidacloprida 0.22%
OTROS INGREDIENTES 99.78%
100.00%

Imidacloprida es el nombre químico del insecticida Merit ®

ANÁLISIS GARANTIZADO 6-9-6
Nitrógeno (N) total 6%
6% Nitrógeno amoniacal
Fosfato disponible (P_2O_5) 9%
Potasa soluble (K_2O) 6%
Sulfuro (S) 2%
2% sulfuro (S) combinado

Derivado de: sulfato de amonio, fosfato de amonio y muriato de potasa

F 1514

La información sobre los contenidos y niveles de metales en este producto está disponible en Internet en http://www.regulatory-info-ba.com

INDICACIONES DE USO

Es una violación de la Ley Federal utilizar este producto de manera contraria a la indicada en la etiqueta.
Para obtener mejores resultados, leer y seguir todas las indicaciones de la etiqueta.

ANTES DE USAR
Leer y seguir estas indicaciones de uso

- No aplicar cerca de peceras, estanques, arroyos o lagos.
- No utilizar en jardines de hortalizas.

CÓMO USAR

CUÁNDO USAR

- Aplicar al momento de plantar.
- Para las plantas establecidas, utilizar en cualquier momento antes o inmediatamente después de detectar los problemas de plagas.
- Aplicar nuevamente cada 8 semanas durante la temporada de crecimiento.

CUÁNTO APLICAR

- Llenar la tapa medidora hasta la parte superior del círculo interior (2 onzas (60 g)).

Rosas: 1 tapa llena por planta
Arbustos: 2 tapas llenas por pie (30 cm) de altura de la planta
Canteros: 2 tapas llenas cada 12 pies cuadrados (1.10 m^2) (3'x4' (0.9 m x 1.2 m) de área del cantero)

CÓMO APLICAR:

1. Aplicar los gránulos en el suelo alrededor de la base de la planta, rociarlos uniformemente en el área debajo de las ramas.
2. Colocar los gránulos a 1 ó 2 pulgadas (2.5 a 5 cm) de la superficie del suelo.

(continúa)

CÓMO USAR *(continuación)*

CÓMO APLICAR *(continuación)*

3. Regar bien después de aplicar. Para los canteros de flores, rociar los gránulos de manera uniforme sobre el cantero.

PARA OBTENER MEJORES RESULTADOS

Aplicar de manera uniforme, cultivar levemente y regar bien.

CÓMO FUNCIONA

Las raíces absorben el producto y éste asciende por toda la planta. Incluso fertiliza y protege a los nuevos brotes de los insectos hasta por 8 semanas. Ni la lluvia ni el agua de riego pueden lavar esta protección interna.

IMPORTANTE:
Indicaciones para almacenamiento y eliminación

CONDICIONES DE ALMACENAMIENTO

Almacenar en el contenedor original y en un lugar fresco y seco fuera del alcance de los niños, preferentemente en un armario bajo llave.

ELIMINACIÓN

- Contenedor no reusable. No volver a rellenar ni utilizar el contenedor vacío.
- Colocar el contenedor vacío en la basura.

Importante: Es mejor utilizar todo el producto de acuerdo con las indicaciones de la etiqueta. Si es necesario eliminar el producto sin utilizar, seguir las pautas estatales y locales correspondientes.

BAYER ADVANCED

2 IN 1 SYSTEMIC

Rose & Flower Care READY-TO-USE GRANULES II

PRECAUTIONARY STATEMENTS

CAUTION Hazards to Humans and Domestic Animals

- Harmful if swallowed or absorbed through skin.
- Causes eye irritation.
- Avoid contact with skin, eyes, or clothing.
- Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco will reduce exposure.

DECLARACIONES DE PRECAUCIÓN

PRECAUCIÓN Peligros para seres humanos y animales domésticos

- Es perjudicial si se ingiere o se absorbe por la piel.
- Causa irritación en los ojos.
- Evitar el contacto con la piel, los ojos o la ropa.
- Lavarse prolijamente las manos con agua y jabón después de manipular el producto y antes de comer, beber, masticar goma de mascar o fumar reducirá la exposición.

ENVIRONMENTAL HAZARDS

- This product is highly toxic to aquatic invertebrates.
- Do not apply directly to water. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours, will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.
- Do not contaminate water when cleaning equipment or disposing of equipment washwater.

PELIGROS AMBIENTALES

- Este producto es altamente tóxico para los invertebrados acuáticos.
- No aplicar directamente al agua. Para proteger el medio ambiente, no permitir que el pesticida ingrese o se escurra en las bocas de tormenta, zanjas, alcantarillas o aguas superficiales. Aplicar este producto cuando el clima esté calmo y no haya probabilidad de lluvia para las 24 horas siguientes, ayudará a garantizar que el viento o la lluvia no dispersen o escurran el pesticida del área de tratamiento. Barrer el producto que haya caído en una carretera, acera o camino hacia el área tratada del césped o jardín ayudará a evitar que ingrese en cursos de agua o sistemas de desagüe.
- No contaminar el agua al limpiar el equipo o eliminar el agua de enjuague del equipo.

FIRST AID ✚

IF SWALLOWED	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active Ingredient: 0.22% Imidacloprid (CAS # 138261-41-3).

NOTICE: Research and testing has determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if the product is not used according to the directions on this label.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

PRIMEROS AUXILIOS ✚

EN CASO DE INGESTIÓN	• Llamar inmediatamente a un médico o a un centro de control de envenenamiento para consultas sobre el tratamiento. • Hacer que la persona beba tragos de agua, si puede tragar. • No inducir el vómito a menos que lo indique el médico o el centro de control de envenenamiento. • No administrar nada por boca a una persona inconsciente.
EN CASO DE CONTACTO CON LA PIEL	• Quitar la ropa contaminada. • Enjuagar la piel de inmediato con abundante agua durante 15 a 20 minutos. • Llamar a un médico o a un centro de control de envenenamiento para consultas sobre el tratamiento.
EN CASO DE CONTACTO CON LOS OJOS	• Mantener los ojos abiertos y enjuagar en forma lenta y suave con agua durante 15 a 20 minutos. • Retirar los lentes de contacto, si los hubiera, después de los primeros 5 minutos, y luego continuar enjuagando. • Llamar a un médico o a un centro de control de envenenamiento para consultas sobre el tratamiento.

NOTA: Al llamar a un centro de control de envenenamiento, tener la etiqueta del producto a mano. En caso de solicitar tratamiento en una sala de emergencias o consultorio médico, llevar la etiqueta del producto para mostrarla al personal médico. Para solicitar información médica de emergencia, llamar al número gratuito 877-229-3763. Ingrediente activo: 0.22% imidacloprida [CAS Nº 138261-41-3]

NOTA: Investigaciones y pruebas han determinado que las "Indicaciones de uso" son las adecuadas para el uso apropiado de este producto bajo las condiciones previstas. El Comprador asume la responsabilidad por la falta de rendimiento o seguridad si no es utilizado de acuerdo con las indicaciones.

Garantía de devolución de dinero: Si usted no está satisfecho con este producto, gustosamente le reembolsaremos el monto original del precio de compra.

79451369b R.1
Produced for:
Bayer Advanced
A Business Unit of Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive,
Research Triangle Park, NC 27709
EPA Reg. No. 72155-57
EPA Est. No. indicated by 3rd & 4th digits of the batch number on this pack.
(79)=5905-GA-01 (46)=5905-IA-01 (77)=070989-MO-001 (89) = 9198-AL-1

Bayer (reg'd), Bayer Cross (reg'd), Bayer Advanced™ and Merit® are trademarks of Bayer.