5mm (Wraps to back of finished pouch)

25mm

92mm

Department of Agriculture
STATE OF HAWAII
LICENSED
PERIOD 2015-2017 LIC. NO. 8126.146

150mm

92mm

150mm

3 mm
Cut off area

TOP SEAL AREA (15mm)

SIDE GUSSET READS THIS WAY

BAYER ADVANCED

# Vegetable & Garden Insect Dust

Ready-To-Use



Use on vegetables, roses, flowers, & fruit trees

KILLS 60+ INSECTS as Listed

BAYER ADVANCED

# Vegetable & Garden Insect Dust

READY-TO-USE

KILLS JAPANESE BEETLES, APHIDS, HORNWORMS, and other listed pests

*Mata escarabajos japoneses, áfidos, gusanos del cuerno y otros insectos de la lista*

ESPAÑOL

- Use on Vegetables, Roses, Flowers, & Fruit Trees



KILLS 60+ INSECTS as Listed

Active Ingredient:
Permethrin* ..... 0.25%
Other Ingredients ... 99.75%
Total 100.00%
*Cis/trans ratio: Min. 35% (+/-) cis, Max. 65% (+/-) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION See back panel for additional precautions

NET WT 4 Lbs (1.82 kg)

BAYER ADVANCED

# Vegetable & Garden Insect Dust

Ready-To-Use

Use on vegetables, roses, flowers, & fruit trees

KILLS 60+ INSECTS as Listed

BAYER ADVANCED

# Vegetable & Garden Insect Dust

Ready-To-Use

*This product delivers effective long lasting control of Aphids, Armyworms, Beetles, Caterpillars, Japanese Beetles plus other listed pests. Protecting your garden from pests has never been easier.*

READ THE LABEL FIRST!

## QUICK FACTS

- Kills Over 60 Types of Insects
- Effective Long Lasting Control
- Use on Fruit Trees, Flowers, Fruits and Vegetables

| | |
|---|---|
| KILLS | Aphids, Armyworms, Beetles, Japanese Beetles, Cabbageworms, Caterpillars, Hornworms, Fruit Flies, and other listed pests |
| WHERE TO USE | Use on Home Garden Fruits, Roses, Flowers and Vegetables |

For questions or comments, call toll-free 1-877-BayerAG, (1-877-229-3724), or visit us on-line at www.BayerAdvanced.com

***Para preguntas, commentarios o solicitar la etiqueta completa en español llame sin cargo al 1-877-BAYERAG (1-877-229-3724) o visite nuestra página en www.BayerAdvanced.com***

**ACTIVE INGREDIENT:**
Permethrin* ..... 0.25%
**OTHER INGREDIENTS** ..... 99.75%
Total 100.00%
*Cis/trans ratio: Min. 35% (±) cis, Max. 65% (±) trans

**EPA Reg. No. 28293-126-72155**
EPA Est. No. 58996-MO-1$_{g}$ 432-TX-1$_{g}$
264-MO-003$_{C}$ 065387-AR-002$_{D}$
67572-GA-1$_{E}$ 011623-GA-003$_{F}$
Subscript used is first letter of run code on container.

## DIRECTIONS FOR USE

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read Entire Label Before Each Use.**

### HOME GARDENS

**For use on home gardens. Not for use on plants being grown for sale or other commercial use.** Do not water the treated area to the point of run-off. Do not make applications during rain

### HOW TO APPLY

Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. (Many insects hide on the underside of the leaf).

**Apply when air is calm to avoid drift and contact with eyes and skin.**

### WHEN TO APPLY

Use at first signs of insect infestation, preferably before damage from feeding occurs.
**Note the pre-harvest (time between use and harvest) interval with each crop listed.**

### INSECTS CONTROLLED

**On Fruit and Nut Trees:** Apple aphid, caterpillars, codling moth, filbertworm, fruit fly, green fruitworm, leafhoppers, leafrollers, lepidopterous larvae, lesser peach tree borer, mirid bug, navel orangeworm, oriental fruit moth, peach twig borer, pear psylla, plum curculio, redbanded leafroller, rose chafer, spotted tentiform leafminer, tarnished plant bug, thrips, walnut husk fly, and white apple leafhopper.

(cont'd)

**On Vegetables & Melons:** Aphids, armyworms, artichoke plume moth, asparagus beetle, aster leafhopper, cabbage aphid, cabbage looper, Colorado potato beetle, corn earworm, corn rootworm (adult), cucumber beetle (adult), cutworm complex, cutworms, diamondback moth, European corn borer, fall armyworm, flea beetles, granulate cutworm, hornworms, imported cabbageworm, leafhoppers, leafminers, melonworm, onion maggot (adult), onion thrips, pepper weevil, pickleworm, plant bugs (including lygus, squash, and stink bugs), potato aphid, potato flea beetle, potato leafhopper, potato psyllid, potato tuberworm, rindworm, squash vine borer, tomato fruitworm, tomato pinworm, and vegetable leafminer.
**On Ornamentals (Including Roses):** Asparagus beetle, beet armyworm, cabbage looper, Japanese beetle, lygus bug, and omnivorous leafroller.

## STORAGE AND DISPOSAL

**PESTICIDE STORAGE:**
Store in a cool, dry place. Do not contaminate feed or foodstuffs by storage or disposal.
**PESTICIDE DISPOSAL:**
**If Partly Filled:** • Call your local solid waste agency or 1-877-229-3724 for disposal instructions. • Never place unused product down any indoor or outdoor drain.
**CONTAINER DISPOSAL:**
**If Empty:** • Nonrefillable container. Do not reuse or refill this container. • Place in trash or offer for recycling if available.

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

### CAUTION

**Humans:** Harmful if swallowed, inhaled. Avoid breathing dust. Avoid contact with eyes and skin. Wash thoroughly with soap and water after handling. Avoid contamination of feed and foodstuffs. **Animals:** Harmful if swallowed, inhaled. Consult a veterinarian before using this product on debilitated, aged, pregnant, or nursing animals or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

## PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

## ENVIRONMENTAL HAZARDS

This product is toxic to fish. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

## FIRST AID ✚

**IF IN EYES** • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
**IF ON SKIN OR CLOTHING** • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
**IF SWALLOWED** • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
**IF INHALED** • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1 (877) BAYERAG (1 (877) 229-3724) for emergency medical treatment information.

| CROP - Dust Lightly | Applications Per Season (Max) | Pre-harvest interval |
|---|---|---|
| Cole Crops – Broccoli, Brussel Sprouts, and Cauliflower | 8 | 1 day |
| Cole Crops – Cabbage and Chinese Cabbage (tight-heading varieties only) | 5 | 1 day |
| Cucurbit vegetables including cucumbers, gourds, honeydew melons, pumpkins, cantaloupe, zucchini, squash, and watermelon (including hybrids) | 8 | May be applied until harvest |
| Eggplant | 10 | 3 days |
| Bell Peppers – including green peppers | 8 | 3 days |
| Tomatoes | 6 | May be applied until harvest |
| Leafy Vegetables (except brassica) including arugula, celery, lettuce, parsley, radicchio, rhubarb, spinach, and Swiss chard | 5 | 1 day |
| Onions (dry bulb and garlic) | 6 | 1 day |
| Potatoes | 8 | 14 days |
| Sweet Corn | 6, 8 in Florida | 1 day |
| Artichokes | 5 | May be applied until harvest |
| Asparagus | 4 | 1 day |
| **TREE CROPS - Dust Lightly, using a dust gun or rotary duster** | **Applications Per Season (Max)** | **Pre-harvest interval/Remarks** |
| Apples | | Do not apply after petal fall |
| Cherries - In the East | 6 | No more than 4 applications after petal fall |
| Cherries - In the West | 4 | No more than 3 applications after petal fall |
| Peaches | 5 | 14 days |
| Pears (dormant) | 2 | May be applied during the dormant through the delayed dormant growth periods only. |
| Pears (pre-bloom) | 2 | May be applied from dormant through bud burst. |
| Walnuts | 8 | 1 day |

**Money Back Guarantee:** If you are not satisfied with this product, we will gladly refund your original purchase price.

Distributed by: Bayer Advanced
A Business Unit of Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, NC 27709
Product of India
Bayer (reg'd), Bayer Cross (reg'd) and Bayer Advanced™ are trademarks of Bayer.

80536348b 100407AV1a

6 87073 01065 7

BAYER ADVANCED

Vegetable & Garden Insect Dust

Ready-To-Use

BOTTOM SEAL AREA (15 mm)

349.25 mm

Pantone Yellow- substitute for process yello

Process Magenta

Process Cyan

Process Black

P-286C

3 mm
Cut off area

9/12/12

BAYER

# BAYER ADVANCED

# Vegetable & Garden Insect Dust

READY-TO-USE

## KILLS JAPANESE BEETLES, APHIDS, HORNWORMS,
and other listed pests

*Mata escarabajos japoneses, áfidos, gusanos del cuerno y otros insectos de la lista*

HABLA ESPAÑOL

- **Use on Vegetables, Roses, Flowers, & Fruit Trees**

## KILLS 60+ INSECTS
as Listed

Active Ingredient:
Permethrin* ..... 0.25%
Other Ingredients ... 99.75%
Total 100.00%
*Cis/trans ratio: Min. 35% (+/-) cis, Max. 65% (+/-) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION See back panel for additional precautions

NET WT 4 Lbs (1.82 kg)

BAYER ADVANCED

# Vegetable & Garden Insect Dust

Ready-To-Use

***This product delivers effective long lasting control of Aphids, Armyworms, Beetles, Caterpillars, Japanese Beetles plus other listed pests. Protecting your garden from pests has never been easier.***

**READ THE LABEL FIRST!**

## QUICK FACTS

- **Kills Over 60 Types of Insects**
- **Effective Long Lasting Control**
- **Use on Fruit Trees, Flowers, Fruits and Vegetables**

| | |
|---|---|
| **KILLS** | Aphids, Armyworms, Beetles, Japanese Beetles, Cabbageworms, Caterpillars, Hornworms, Fruit Flies, and other listed pests |
| **WHERE TO USE** | Use on Home Garden Fruits, Roses, Flowers and Vegetables |
| | For questions or comments, call toll-free 1-877-BayerAG, (1-877-229-3724), or visit us on-line at www.BayerAdvanced.com<br>***Para preguntas, commentarios o solicitar la etiqueta completa en español llame sin cargo al 1-877-BAYERAG (1-877-229-3724) o visite nuestra página en www.BayerAdvanced.com*** |

| **ACTIVE INGREDIENT:** | |
|---|---|
| Permethrin*..... | 0.25% |
| **OTHER INGREDIENTS** ..... | 99.75% |
| Total | 100.00% |

*Cis/trans ratio:
Min. 35% (±) cis, Max. 65% (±) trans

**EPA Reg. No. 28293-126-72155**

EPA Est. No. 58996-MO-$1_A$ 432-TX-$1_B$
264-MO-$003_C$ 065387-AR-$002_D$
67572-GA-$1_E$ 011623-GA-$003_F$
Subscript used is first letter of run code on container.

## DIRECTIONS FOR USE

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read Entire Label Before Each Use.**

### HOME GARDENS

**For use on home gardens. Not for use on plants being grown for sale or other commercial use.**
Do not water the treated area to the point of run-off. Do not make applications during rain

### HOW TO APPLY

Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available.

Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. (Many insects hide on the underside of the leaf).

**Apply when air is calm to avoid drift and contact with eyes and skin.**

### WHEN TO APPLY

Use at first signs of insect infestation, preferably before damage from feeding occurs.

**On Vegetables & Melons:** Aphids, armyworms, artichoke plume moth, asparagus beetle, aster leafhopper, cabbage aphid, cabbage looper, Colorado potato beetle, corn earworm, corn rootworm (adult), cucumber beetle (adult), cutworm complex, cutworms, diamondback moth, European corn borer, fall armyworm, flea beetles, granulate cutworm, hornworms, imported cabbageworm, leafhoppers, leafminers, melonworm, onion maggot (adult), onion thrips, pepper weevil, pickleworm, plant bugs (including lygus, squash, and stink bugs), potato aphid, potato flea beetle, potato leafhopper, potato psyllid, potato tuberworm, rindworm, squash vine borer, tomato fruitworm, tomato pinworm, and vegetable leafminer.
**On Ornamentals (Including Roses):** Asparagus beetle, beet armyworm, cabbage looper, Japanese beetle, lygus bug, and omnivorous leafroller.

## STORAGE AND DISPOSAL

**PESTICIDE STORAGE:**
Store in a cool, dry place. Do not contaminate feed or foodstuffs by storage or disposal.

**PESTICIDE DISPOSAL:**
**If Partly Filled:** • Call your local solid waste agency or 1-877-229-3724 for disposal instructions. • Never place unused product down any indoor or outdoor drain.

**CONTAINER DISPOSAL:**
**If Empty:** • Nonrefillable container. Do not reuse or refill this container. • Place in trash or offer for recycling if available.

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

### CAUTION

**Humans:** Harmful if swallowed, inhaled. Avoid breathing dust. Avoid contact with eyes and skin. Wash thoroughly with soap and water after handling. Avoid contamination of feed and foodstuffs. **Animals:** Harmful if swallowed, inhaled. Consult a veterinarian before using this product on debilitated, aged, pregnant, or nursing animals or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

## PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

## ENVIRONMENTAL HAZARDS

This product is toxic to fish. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

## FIRST AID +

**IF IN EYES** • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING** • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

**IF SWALLOWED** • Call a poison control center or doctor immediately for treatment advice.

## WHEN TO APPLY

Use at first signs of insect infestation, preferably before damage from feeding occurs.
**Note the pre-harvest (time between use and harvest) interval with each crop listed.**

## INSECTS CONTROLLED

**On Fruit and Nut Trees:** Apple aphid, caterpillars, codling moth, filbertworm, fruit fly, green fruitworm, leafhoppers, leafrollers, lepidopterous larvae, lesser peach tree borer, mirid bug, navel orangeworm, oriental fruit moth, peach twig borer, pear psylla, plum curculio, redbanded leafroller, rose chafer, spotted tentiform leafminer, tarnished plant bug, thrips, walnut husk fly, and white apple leafhopper.

*(cont'd)*

treatment advice.

**IF SWALLOWED** • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.

**IF INHALED** • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1 (877) BAYERAG [1 (877) 229-3724] for emergency medical treatment information.

| CROP - Dust Lightly | Applications Per Season (Max) | Pre-harvest interval |
|---|---|---|
| Cole Crops – Broccoli, Brussel Sprouts, and Cauliflower | 8 | **1 day** |
| Cole Crops – Cabbage and Chinese Cabbage (tight-heading varieties only) | 5 | **1 day** |
| Cucurbit vegetables including cucumbers, gourds, honeydew melons, pumpkins, cantaloupe, zucchini, squash, and watermelon (including hybrids) | 8 | **May be applied until harvest** |
| Eggplant | 10 | **3 days** |
| Bell Peppers – including green peppers | 8 | **3 days** |
| Tomatoes | 6 | **May be applied until harvest** |
| Leafy Vegetables (except brassica) including arugula, celery, lettuce, parsley, radicchio, rhubarb, spinach, and Swiss chard | 5 | **1 day** |
| Onions (dry bulb and garlic) | 6 | **1 day** |
| Potatoes | 8 | **14 days** |
| Sweet Corn | 6, 8 in Florida | **1 day** |
| Artichokes | 5 | **May be applied until harvest** |
| Asparagus | 4 | **1 day** |
| **TREE CROPS - Dust Lightly, using a dust gun or rotary duster** | **Applications Per Season (Max)** | **Pre-harvest interval/Remarks** |
| Apples | | Do not apply after petal fall |
| Cherries - In the East | 6 | No more than 4 applications after petal fall |
| Cherries - In the West | 4 | No more than 3 applications after petal fall |
| Peaches | 5 | 14 days |
| Pears (dormant) | 2 | May be applied during the dormant through the delayed dormant growth periods only. |
| Pears (pre-bloom) | 2 | May be applied from dormant through bud burst. |
| Walnuts | 8 | 1 day |

**Money Back Guarantee:** If you are not satisfied with this product, we will gladly refund your original purchase price.

Distributed by: Bayer Advanced
A Business Unit of Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, NC 27709
Product of India

Bayer (reg'd), Bayer Cross (reg'd) and Bayer Advanced™ are trademarks of Bayer.

80536348b 100407AV1a