



STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO. **8158.2**

FOXFARM
SOIL & FERTILIZER COMPANY

DON'T BUG ME

INDOOR **HOME & GARDEN** OUTDOOR

Kills On Contact

INSECT SPRAY
READY TO USE
Keep Out Of Reach Of Children
CAUTION

For Use On Roses, Flowers, Vegetables, Fruits, Trees, and Shrubs

ACTIVE INGREDIENTS
Pyrethrins 0.02%
*Piperonyl Butoxide, Technical 0.20%

OTHER INGREDIENTS 99.78%
100%
*Equivalent to 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds

DBUGIME-24OZ_1from05

EPA Registration No. 1021-1801-71996 Net contents 24 fl oz (709 ml) EPA Establishment No. 71996-CA-001

PEEL BACK

DONTBUGME[®]

Don't Bug Me[®] Home and Garden Spray may be used indoors or outdoors as a contact spray for flying and crawling pests commonly found in and around the home. **Don't Bug Me[®]** contains Pyrethrum, which is derived from Chrysanthemum flowers, to give fast and effective kill on contact. Pyrethrum will also "flush" hiding insects, which then allows you to spray them for immediate contact kill. Adjust spray nozzle to give a coarse, wet spray.

Shake Bottle Well Before Each Use.

Directions For Use: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Please see complete directions on inside panel.



Precautionary Statements

CAUTION

Hazards To Humans and Domestic Animals



Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Remove contaminated clothing and wash clothing before reuse. Wash thoroughly with soap and water after handling. Avoid contamination of food and feedstuffs. Remove pets, birds, and cover fish aquariums before spraying.

Environmental Hazards

Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate.

Physical or Chemical Hazards

Do not use this product in or on electrical equipment because of shock hazard.

CAUTION

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE:	Store in a cool, dry area. Always store pesticides in the original container. Store in an upright position only. Store with spray nozzle securely closed. Do not store with spray nozzle below level of product in container. Store away from food and pet food.
PESTICIDE DISPOSAL AND CONTAINER HANDLING:	<ul style="list-style-type: none"> • Nonrefillable container. Do not reuse or refill this container. • If Empty: Place in trash or offer for recycling if available. • If Partly Filled: Call your local solid waste agency for disposal instructions. <p>Never place unused product down any indoor or outdoor drain.</p>

Distributed by United Compost and Organics, Inc.
P.O. Box 787, Arcata, California 95518 Humboldt County
For more information call us at 1-800-4FOXFARM



7 52289 79050 8

DBUGME-240Z_back13

Please remember to recycle. It means the world to us!

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DON'T BUG ME® Home & Garden Spray may be used indoors or outdoors as a contact spray for flying and crawling pests commonly found in and around the home. **DON'T BUG ME® Home & Garden Spray** contains Pyrethrum, which is derived from the Chrysanthemum flower, to give fast and effective kill on contact. Pyrethrum also will "flush" hiding insects, which then allows you to spray them for immediate contact kill. SHAKE WELL BEFORE USING. Adjust spray nozzle to give a coarse, wet spray.

INDOORS:

House Flies, Gnats, Mosquitoes, Flying Moths: As a room spray to control these pests, close doors and windows and pump spray, aiming the nozzle into the upper corners of the room, filling the room with a fine mist. Keep room closed for at least 15 minutes and then air room out before occupancy. Before spraying in kitchen or dining areas, cover or remove food and utensils.

Ants, Cockroaches (Water/Palmetto Bugs), Sowbugs, Pillbugs, Crickets, Silverfish, Firebrats, Fleas, Ticks, and Spiders, including Black Widow and Scorpions: Spray into cracks and crevices, along baseboards, behind and beneath cabinets, cupboards, pantry, other food storage areas, under stoves, sinks, refrigerators, and in and around waste containers and other areas where these pests are seen or suspected of hiding. Spray as many pests as possible, especially as they are being flushed from hiding. Spray ant trails and places where they are entering the house.

Fleas and Ticks: Where fleas and ticks are associated with household pets, remove and launder or replace the pet's bedding, and spray the surrounding area. Pay particular attention to cracks and crevices, along the baseboards, carpeted areas, area rugs, and fabric-covered furniture where these pests may be found. Replace pet bedding when spray is dry. Concurrent treatment of the pets and their yard areas is recommended with a product labeled for those sites and pests.

Carpet Beetles: Apply as a spot treatment along baseboards and edges of carpet and rugs. Also spray under carpets and area rugs, after vacuuming area to remove debris. Spray carpet in corners of rooms, under furniture, in closets, on shelving and other areas where these pests are seen or suspected.

Sawtoothed Grain Beetles, Indian Meal Moths, Rice Weevils, Confused

Flour Beetles: To kill the exposed forms of these pests, find and destroy infested packages of food products in cabinets or pantry. Remove shelf paper. Clean inside cabinets thoroughly. Remove packaged goods and spray shelves and cracks and crevices. Replace shelf paper with new paper and return packaged goods when spray is dry.

OUTDOORS:

Vegetables (including in-home greenhouses): Arugula, Beets, Broccoli, Brussels Sprouts, Cabbage, Carrots, Chinese Cabbage (Bok Choy), Chinese Mustard Cabbage (Gai Choy), Cabbage (Napa), Cauliflower, Cucumber, Collards, Cilantro, Celery, Eggplant, Edible Gourds, Endive, Japanese Radish (Daikon), Lettuce (Head and Leafy), Okra, Melons (including hybrids-Cantaloupe, Casaba, Crenshaw, Honeydew, Muskmelon), Parsley, Parsnips, Potato, Peppers (including Bell, Chili, Cooking, Pimentos, Sweet), Pumpkins, Rhubarb, Rutabaga, Radish, Swiss Chard, Squash (Winter and Summer), Spinach, Tomatillo, Tomatoes, Watermelon, and Zucchini.

Small Fruits and Berries: Blackberry, Blueberry, Currant, Dewberry, Elderberry, Gooseberry, Grape, Huckleberry, Olallie Berry, Raspberry (Black and Red), Strawberry and Youngberry.

Fruits: Apple, Apricot, Crabapple, Cherry (Sweet and Sour), Citrus Hybrids, Grapefruit, Loquat, Lemons, Limes, Nectarine, Orange (Sweet and Sour), Oriental Pear, Pear, Pummelo, Peach, Plum, Prune, and Quince.

For Use on All Ornamental Plants (such as Roses, Hyacinth, Gladiolus, Freesia). All Annuals (such as Cosmos, Celosia, Ageratum, Impatiens). All Perennials (such as Gazania, Cineraria, Chrysanthemum, Zinnia). All Shrubs (such as Mountain Laurel, Juniper, Privet, Mock Orange). All Shade Trees (such as Oak, London Plane, Maple, Sycamore, Mulberry), and All Vines (such as Trumpet Creeper, Creeping Lantana, Wisteria, Honeysuckle).

For the Control of: Ants, Aphids, Armyworms, Asparagus Beetles, Blister Beetles, Cabbage Loopers, 12-Spotted Cucumber Beetles, Colorado Potato Beetles, Corn Earworms, Crickets, Cross-striped Cabbageworms, Diamondback Moth Larvae, Fireworms, Flea Beetles, Fruit Worms, Fruit Tree Leafrollers, Grape Leafhoppers, Gypsy Moths (larvae and adults), Harlequin Bugs, Tomato Hornworms, Imported Cabbageworms, Leafhoppers, Leafrollers, Leaf-tiers, Mexican Bean Beetles, Potato Leafhoppers, Psyllids, Stink Bugs, Thrips, Vinegar Flies, and Webworms: **Water plant thoroughly. Turn spray nozzle to the on position and hold spray nozzle about 12" from the plant. Spray lightly, covering insects on upper and lower leaf surfaces until surfaces are slightly wet. Avoid over-saturating. Spray when insects or their damage first appears. Do not wait until plants are heavily infested. Spray may be applied up to and including day of harvest.**