Spot treat bugs and weeds with this easy to use system

STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO. 8179.32

Sprayer Use Directions

Unscrew the tank cap and fill the tank with water up to the one gallon indicator. Remove the sprayer wand from the tank holster and unfold the sprayer wand. Select the cartridge labeled for intended use.* Remove the cap from the cartridge. Each cartridge contains 4 oz. of product liquid. Each 4 oz. cartridge of concentrate makes one gallon of ready to use spray. Insert the cartridge into the top of the sprayer and twist until tight. Press the trigger to spot spray weeds as listed on the product label. When finished spot treating remove the cartridge. Replace the cap on the cartridge. Follow label storage and disposal instructions for product cartridge. After spot spraying rinse the sprayer according to the rinse use directions.

Change Cartridge Use Directions

Remove the cartridge currently loaded in the AMDRO® PowerFlex® Ready-To-Use Cartridge Sprayer. Follow label storage and disposal instructions for product cartridge. Press and hold the trigger for 10 seconds to flush the sprayer wand with clean water from the tank. Select a new cartridge labeled for intended use.* Insert the cartridge into the top of the sprayer and twist until tight. Press the trigger to spot spray as listed on the product label. When finished spot treating remove the cartridge. Replace the cap on the cartridge. Follow label storage and disposal instructions for product cartridge. After spot spraying, rinse the sprayer wand according to the rinse use directions. Store the AMDRO® PowerFlex® Ready-To-Use Cartridge Sprayer or rinse and change cartridge.

* READ THE ENTIRE PRODUCT LABEL PRIOR TO USE.

The AMDRO® PowerFlex® Ready-To-Use Cartridge Sprayer is a patent pending innovative home lawn, landscape and perimeter tank spray system.

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

FIRST AID

If in eyes:	• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or on clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled:	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-265-0761 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Wear long-sleeved shirt, long pants, socks, shoes and gloves. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:
Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Two cartridges can be stored on the back of the AMDRO® PowerFlex® Ready-To-Use Cartridge Sprayer

Distributed by
AMBRANDS
2030 Powers Ferry Road, Suite 370
Atlanta, GA 30339
1-800-265-0761
info@excelmktg.com

For more information, please visit our website at **www.amdro.com**

Amdro; Central Garden & Pet; Central Garden & Pet with design; and PowerFlex are trademarks of Central Garden & Pet Company.
© 2012, 2013 Central Garden & Pet Company.

300515850-10/13

CENTRAL
Garden & Pet

8 13576 00676 1

THIS PRODUCT CONTAINS:
0.5 lb 2,4-dichlorophenoxyacetic acid equivalent per gallon or 6.50%
0.13 lb (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 1.5%
0.08 lb 1,5-dichloro-o-anisic acid equivalent per gallon or 0.9%
Isomer Specific by AGRI Method.
2, 4-D, dimethylamine salt (CAS Registry No. 2008-39-1)
Mecoprop-P, dimethylamine salt (CAS Registry No. 66422-95-6)
Dicamba, dimethylamine salt (CAS Registry No. 2300-66-5)

TOTAL NET CONTENTS 4 fl oz (118.28ml)

ACTIVE INGREDIENTS:	
2,4 d, dimethylamine salt	1.50%
Mecoprop-p, dimethylamine salt	1.02%
Dicamba, dimethylamine salt	0.34%
OTHER INGREDIENTS:	96.74%
TOTAL:	100.00%

EPA Reg. No. 2217-539-71542
EPA Est. No. 07106-GA-003A,
07106-GA-004A, 70750-GA-1C,
70825-GA-001A, 59144-GA-1E
Sulfuric acid used to title final batter of
Plum Creek on container

KEEP OUT OF REACH OF CHILDREN
MANTENER FUERA DE ALCANCE DE LOS NIÑOS
CAUTION/PRECAUCION

See back and insert for Additional Precautionary Statements, First Aid and Complete Directions for Use.
Cuando lo pueda usted, lea el folleto para conocer las notas de precaución adicionales, mismo usted a entregarse consejos.

Kills Even the Tough Weeds... Roots and All

Won't Harm Lawn Grass†

EACH 4OZ. CARTRIDGE MAKES

1 Gal.

OF SPRAY

†WHEN USED AS DIRECTED

AMDRO®

POWERFLEX®

Lawn Weed Killer

CONCENTRATE

NET CONTENTS 4 fl oz (118.28 ml)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See accompanying box and insert for Additional Precautionary Statements, First Aid and Complete Directions For Use.

ACTIVE INGREDIENTS:

2,4-D, dimethylamine salt	7.58%
Mecoprop-p, dimethylamine salt	1.83%
Dicamba, dimethylamine salt	0.84%
OTHER INGREDIENTS:	89.74%
	100.00%

See accompanying box or insert for substatement of ingredient statement.

Amdro and PowerFlex are registered trademarks of Central Garden & Pet Company.
© 2012 Central Garden & Pet Company.

Distributed by
AMBRANDS
2030 Powers Ferry Road, Suite 370, Atlanta, GA 30339

EPA Reg. No. 2217-539-73342
EPA Est. No. 071106-GA-003$_A$, 071106-GA-004$_B$, 74750-GA-1$_C$, 70815-GA-001$_D$, 59144-GA-1$_E$
Subscript used is the first letter of Run Code on Container

1-800-265-0761

300513042-11/12

AMDRO® POWERFLEX®

Lawn Weed Killer

CONCENTRATE

- **Controls dandelion and many other hard-to-control weeds**
- **Kills the root**
- **Won't Harm Lawn grass***

*when used as directed

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

KEEP OUT OF REACH OF CHILDREN

CAUTION

ACTIVE INGREDIENTS:
2,4-D, dimethylamine salt.....7.59%
Mecoprop-p, dimethylamine salt.....1.83%
Dicamba, dimethylamine salt.....0.84%
OTHER INGREDIENTS:..... 89.74%
TOTAL 100.00%

THIS PRODUCT CONTAINS:
0.54 lb 2,4-dichlorophenoxyacetic acid equivalent per gallon or 6.30%
0.13 lb (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 1.51%
0.06 lb 3,6-dichloro-o-anisic acid equivalent per gallon or 0.70%
Isomer Specific by AOAC Method.

2,4-D,dimethylamine salt (CAS Registry No. 2008-39-1)
Mecoprop-p, dimethylamine salt (CAS Registry No. 66423-09-4)
Dicamba, dimethylamine salt (CAS Registry No. 2300-66-5)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Wear long-sleeved shirt, long pants, socks, shoes and gloves. Remove and wash contaminated clothing before reuse.

FIRST AID

If in eyes:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or on clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled:	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-265-0761 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Precautions and Restrictions

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.
- Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.
- Use only lawn-type sprayers. Do not spray on carpetgrass, dichondra, nor on lawns or turf where desirable clovers are present. Do not exceed specified dosages for any area.
- Schedule the herbicide applications when air temperatures are 60° to 90°F with good soil moisture. Avoid applications during the spring transition of the warm season grasses and during periods of extremely high temperatures. The tolerance of warm season grasses decreases at air temperatures greater than 90°F and when turfgrass is drought stressed.
- The turf tolerance of centipedegrass and St. Augustinegrass can range from sensitive to tolerant. Do not apply this product to 'Floratam' St. Augustinegrass in Florida.
- Do not apply as a fine mist because of potential for injury to desirable plants.
- Do not use this product on or near desirable plants, including contact of spray on exposed root systems or adventitious shoots within the drip line of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day. Rinse sprayer over lawn area only.

Where To Use	AMDRO® PowerFlex® Lawn Weed Killer Concentrate may be used on bahiagrass, bermudagrass, Kentucky bluegrass, fescue, perennial ryegrass, zoysiagrass, centipedegrass, and St. Augustinegrass lawns, vacant lots, playgrounds and other similar areas where broadleaf weeds are present. This product is especially effective on all hard-to-kill weeds such as poison ivy, poison oak, sheep sorrel and spurge. In addition, AMDRO® PowerFlex® Lawn Weed Killer Concentrate controls most other broadleaf weeds, including sensitive weeds such as chickweed, clover, dandelion, knotweed and plantain. A partial list is given on this label.
When To Use	**1.** Spray during the growing season when weeds are actively growing. **2.** On new lawns, wait until the grass has reached a height of 2 inches before making an overall spray treatment. However, a spot treatment may be made at any time with a small pressure sprayer. Wait 3 weeks before seeding or planting stolons, plugs, or sprigs. **3.** Poor weed control may result if spray is applied during drought or just before rain. **4.** For best results, mow before treating. **5.** Do not water lawn within 24 hours after treatment.

How Much To Use
AMDRO® PowerFlex® SPRAYER: USE DIRECTIONS

The AMDRO® PowerFlex® Sprayer is a patent pending innovative home lawn, landscape, and perimeter tank spray system. Spot treat weeds with this easy to use system.

1. Unscrew the tank cap and fill the tank with water up to the one gallon indicator. The tank holds one gallon of water.
2. Remove the sprayer from the tank holster and unfold the sprayer.
3. Select the cartridge labeled for intended use. READ THE ENTIRE PRODUCT LABEL PRIOR TO USE.
4. Remove the cap from the cartridge. Each cartridge contains 4 oz. of liquid. Each 4 oz. cartridge of concentrate makes one gallon of liquid ready to use spray.
5. Insert the cartridge into the top of the sprayer and twist until tight.
6. Press the trigger to spot spray weeds as listed on the product label.
7. When finished spot treating remove the cartridge. Replace the cap on the cartridge. Follow label Storage and Disposal instructions for product.
8. After spot spraying rinse the sprayer according to the RINSE: USE DIRECTIONS.

RINSE: USE DIRECTIONS

1. Remove the cartridge. Ensure that there is water in the one gallon tank.
2. Press and hold the trigger for 10 seconds to flush the sprayer with clean water from the tank.

CHANGE CARTRIDGE: USE DIRECTIONS

1. Remove the cartridge currently loaded in the AMDRO® PowerFlex® Sprayer.
2. Follow label Storage and Disposal instructions for product.
3. Press and hold the trigger for 10 seconds to flush the sprayer with clean water from the tank.
4. Select a new cartridge labeled for intended use. READ THE ENTIRE PRODUCT LABEL PRIOR TO USE.
5. Insert the cartridge into the top of the sprayer and twist until tight.
6. Press the trigger to spot spray weeds as listed on the product label.
7. When finished spot treating remove the cartridge. Replace the cap on the cartridge. Follow label Storage and Disposal instructions for product.
8. After spot spraying, rinse the sprayer according to the RINSE: USE DIRECTIONS. Store the AMDRO® PowerFlex® Sprayer OR RINSE and change cartridge.

NOTE: IF OUTPUT SPRAY IS DIMINISHED OR SPUTTERING, DO THE FOLLOWING:

1. Check that there is water remaining in the one gallon tank. If not, refill the tank with water.
2. Check that there is liquid remaining in the cartridge. If not, change to a new cartridge.
Two cartridges can be stored on the back of the AMDRO® PowerFlex® Sprayer.

CHANGING BATTERIES:

If sprayer does not operate or spray performance declines significantly, change the four AA alkaline batteries in the sprayer handle as follows:

1. Remove the cartridge.
2. Slide the battery cover open in the underside of sprayer handle.
3. Allow battery cover to swing open.
4. Remove old batteries.
5. Replace with four AA alkaline batteries. Make sure the positive and negative ends match the direction indicated on the inside of the battery door.
6. Close battery door and slide the door until latch is closed.

Limitations on spot treatments to residential turfgrass

Spot treatment is defined as a treatment area no greater than 1,000 sq.ft. per acre. The maximum application rate is 4.0 fl.oz. per 1,000 sq.ft. per application [0.18 lb MCPP-p acid equivalent per acre]. The maximum number of spot treatments is limited to 2 per year with a minimum of 30 days between applications.

Broadleaf Weeds

	Annual yellow sweetclover	Hedge bindweed
	Aster	Hedge mustard
	Austrian fieldcress	Hemp
	Bedstraw	Henbit
	Beggarticks	Hoary cress
	Betony, Florida	Hoary plantain
	Bindweed, field	Hoary vervain
	Bird vetch	Horsenettle
	Bitter wintercress	Jimsonweed
	Bittercress, hairy	Knawel
	Bitterweed	Knotweed
	Black-eyed Susan	Kochia
	Black medic	Lambsquarters
	Black mustard	Lespedeza
	Blackseed plantain	Mallow
	Blessed thistle	Matchweed
	Bloodflower milkweed	Mexicanweed
	Blue lettuce	Milk vetch
	Blue vervain	Morningglory
	Bracted plantain	Mouseear hawkweed
	Brassbuttons	Mugwort
	Bristly oxtongue	Musk thistle
	Broadleaf dock	Mustard
	Broadleaf plantain	Narrowleaf plantain
	Broomweed	Narrowleaf vetch
	Buckhorn	Nettle
	Buckhorn plantain	Orange hawkweed
	Bulbous buttercup	Oriental cocklebur
	Bull thistle	Oxalis
	Bullnettle	Parsley-piert
	Burclover	Parsnip
	Burdock	Pearlwort
	Burning nettle	Pennycress
	Burweed	Peppergrass
	Buttercup	Pepperweed
	Buttonweed	Pigweed
	Canada thistle	Pineywoods bedstraw
	Carolina geranium	Plains coreopsis (tickseed)
	Carpetweed	Plantain
	Catchweed bedstraw	Poison ivy
	Catnip	Poison oak
	Catsear	Pokeweed
	Chickweed, common	Poorjoe
	Chickweed, mouseear	Prairie sunflower
	Chicory	Prickly lettuce
	Cinquefoil	Prickly sida
	Clover, crimson	Prostrate knotweed
	Clover, hop	Prostrate pigweed
	Clover, red	Prostrate spurge
	Clover, strawberry	Prostrate vervain
	Clover, sweet	Puncturevine
	Clover, white	Purslane, common
	Cockle	Ragweed
	Cocklebur	Red sorrel
	Common mullein	Redroot pigweed
	Creeping Jenny (Creeping Charlie)	Redstem filaree
	Cudweed	Rough cinquefoil
	Curly dock	Rough fleabane
	Daisy, English	Russian pigweed
	Daisy fleabane	Russian thistle
	Daisy, oxeye	Scarlet pimpernel
	Dandelion	Scotch thistle
	Dichondra	Sheep sorrel
	Dogbane	Shepherdspurse
	Dogfennel	Slender plantain
	Dollarweed	Smallflower galinsoga
	Elderberry	Smooth dock
	False dandelion	Smooth pigweed
	Falseflax	Sorrel
	False sunflower	Sowthistle
	Fiddleneck	Spanishneedles
	Florida pusley	Spiny sowthistle
	Frenchweed	Speedwell
	Galinsoga	Spiny amaranth
	Goathead	Spiny cocklebur
	Goldenrod	Spotted catsear
	Ground ivy	Spotted spurge
	Gumweed	Spurweed
	Hairy fleabane	Stinging nettle
	Hawkweed	Strawberry, India mock
	Healall	Tall nettle
	Heartleaf drymary	Tall vervain
	Heathaster	Tansy ragwort
	Tansy mustard	Wild geranium
	Tanweed	Wild lettuce
	Thistle	Wild marigold
	Trailing crownvetch	Wild mustard
	Tumble mustard	Wild onion
	Tumble pigweed	Wild parsnip
	Velvetleaf	Wild radish
	Venice mallow	Wild rape
	Virginia buttonweed	Wild strawberry
	Virginia creeper	Wild sweet potato
	Virginia pepperweed	Wild vetch
	Wavyleaf bullthistle	Woodsorrel
	Western clematis	Woolly croton
	Western salsify	Woolly morningglory
	White mustard	Woolly plantain
	Wild aster	Wormseed
	Wild buckwheat	Yarrow
	Wild carrot	Yellow rocket
	Wild four-o'clock	Yellowflower pepperweed
	Wild garlic	and other broadleaf weeds

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE:	Keep from freezing. Store in original container in a locked storage area inaccessible to children and pets.
PESTICIDE DISPOSAL AND CONTAINER HANDLING:	**Nonrefillable container**. Do not reuse or refill this container. **If empty**: Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTIAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

Distributed by:

AMBRANDS

2030 Powers Ferry Road, Suite 370
Atlanta, GA 30339

EPA Reg No. 2217-539-73342
EPA Est. No. 071106-GA-003$_A$, 071106-GA-004$_B$, 74750-GA-1$_C$, 70815-GA-001$_D$, 59144-GA-1$_E$
Subscript used is first letter of Run Code on Container.

CENTRAL Garden & Pet

MADE IN USA

Amdro; Central Garden & Pet; Central Garden & Pet with design; and PowerFlex are trademarks of Central Garden & Pet Company. © 2012 Central Garden & Pet Company.

1-800-265-0761, info@excelmktg.com
www.amdro.com

300513425-11/12