

202 x 406-2 .186  
07-13-C (6.512 x 4.500)

Department of Agriculture  
STATE OF HAWAII



LICENSED

BODY LENGTH 6.512  
LITHO LIMITS 6.326  
TYPE LIMITS 6.012

PERIOD 2011-2013 LIC. NO.

LICENSED

PERIOD 2014-2016 LIC. NO.

8181.3  
Disc.



# Home Lice Control Spray

Not For Use On Humans

1-2-3 LICE CONTROL SYSTEM

- For Bedding\* and Furniture Kills lice and their eggs on
  - mattresses
  - furniture
  - car interiors
  - other non-washable items



**ACTIVE INGREDIENT:**

Permethrin<sup>1</sup>..... 0.50%  
OTHER INGREDIENTS<sup>1†</sup>..... 99.50%  
Total:..... 100.00%

<sup>1</sup>Cis/trans ratio: Max 55% (+/-) cis and Min 45% (+/-) trans  
<sup>†</sup>Contains petroleum distillate

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

See Side Panel for Additional Precautions

RID<sup>®</sup> Home Lice Control is Step 3 in the RID<sup>®</sup> 3 Step Lice Control System.

- Step 1:** Kill lice with RID<sup>®</sup> Lice Killing Treatment.  
**Step 2:** Comb out eggs & nits with RID<sup>®</sup> Egg & Nit Comb-Out Gel.  
**Step 3:** Clean Home. Use RID<sup>®</sup> Home Lice Control Spray for non-washable items. Washables should be washed in hot water and dried in high heat.

**PRECAUTIONARY STATEMENT  
HAZARDS TO HUMANS**

**CAUTION:** Harmful if swallowed or absorbed through skin. Avoid inhalation of spray mist. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before space spraying or surface applications. **This product is not for use on humans.** Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

**PHYSICAL OR CHEMICAL HAZARDS**

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54°C) may cause bursting.

**FIRST AID**

Call poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For MEDICAL Emergencies or other information call 1-800-RID-LICE (1-800-743-5423). For TRANSPORT Emergencies only call 1-800-424-9300.

<b>If swallowed</b>	<ul style="list-style-type: none"> <li>• Immediately call a poison control center or doctor.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give any liquid to the person.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul>
<b>If inhaled</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> </ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> </ul>

**NOTE TO PHYSICIAN**

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

**SHAKE WELL BEFORE USING**

Remove protective cap; hold container upright and spray from a distance of 8-10 inches. We recommend that those with asthma or severe allergies consult their doctor before using this product and have someone else apply this product.

**To kill Lice and Louse Eggs:** Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray to the point of dampness, but not run-off. Allow all sprayed articles to dry thoroughly before use.

\*Spray only those garments and parts of bedding including mattresses and furniture, that cannot be either laundered or dry-cleaned. Do not use on sheets or pillowcases.

**STORAGE AND DISPOSAL**

**Storage:** Store in a cool, dry area away from children and pets and away from heat, sparks and open flame. Do not transport or store below 32°F (0°C).

**Container Disposal:** Do Not Puncture or Incinerate.

**If empty:** Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

**NOTICE:** Purchaser assumes all responsibility for safety and use not in accordance with directions.

Distributed by: Bayer HealthCare LLC, Morristown, NJ 07960

EPA Reg. No. 73049-301-73470

EPA Est. No. 54487-GA-1

XXXXXXXXXX



This profile is not for exact position. For visual reference only.



LICENSED

PERIOD 2008-2010 LIC. NO.

Net wt  
5 oz  
(141.8 g)