

490-XXXX




STATE OF HAWAII
Department of Agriculture

ACCEPTED

LICENSE NO.

8181.4



Step 3 Home Lice, Bedbug & Dust Mite Spray

- Kills lice & their eggs on mattresses, furniture, car interiors and other non-washable items

Not For Use On Humans

| | |
|---|---------|
| ACTIVE INGREDIENT: | |
| Permethrin* | 0.50% |
| OTHER INGREDIENTS**: | 99.50% |
| Total: | 100.00% |
| * Cis/trans ratio: Max. 55% (+/-) cis and Min. 45% (+/-) trans. | |
| ** Contains petroleum distillate | |

KEEP OUT OF REACH OF CHILDREN
CAUTION
See Side Panel for Additional Precautions



NET WT. 3 OZ (85.1 g)
AUG 10 2010
Distributors Branch

FIRST AID
Call poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For **MEDICAL** Emergencies or other information call 1-800-RID-LICE (1-800-743-5423). For **TRANSPORT** Emergencies **ONLY** call 1-877-315-9819.

| | |
|--------------------------------|--|
| If Swallowed: | <ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person. |
| If in Eyes: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. |
| If Inhaled: | <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. |
| If on Skin or Clothing: | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. |

NOTE TO PHYSICIAN
Contains petroleum distillate - vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION: Harmful if swallowed or absorbed through skin. Avoid inhalation of spray mist. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before space spraying or surface applications. This product is not for use on humans. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

Physical Or Chemical Hazards
Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54°C) may cause bursting.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. In the home, cover all food processing surfaces and utensils during treatment or thoroughly wash before use. Cover or remove exposed food. We recommend that those with asthma or severe allergies consult their doctor before using this product and have someone else apply this product

SHAKE WELL BEFORE USING
Remove protective cap, hold container upright with nozzle away from you. Depress valve and spray from a distance of 8-10 inches (12-15 inches for baseboards, moldings and floors). Test product on an inconspicuous area before applying to check for possible staining or discoloration. Inspect again after drying. Spray to the point of dampness but not run-off. Over application may cause damage. Will not stain surfaces or fabrics where water alone causes no damage.

This product is Step 3 in the Bayer Corporation's Lice Control System.
Step 1: Kill lice with RID® Lice Killing Shampoo. Re-apply in 10 days.
Step 2: Comb out eggs & nits with RID® Lice & Egg Comb-Out Gel.
Step 3: Clean home. Use RID® Home Lice, Bedbug & Dust Mite Spray for non-washable items. Washables should be washed in hot water and dried in high heat.

To Kill Lice and Louse Eggs: Spray the entire area to be treated. Spray each square foot for three seconds. Allow all sprayed articles to dry thoroughly before use. If lice infestation should occur on humans, use a product labeled for use on humans. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Do not use on sheets or pillowcases.

Bedbugs: Spray mattress, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. After mattress is dry, cover with mattress cover and sheet. Do not use mattress without a cover. Retreat if infestation occurs, but not more than once every two weeks.

To Kill House Dust Mites (Dermatophagoides spp.): RID® Home Lice, Bedbug & Dust Mite Spray controls house dust mites that may cause asthma, hay fever, rhinitis, watery eyes and sneezing. One treatment lasts for up to 8 weeks. **On Upholstered Furniture** - test fabric in an inconspicuous area to insure dyes will not bleed. Spray all fabric surfaces until damp. Do not use on delicate fabrics. Allow furniture to dry thoroughly before using. **On Carpets** - spray over entire carpet until damp. Hold the nozzle approximately 12 to 18 inches from the carpet surface and spray in a sweeping motion. Use an overlapping pattern to insure total coverage. After application, brush the surface of the carpet with a broom or brush to insure deep penetration. Allow carpet to dry thoroughly before reentering the treated area. Drying time can be accelerated by using a fan. **On Mattresses** - spray the top, bottom and sides of mattresses until damp, paying particular attention to tufts and seams. Allow to dry thoroughly before using. After mattress is dry, cover with mattress cover and sheet. Do not use mattress without a cover. Vacuum entire area once dry. Since vacuuming stirs dust up in the air those with allergies should have another person vacuum or should wear a dust mask and use vacuum with a high efficiency particulate (HEPA) filter.

STORAGE AND DISPOSAL
Storage: Store in a cool, dry area away from children and pets and away from heat, sparks and open flame. Do not transport or store below 32°F (0°C).
Disposal: Do Not Puncture or Incinerate.
If empty: Place in trash or offer for recycling if available.
If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

To the extent consistent with applicable law, purchaser assumes all responsibility for safety and use not in accordance with directions.

 Distributed by:
Bayer HealthCare LLC
Consumer Care
P.O. Box 1910
Morristown, NJ 07962-1910 USA

EPA Reg. No. 73049-301-73470
EPA Est. No. See bottom of can

ESL092909 REV012510
C1329