

KGRO


204-2006

LICENSED
HAWAII
DEPT. OF AGRICULTURE
Permit # 2001-2003 No. 8188.4

KGRO®



STATE OF HAWAII
Department of Agriculture
ACCEPTED
LICENSE NO. **8188.4**
Disc.



20-0-0

Weed & Feed

CONNECT & SPRAY

FERTILIZES LAWN &
KILLS BROADLEAF WEEDS

Active Ingredients:	
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	2.29%
Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy)propionic acid	2.30%
Dimethylamine salt of 2-(2,4-dichlorophenoxy)propionic acid	2.26%
Other ingredients	93.15%
TOTAL	100%
Isomer Specific AOA Method No. 6-321 Equivalent to:	
2,4-dichlorophenoxyacetic acid 2.7% 26lbs/gallon	
2-(2-methyl-4-chlorophenoxy)propionic acid 2.7% 26lbs/gallon	
2-(2,4-dichlorophenoxy)propionic acid 2.7% 26lbs/gallon	
*Uramine is a trademark of Bayerle Chemical Company (patent pending)	

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**
SEE BACK BOOKLET FOR ADDITIONAL
PRECAUTIONARY STATEMENTS



Net Contents 1 qt (946 mL) Net Wt. 2.4 lb (1.08 kg)

NOV 14 2000

Weed & Feed 20-0-0 controls broadleaf weeds and gives your lawn a quick feeding boost of nitrogen. For use on lawns only. Do not use this product on flower or vegetable beds, or around shrubs, trees or ornamental plantings. Specially formulated for residential use.

WEEDS CONTROLLED: Alder, Artichoke, Aster, Austrian fieldcress, Beggartick, Bident, Bindweed, Bitterweed, Black medic, Box elder, Bromweed, Buckhorn, Bull thistle, Burdock, Bur ragweed, Buttercup, Canada thistle, Carpetweed, Catnip, Chickweed, Chicory, Clover, Dandelion, Dock, Elderberry, English daisy, Florida pusley, Goldenrod, Ground Ivy, Heartleaf Henbit, Honeysuckle, Horsetail, Ironweed, Knotweed, Lambsquarter, Mallow, Morning glory, Musk thistle, Mustard, Nettle, Nutgrass, Oxalis, Pennywort, Peppergrass, Pepperweed, Pigweed, Plantain, Poison Ivy, Poison Oak, Ragweed, St. Johnswort, Sheep sorrel, Shepherdspurse, Smartweed, Sowthistle, Speedwell, Spurge, Spurweed, Stinkweed, Sumac, Sunflower, Thistle, Tumbleweed, Velvet leaf, Veronica, Vetch, Virginia buttonweed, Virginia creeper, Wild aster, Wild carrot, Wild garlic, Wild geranium, Wild lettuce, Wild onion, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Willow, Witchweed, Woodsorrel, Wormseed, Yarrow, Yellow rocket, and other broadleaf weeds.

RECTIONS FOR USE
is a violation of Federal law to use this product in a manner inconsistent with its labeling.
READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

HOW TO USE
Make sure ON/OFF valve is in OFF position. Shake well.
Connect spray nozzle to hose. Turn on the water at the tap.
When ready to treat, point in direction away from face and body and pull the tab toward the hose end of the nozzle.
Turn the ON/OFF valve to the ON position. The water mixes automatically with this product at the proper ratio.
Walk and spray at a steady pace. Marks on side of the bottle indicate the number of square feet covered in 1000's or approximate area covered.

Apply only the recommended amount for the area to be covered. Exceeding recommended rates may damage turf.

Cool Season Grasses such as Bluegrass, Fescue, Ryegrasses and Bentgrass: 1 qt covers 3300 sq ft. When applying to Bentgrass, grass height should be 1-1/2 inches or more.

Warm Season Grasses such as Bahia, Common Bermuda, Common St. Augustine, Centipede and Zoysia, 1 qt covers 5000 sq ft. Do not use on Floratam or other improved varieties of St. Augustinegrass. Some temporary injury may occur with these grasses. In Spring, do not apply until grass has reached full green up. In fall, do not use when grass is going into dormancy. Note: Some hybrid Bermuda grasses may be sensitive to this product.

RESULTS: Weeds will begin to curl within a few days. Some hard-to-control broadleaf weeds may require a second treatment in 3-4 weeks. The maximum number of broadcast applications per treatment site is 2 per year.
IMPORTANT USE PRECAUTIONS: Spray when weeds are actively growing. If lawn needs watering, water thoroughly 24 hours before application. Do not cut grass 1 to 2 days before and after application. Do not water for 48 hours after application as watering will wash off weed killing material. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperatures exceed 85° F. Do not apply to newly seeded grasses until they have been mowed three times. Do not reseed, sod or plug lawns or plant stolons for 3 to 4 weeks after use.



Weed & Feed 20-0-0

STORAGE AND DISPOSAL

STORAGE: Store product in original container in a safe place. Protect container from freezing.
DISPOSAL: Do not reuse container except for KGRO Weed & Feed refill. Securely wrap partially filled or empty container in newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin or clothing. Wear long pants, long-sleeved shirt, socks, shoes and chemical resistant gloves when handling or applying this product. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

Do not allow people (other than applicator) or pets on treatment area during application.
Do not enter treatment areas until spray has dried.

FIRST AID: IF SWALLOWED: Get medical attention. IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists. IF ON SKIN: Wash with plenty of soap and water. If irritation develops, get medical attention.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater or pour the washwaters on the ground. Spray or drain over a large area away from wells, other water sources and desirable plants. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes. If spills occur, collect the material and dispose of by following disposal instruction on this label.

NOTICE: Buyer assumes all responsibility for safety and use not in strict accordance with directions and instructions for use.

QUESTIONS, COMMENTS OR MEDICAL INFORMATION?
CALL 800-327-6595

Distributed by:
Swiss Farms Products, Inc.
3773 Howard Hughes Pkwy, Suite #300N
Las Vegas, NV 89109
Form LB02360Y000
EPA Reg. No. 239-2640-73327
EPA Est. No. 239-1A-3
Superscript is first letter of lot number

MADE IN THE
USA
FOR Kmart CORPORATION
TROY, MICHIGAN 48064



LIFT
HERE

Weed & Feed 20-0-0

GUARANTEED ANALYSIS:

Total Nitrogen (N) 20%
— 20% Urea Nitrogen
Derived from: Urea
F1305

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-sc.com>
Specially formulated for residential use.

This product contains:

* 2,4-dichlorophenoxyacetic acid 1.9%, .18 lb/gal
** 2-(2-methyl-4-chlorophenoxy) propionic acid 1.9%, .18 lb/gal
*** 2-(2,4-dichlorophenoxy) propionic acid 1.9%, .18 lb/gal
Isomer Specific AOAC Method No. 6.321.

Distributed by:
Swiss Farms Products, Inc.
3773 Howard Hughes Pkwy.
Suite #300N
Las Vegas, NV 89109
Form LB02360Y000
EPA Reg. No. 239-2640-73327
EPA Est. No. 239-1A-3
Superscript is first letter of lot number

