

Prod. No.
1901A

WOODLIFE®

COPPER COAT™

Green Wood Preservative

Paintable
and Stainable

Above or Below Ground

- For Preservation of Wood Against Termites, Beetles and Ants.
- Protects against decay
- Resists mold and mildew
- Anti-wicking – controls moisture damage



Docks & Piers, Posts, Fences, End Cuts

Prolongs the life of
non-pressure-treated wood

For Exterior and Ground Contact Use

Active Ingredient:
Copper Naphthenate (CAS No. 1338-02-9) 9.1%*
Other Ingredients 90.9%
Total 100%
*Equivalent to 1% metallic copper

EPA Reg. No. 64405-20-69587 EPA Est. 69587-NJ-001

KEEP OUT OF REACH OF CHILDREN.
DANGER
See Label for Additional Precautionary Statements.

READY TO USE
Net Contents 0.88 Gallon (3.34 L)

LIMITED WARRANTY

Rust-Oleum Corp. warrants its **WOODLIFE® COPPER COAT™** to perform as claimed if directions are followed. Directions are as complete as possible but cannot encompass all conditions, applications, techniques and/or surfaces which are beyond our control. Call 1-800-556-7737 if there are any questions about the directions or use of the Product. This warranty does not apply to conditions caused by use of other materials or failure to follow directions provided with the Product. The remedy under this warranty is limited to the replacement or refund value of any Product actually used. To obtain a warranty remedy, write to Rust-Oleum Corp., 11 Hawthorn Pkwy., Vernon Hills, IL 60061. No other warranty is expressed or implied.

Distributed by

RUST-OLEUM CORPORATION
11 Hawthorn Pkwy., Vernon Hills, IL 60061
1-800-556-7737 rustoleum.com
Made in U.S.A. An RPM Company

WOODLIFE® is a registered trademark of RUST-OLEUM CORP.

V.O.C. <350 g/l,
V.O.S. (excluding water) <0.35 kg/l

1901A 0114 ©2014



WOODLIFE COPPERCOAT Green Wood Preservative

FIRST AID	
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
IF ON SKIN OR CLOTHING	• Take off contaminated clothing. • Immediately rinse skin with plenty of water for 15-20 minutes.
IF SWALLOWED	• Have person sip a glass of water if able to swallow. • Do not give anything by mouth to an unconscious person. • Do not induce vomiting unless told to do so by a poison control center or doctor.
IF INHALED	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER Corrosive. Causes skin burns and irreversible eye damage. Harmful if swallowed or inhaled. Do not get in eyes, on skin, or on clothing. Do not breathe vapors or mist during brush, roll, and dip applications. Prolonged or repeated skin contact may cause allergic reaction in some individuals. Wear chemical resistant gloves, protective eyewear, long-sleeved shirt, long pants, socks and shoes when handling or applying this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

- Applicators, mixers and other handlers must wear chemical resistant gloves, protective eyewear, long-sleeved shirt, long pants, socks and shoes when handling or applying this product.
- When applying this product to non-pressure treated wood with a brush/roller, applicator must wear an organic vapor respirator.
- Some materials that are chemical-resistant to this product are barrier laminate; butyl, nitrile, neoprene and natural rubbers ≥ 14 mils; polyethylene; polyvinyl chloride; and viton ≥ 14 mils. If you want more options, follow the instructions for category C on an EPA chemical-resistance category selection chart.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Users must:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet;
- Remove clothing immediately if pesticide gets inside, then wash thoroughly and put on clean clothing;
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates, shrimp and oysters/clams. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your state water board or regional office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Combustible: Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Notice: Read and understand the entire label before using. Use only according to label directions.

PRODUCT INFORMATION: WOODLIFE COPPERCOAT treated wood will be protected from infestation of wood destroying organisms including subterranean termites, drywood termites, wood destroying beetles, powderpost beetles, carpenter ants and decay fungi. It may also be used to control warping, swelling, shrinking, and checking due to its antiwicking property, which restricts moisture absorption and movement from end to end, rot, mold and mildew and moss.

WOODLIFE COPPERCOAT can be used for lumber, end cuts, timber, rail ties, posts, poles, freeway fencing, siding, boats, piers, docks, boxes, roofs, shakes, cedar shake roofs, shingles, porches, steps, fences, rails and beverage cases. WOODLIFE COPPERCOAT meets the American Wood Protection Association (AWPA) Standard M4 end cut requirements for exterior and ground contact field treatments. Wood treated with WOODLIFE COPPERCOAT must not be used where it may come in contact with food, feed or potable water. WOODLIFE COPPERCOAT treated wood is not suitable for garden applications where fruit and/or vegetables will be grown. Wood treated with this product shall not be used in the construction of beehives. When field treating, do so in a manner that the product does not drip into sensitive environments. Whenever possible, apply field treatments prior to assembling the structure over the body of water or sensitive environment.

This product will tint the wood and may produce a strong, lingering, unpleasant odor. The color and odor will fade over time.

APPLICATION PROCEDURES: Intended For Exterior Use. WOODLIFE COPPERCOAT is a ready-to-use formula. Make sure wood is bare, dry and free of dust, dirt and debris. Agitate well before using. In high hazard areas, two applications or extended soaking may be desirable to achieve adequate retention. Effective application rates vary according to severity of conditions to which the treated product is exposed and the wood species to be treated. Allow at least 1 hour between applications. Make certain all areas are fully treated to get the maximum benefits.

DIP, ROLLER OR BRUSH APPLICATION: Do not apply with any sprayer or by fine mist.

COVERAGE: 88 gallon covers 100-110 sq. ft. (9.3-10.2 m²) of surface area depending upon application method and the refractory nature of the wood being treated.

END CUT TREATMENTS: To satisfy AWPA M4, apply WOODLIFE COPPERCOAT to cuts, holes or injuries.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry (preferably locked) storage area inaccessible to children and pets. Do not freeze.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Handling:** Nonrefillable container; do not reuse or refill this container. Triple rinse (or equivalent) container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times, then offer for recycling, if available; or reconditioning, if appropriate; or puncture and dispose of in a sanitary landfill; or by incineration.