

CENTER FRONT
Large 3" Tablets



KEEP OUT OF REACH OF CHILDREN
DANGER
 See first aid and additional precautions on back panel
NET WT 25 LBS (11.3 kg)



LICENSED
 PERIOD 2015-2017 LIC. NO. **8308.83**



LICENSED
 PERIOD 2012-2014 LIC. NO.



FIRST AID
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
IF SWALLOWED: Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
IN CASE OF MEDICAL EMERGENCY, CALL 1-800-255-3924
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER: HIGHLY CORROSIVE. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.
ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.
PHYSICAL AND CHEMICAL HAZARDS: Strong Oxidizing Agent. Do not mix with other chemicals. Mix only with water. Never add water to product. Always add product to large quantities of water. When using automatic feeding devices, always follow manufacturer's directions as to the proper addition of sanitizer product to chlorinators. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals will start a chemical reaction and generate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water.
SWIMMING POOL SANITIZER: When used as directed, this product is an effective stabilized chlorine. This slow dissolving product releases sufficient chlorine to reduce the growth of harmful algae and micro-organisms in your pool.

CENTER BACK

DIRECTIONS FOR USE:
 It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions. Ensure all pool equipment is working properly. Backwash the filter system following manufacturer's instructions. Adjust pH to between 7.2-7.6. Add stabilizer to establish a minimum stabilizer level of 30-40 ppm to reduce the radiative effects of sunlight upon the chlorine residual. Superchlorinate the pool so that a chlorine residual of between 1-3 ppm is obtained. When using other products as outlined in directions for this product, always follow directions on those products.
WHEN USED IN AUTOMATIC CHLORINATORS AND FLOATERS: This product can be used in feeding mechanisms such as automatic chlorinators and floaters as a maintenance treatment. Fill unit with this product and adjust the feeding mechanism to assure a constant treatment level of 1-3 ppm available chlorine in the pool water. Normally, 1-2 ounces of this product per 10,000 gallons, will be needed daily. Use a test kit or test strips to monitor chlorine levels and adjust the chlorine feed mechanism as needed. Check and refill chlorinator as needed. Do not let this product come in direct contact with vinyl liners or other bleachable surfaces as damage may occur.
WHEN USED IN SKIMMERS: This product may be used in plastic skimmers only if skimmer and piping are plastic. Do not add other chemicals through the skimmer when using this product in skimmer as an explosion or fire may result. Do not turn pump off for more than 8 hours in vinyl pools when pucks are in skimmer. Initially add one of this product per 10,000 gallons of water. Add additional product as determined by test kit or test strips to maintain chlorine residual of 1-3 ppm.
REENTRY: Reentry into treated pools is prohibited above 3 ppm chlorine due to risk of bodily injury.
STORAGE AND DISPOSAL:
STORAGE: Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Do not contaminate water, food or feed by storage or disposal or cleaning of equipment.
DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Rinse empty container thoroughly with water to dissolve all material prior to disposal.
FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE EMERGENCY HANDLING.

EMERGENCY HANDLING: In case of contamination or decomposition – Do not reseal container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill area.
Note: Buyer assumes all responsibility for safety and use not in accordance with directions.

PLG-50-3025
C002381-PL25
 GLG90586PLG3TAB25-0511B



EPA Reg. No. 42177-18
EPA Est. No. 69470-WV-2 (SC)
EPA Est. No. 58401-IL-1 (S)
EPA Est. No. 34298-MI-1 (T)
EPA Est. No. 82835-MI-1 (K)
EPA Est. No. 5185-GA-1 (G)
EPA Est. No. 66397-OK-1 (OK)
EPA Est. No. 3525-NJ-1 (NJ)
EPA Est. No. 36284-CA-1 (CA)
 (See last letter on stamped pail code.
 Lot sticker indicates producing establishment.)

Manufactured for:
 Alliance Trading, Inc.
 109 Northpark Blvd, 4th Floor
 Covington, LA 70433

GREAT LAKES GRAPHICS 3354 Superior Ave. • Cleveland, OH 44114 • 216-391-0077								Approved for Release 1
Job Number: 90586		PLG-50-3025 72232579		P.O. Number:				
Customer: M&M Industries / SCP				Date: 5/16/11				Initial
Job Description: Haviland Pool Logic Large 3" Tablets 25lb.				Proof Number: 6				
Number of Colors: 4		Container Size: 3.5 Gallon NG		Container Color: White				Date
PMS Ink Colors								Approved for Release 2
YELLOW 394	BLUE 300	BLACK	PMS YELLOW	PMS 000	PMS 000	PMS 000	PMS 000	PAIL
<i>This proof is used for color break, layout and copy evaluation only. It is not intended for color accuracy. It is the responsibility of the customer to review this proof for any possible errors or revisions pertaining to this job. Approval of this job negates any liability by Great Lakes Graphics and is solely the responsibility of the customer.</i>								Initial
								Date

Large 3" Tablets

POOL LOGIC®
Think Clear®

Stabilized Chlorinating Concentrate In Large 3" Tablets

Active Ingredient:
 Trichloro-s-triazinetrione **99%**
 Other Ingredients **1%**
Total 100%
Available Chlorine: 90%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See first aid and additional precautions on back panel

NET WT 50 LBS (22.6 kg)



FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IN CASE OF MEDICAL EMERGENCY, CALL 1-800-255-3924

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: HIGHLY CORROSIVE. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: Strong Oxidizing Agent. Do not mix with other chemicals. Mix only with water. Never add water to product. Always add product to large quantities of water. When using automatic feeding devices, always follow manufacturer's directions as to the proper addition of sanitizer product to chlorinators. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals will start a chemical reaction and generate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water.

SWIMMING POOL SANITIZER:

When used as directed, this product is an effective stabilized chlorine. This slow dissolving product releases sufficient chlorine to reduce the growth of harmful algae and micro-organisms in your pool.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

Ensure all pool equipment is working properly. Backwash the filter system following manufacturer's instructions. Adjust pH to between 7.2-7.6. Add stabilizer to establish a minimum stabilizer level of 30-40 ppm to reduce the radiative effects of sunlight upon the chlorine residual. Superchlorinate the pool so that a chlorine residual of between 1-3 ppm is obtained. When using other products as outlined in directions for this product, always follow directions on those products.

WHEN USED IN AUTOMATIC CHLORINATORS AND FLOATERS: This product can be used in feeding mechanisms such as automatic chlorinators and floaters as a maintenance treatment. Fill unit with this product and adjust the feeding mechanism to assure a constant treatment level of 1-3 ppm available chlorine in the pool water. Normally, 1-2 ounces of this product per 10,000 gallons, will be needed daily. Use a test kit or test strips to monitor chlorine levels and adjust the chlorine feed mechanism as needed. Check and refill chlorinator as needed. Do not let this product come in direct contact with vinyl liners or other bleachable surfaces as damage may occur.

WHEN USED IN SKIMMERS: This product may be used in plastic skimmers only if skimmer and piping are plastic. Do not add other chemicals through the skimmer when using this product in skimmer as an explosion or fire may result. Do not turn pump off for more than 8 hours in vinyl pools when pucks are in skimmer. Initially add one of this product per 10,000 gallons of water. Add additional product as determined by test kit or test strips to maintain chlorine residual of 1-3 ppm.

REENTRY: Reentry into treated pools is prohibited above 3 ppm chlorine due to risk of bodily injury.

STORAGE AND DISPOSAL:

STORAGE: Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Do not contaminate water, food or feed by storage or disposal or cleaning of equipment.


DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Rinse empty container thoroughly with water to dissolve all material prior to disposal.

FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE EMERGENCY HANDLING.

EMERGENCY HANDLING: In case of contamination or decomposition – Do not reseal container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill area.

Note: Buyer assumes all responsibility for safety and use not in accordance with directions.

PLG-50-3050
C002381-PL50
GLG76204PLG3TAB50-0511A



EPA Reg. No. 42177-18
EPA Est. No. 69470-WV-2 (SC)
EPA Est. No. 58401-IL-1 (S)
EPA Est. No. 34298-MI-1 (T)
EPA Est. No. 82835-MI-1 (K)
EPA Est. No. 5185-GA-1 (G)
EPA Est. No. 66397-OK-1 (OK)
EPA Est. No. 3525-NJ-1 (NJ)
EPA Est. No. 36284-CA-1 (CA)
(See last letter on stamped pail code.
Lot sticker indicates producing establishment.)

Manufactured for:
Alliance Trading, Inc.
109 Northpark Blvd, 4th Floor
Covington, LA 70433

WARNING

ADVERTENCIA

**Children can fall into bucket and drown.
Keep children away from buckets with even a small amount of water.**

**Los niños corren peligro de caerse dentro del balde y ahogarse.
Mantener a los niños lejos de los baldes, incluso cuando solo tengan una pequeña cantidad de líquido.**

GREAT LAKES GRAPHICS 3354 Superior Ave. • Cleveland, OH 44114 • 216-391-0077				Approved for Release 1			
Job Number: 76204		PLG-50-3050 72235079		P.O. Number:			
Customer: M&M Industries / SCP				Date: 5/16/11			
Job Description: Haviland Pool Logic Large 3" Tablets 50lb.				Proof Number: 14			
Number of Colors: 4		Container Size: 6.5 Gallon NG		Container Color: White			
PMS Ink Colors							
				Approved for Release 2			
YELLOW 394		BLUE 300		BLACK		PMS YELLOW	
PMS 000		PMS 000		PMS 000		POT	
Initial							
This proof is used for color break, layout and copy evaluation only. It is not intended for color accuracy. It is the responsibility of the customer to review this proof for any possible errors or revisions pertaining to this job. Approval of this job negates any liability by Great Lakes Graphics and is solely the responsibility of the customer.							
Date							

CENTER FRONT
Large 3" Tablets



KEEP OUT OF REACH OF CHILDREN
DANGER

See first aid and additional precautions on back panel

NET WT 25 LBS (11.3 kg)



LICENSED


PERIOD 2015-2017 LIC. NO.

8308.83



LICENSED

PERIOD 2012-2014 LIC. NO.



CENTER BACK

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IN CASE OF MEDICAL EMERGENCY, CALL 1-800-255-3924

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: HIGHLY CORROSIVE. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish and aquatic organisms.

PHYSICAL AND CHEMICAL HAZARDS: Strong Oxidizing Agent. Do not mix with other chemicals. Mix only with water. Never add water to product. Always add product to large quantities of water. When using automatic feeding devices, always follow manufacturer's directions as to the proper addition of sanitizer product to chlorinators. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals will start a chemical reaction and generate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water.

SWIMMING POOL SANITIZER:

When used as directed, this product is an effective stabilized chlorine. This slow dissolving product releases sufficient chlorine to reduce the growth of harmful algae and micro-organisms in your pool.

CENTER BACK

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

Ensure all pool equipment is working properly. Backwash the filter system following manufacturer's instructions. Adjust pH to between 7.2-7.6. Add stabilizer to establish a minimum stabilizer level of 30-40 ppm to reduce the radiative effects of sunlight upon the chlorine residual. Superchlorinate the pool so that a chlorine residual of between 1-3 ppm is obtained. When using other products as outlined in directions for this product, always follow directions on those products.

WHEN USED IN AUTOMATIC CHLORINATORS AND FLOATERS: This product can be used in feeding mechanisms such as automatic chlorinators and floaters as a maintenance treatment. Fill unit with this product and adjust the feeding mechanism to assure a constant treatment level of 1-3 ppm available chlorine in the pool water. Normally, 1-2 ounces of this product per 10,000 gallons, will be needed daily. Use a test kit or test strips to monitor chlorine levels and adjust the chlorine feed mechanism as needed. Check and refill chlorinator as needed. Do not let this product come in direct contact with vinyl liners or other bleachable surfaces as damage may occur.

WHEN USED IN SKIMMERS: This product may be used in plastic skimmers only if skimmer and piping are plastic. Do not add other chemicals through the skimmer when using this product in skimmer as an explosion or fire may result. Do not turn pump off for more than 8 hours in vinyl pools when pucks are in skimmer. Initially add one of this product per 10,000 gallons of water. Add additional product as determined by test kit or test strips to maintain chlorine residual of 1-3 ppm.

REENTRY: Reentry into treated pools is prohibited above 3 ppm chlorine due to risk of bodily injury.

STORAGE AND DISPOSAL:

STORAGE: Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Do not contaminate water, food or feed by storage or disposal or cleaning of equipment.

DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Rinse empty container thoroughly with water to dissolve all material prior to disposal.

FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE EMERGENCY HANDLING.

EMERGENCY HANDLING: In case of contamination or decomposition – Do not reseal container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill area.

Note: Buyer assumes all responsibility for safety and use not in accordance with directions.

PLG-50-3125
C002381-PL25W
 GLG94897PLG3TAB25W-1012A



EPA Reg. No. 42177-18
 EPA Est. No. 69470-WV-2 (SC)
 EPA Est. No. 58401-IL-1 (S)
 EPA Est. No. 34298-MI-1 (T)
 EPA Est. No. 82835-MI-1 (K)
 EPA Est. No. 5185-GA-1 (G)
 EPA Est. No. 66397-OK-1 (OK)
 EPA Est. No. 3525-NJ-1 (NJ)
 EPA Est. No. 36284-CA-1 (CA)
 (See last letter on stamped pail code.
 Lot sticker indicates producing establishment.)

Manufactured for:
 Alliance Trading, Inc.
 109 Northpark Blvd, 4th Floor
 Covington, LA 70433

GREAT LAKES GRAPHICS 3354 Superior Ave. • Cleveland, OH 44114 • 216-791-0077							Approved for Release 1
Job Number: 94897	PLG-50-3125	C002381-PL25W	P.O. Number:				
Customer: M&M Industries / SCP / Haviland	Date: 10/8/12		Initial				
Job Description: Pool Logic Large 3" Tablets Wrapped 25lb.	Proof Number: 2		Date				
Number of Colors: 3	Container Size: 3.5 Gallon NG	Container Color: White					
PMS Ink Colors							
							Approved for Release 2
YELLOW 394	BLUE 300	BLACK	PMS 000	PMS 000	PMS 000	PMS 000	PAIL
This proof is used for color break, layout and copy evaluation only. It is not intended for color accuracy. It is the responsibility of the customer to review this proof for any possible errors or revisions pertaining to this job. Approval of this job negates any liability by Great Lakes Graphics and is solely the responsibility of the customer.							Initial
							Date

Large 3" Tablets

POOL LOGIC[®]

Think Clear[®]

Stabilized Chlorinating Concentrate In Large 3" Tablets



Active Ingredient:
Trichloro-s-triazinetriene **99%**
Other Ingredients **1%**
Total **100%**
Available Chlorine: 90%



LICENSED


PERIOD 2015-2017 LIC. NO.

8308.83



LICENSED

PERIOD 2012-2014 LIC. NO.



FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IN CASE OF MEDICAL EMERGENCY, CALL 1-800-255-3924

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: HIGHLY CORROSIVE. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: Strong Oxidizing Agent. Do not mix with other chemicals. Mix only with water. Never add water to product. Always add product to large quantities of water. When using automatic feeding devices, always follow manufacturer's directions as to the proper addition of sanitizer product to chlorinators. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals will start a chemical reaction and generate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water.

SWIMMING POOL SANITIZER:

When used as directed, this product is an effective stabilized chlorine. This slow dissolving product releases sufficient chlorine to reduce the growth of harmful algae and micro-organisms in your pool.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

Ensure all pool equipment is working properly. Backwash the filter system following manufacturer's instructions. Adjust pH to between 7.2-7.6. Add stabilizer to establish a minimum stabilizer level of 30-40 ppm to reduce the radiative effects of sunlight upon the chlorine residual. Superchlorinate the pool so that a chlorine residual of between 1-3 ppm is obtained. When using other products as outlined in directions for this product, always follow directions on those products.

WHEN USED IN AUTOMATIC CHLORINATORS AND FLOATERS: This product can be used in feeding mechanisms such as automatic chlorinators and floaters as a maintenance treatment. Fill unit with this product and adjust the feeding mechanism to assure a constant treatment level of 1-3 ppm available chlorine in the pool water. Normally, 1-2 ounces of this product per 10,000 gallons, will be needed daily. Use a test kit or test strips to monitor chlorine levels and adjust the chlorine feed mechanism as needed. Check and refill chlorinator as needed. Do not let this product come in direct contact with vinyl liners or other bleachable surfaces as damage may occur.

WHEN USED IN SKIMMERS: This product may be used in plastic skimmers only if skimmer and piping are plastic. Do not add other chemicals through the skimmer when using this product in skimmer as an explosion or fire may result. Do not turn pump off for more than 8 hours in vinyl pools when pucks are in skimmer. Initially add one of this product per 10,000 gallons of water. Add additional product as determined by test kit or test strips to maintain chlorine residual of 1-3 ppm.

REENTRY: Reentry into treated pools is prohibited above 3 ppm chlorine due to risk of bodily injury.

STORAGE AND DISPOSAL:

STORAGE: Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Do not contaminate water, food or feed by storage or disposal or cleaning of equipment.

DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Rinse empty container thoroughly with water to dissolve all material prior to disposal.

FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE EMERGENCY HANDLING.

EMERGENCY HANDLING: In case of contamination or decomposition – Do not reseal container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill area.

Note: Buyer assumes all responsibility for safety and use not in accordance with directions.

PLG-50-3150
C002381-PL50W
 GLG94898PLG3TAB50W-1012A



EPA Reg. No. 42177-18
 EPA Est. No. 69470-WV-2 (SC)
 EPA Est. No. 58401-IL-1 (S)
 EPA Est. No. 34298-MI-1 (T)
 EPA Est. No. 82835-MI-1 (K)
 EPA Est. No. 5185-GA-1 (G)
 EPA Est. No. 66397-OK-1 (OK)
 EPA Est. No. 3525-NJ-1 (NJ)
 EPA Est. No. 36284-CA-1 (CA)
 EPA Est. No. 7616-CA-1 (I)
 (See last letter on stamped pail code.
 Lot sticker indicates producing establishment.)

Manufactured for:
 Alliance Trading, Inc.
 109 Northpark Blvd, 4th Floor
 Covington, LA 70433

WARNING

ADVERTENCIA



Children can fall into bucket and drown.

Keep children away from buckets with even a small amount of water.

Los niños corren peligro de caerse dentro del balde y ahogarse.

Mantener a los niños lejos de los baldes, incluso cuando solo tengan una pequeña cantidad de líquido.

GREAT LAKES GRAPHICS 3334 Superior Ave. • Cleveland, OH 44114 • 216-391-0077							Approved for Release 1	
Job Number: 94898	PLG-50-3150	C002381-PL50W	P.O. Number:					
Customer: M&M Industries / SCP / Haviland	Date: 10/8/12		Initial					
Job Description: Pool Logic Large 3" Tablets Wrapped 50lb.	Proof Number: 2		Date					
Number of Colors: 3	Container Size: 6.5 Gallon NG	Container Color: White						
PMS Ink Colors								
							POT	Approved for Release 2
YELLOW 394	BLUE 300	BLACK	PMS 000	PMS 000	PMS 000	PMS 000	POT	Initial
This proof is used for color break, layout and copy evaluation only. It is not intended for color accuracy. It is the responsibility of the customer to review this proof for any possible errors or revisions pertaining to this job. Approval of this job negates any liability by Great Lakes Graphics and is solely the responsibility of the customer.							Date	