



LICENSED

PERIOD 2015-2017 LIC. NO.

8336.15
Disc.



LICENSED

PERIOD 2012-2014 LIC. NO.

This product will clean and disinfect hard, non-porous surfaces of: cabinets, chairs, computers, countertops, desks, desktops, doorknobs, fax machines, garbage cans, headsets, keyboards, railings, seats, sinks, tables, tabletops, telephones, trashcans, appliance exteriors, faucets, bathtubs, shower, and stove tops.

- Kills 99.9% of bacteria in 15 seconds!** • Disinfects household bacteria† • Alcohol-Free!

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To Open Package: Lift tab at front of lid to open. Pull up corner of center sheet and thread through dispenser slit in lid. Pull out exposed wipe at a 45 degree angle and snap off. The next wipe is ready for dispensing. Close lid to retain moisture. Dispose of used wipes in trash. Do not flush.



Cleaning: Use one wipe to completely remove all loose debris from surfaces to be treated.

Disinfecting: To disinfect hard, non-porous surfaces, thoroughly wet the surface to be treated. Treated surface must remain visibly wet for disinfecting. Use enough wipes for treated surface to remain visibly wet for 5 minutes. For heavily soiled surfaces, clean before following disinfecting instructions. Allow surfaces to air dry. This product is an effective disinfectant against *Escherichia coli* (E. coli) O157:H7, *Pseudomonas aeruginosa*, *Salmonella enterica* (Salmonella), *Staphylococcus aureus* and *Streptococcus pyogenes* (Strep).

Virucidal Activity: This product is an effective virucide on hard, non-porous surfaces against Influenza A₂/Japan, Herpes Simplex Virus 1 and Herpes Simplex Virus 2 when the treated surface is allowed to remain wet for 5 minutes. Allow surfaces to air dry.

Sanitizing/Deodorizing: To sanitize/deodorize hard, non-porous surfaces; wipe surface using enough wipes to allow treated surface to remain wet for 15 seconds for *Staphylococcus aureus* (Staph), *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Escherichia coli* (E. coli) O157:H7 and 60 seconds for *Campylobacter jejuni*. Let surface dry. For highly soiled surfaces, clean excess dirt first.

- For surfaces that may come in contact with food, a potable water rinse is required.
- For plastic and painted surfaces, spot test on an inconspicuous area before use.
- This product will not harm most surfaces: including acrylic, fiberglass and vinyl.

Do not use on unpainted wood.

Not for personal cleansing. This is **not** a baby wipe! Do not flush in toilet.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

CONTAINER STORAGE/DISPOSAL: Store in an area inaccessible to children. Wipes: Dispose of wipe in trash after use. Do not flush. Canister: Tightly close lid between uses to retain moisture. Nonrefillable container. Do not reuse or refill this container. Offer empty container for recycling if available or discard in trash.

** *Staphylococcus aureus* (Staph), *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Escherichia coli* (E. coli) O157:H7

† *Salmonella enterica* (Salmonella), *Streptococcus pyogenes* (Strep), *Escherichia coli* (E. coli) O157:H7, *Pseudomonas aeruginosa*, *Staphylococcus aureus* (Staph)

†† Influenza A₂/Japan

DISTRIBUTED BY SUPERVALU INC.
11840 VALLEY VIEW ROAD
EDEN PRAIRIE, MN 55344 USA
PRODUCT OF USA



Please contact us at
www.essentialeveryday.com
or 1-877-932-7948.

84531-850



Kills Flu Virust†

Essential
EVERYDAY™

Fresh Scent Disinfecting Wipes

Kills 99.9% of Bacteria in 15 Seconds**

Cleans, Sanitizes, Disinfects & Deodorizes

Disinfects Household Bacteria†

NET CONTENTS: 35 WIPES
7 IN X 8 IN
(17.8 cm X 20.3 cm),
MINIMUM WT 8 OZ (225g)

KEEP OUT OF REACH
OF CHILDREN
CAUTION
SEE BACK PANEL FOR
ADDITIONAL PRECAUTIONARY
STATEMENTS.
EPA REG. NO. 1839-190-17269
EPA EST. NO. 36662-WI-001

ALCOHOL-FREE

ACTIVE INGREDIENTS
Alkyl (60% C₁₄-30% C₁₆, 5% C₁₂, 5% C₁₈)
dimethyl benzyl ammonium chlorides.....0.14%
Alkyl (68% C₁₂-32% C₁₄) dimethyl ethylbenzyl
ammonium chlorides.....0.14%
INERT INGREDIENTS:.....99.72%
Total.....100.00%

35
WIPES



LICENSED

PERIOD 2015-2017 LIC. NO.



LICENSED

PERIOD 2012-2014 LIC. NO.

8336.15 Disc.

This product will clean and disinfect hard, non-porous surfaces of: cabinets, chairs, computers, countertops, desks, desktops, doorknobs, fax machines, garbage cans, headsets, keyboards, railings, seats, sinks, tables, tabletops, telephones, trashcans, appliance exteriors, faucets, bathtubs, shower, and stove tops.

- Kills 99.9% of bacteria in 15 seconds!*
- Disinfects household bacteria†
- Alcohol-Free!

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To Open Package: Lift tab at front of lid to open. Pull up corner of center sheet and thread through dispenser slit in lid. Pull out exposed wipe at a 45 degree angle and snap off. The next wipe is ready for dispensing. Close lid to retain moisture. Dispose of used wipes in trash. Do not flush.



Cleaning: Use one wipe to completely remove all loose debris from surfaces to be treated.

Disinfecting: To disinfect hard, non-porous surfaces, thoroughly wet the surface to be treated. Treated surface must remain visibly wet for disinfecting. Use enough wipes for treated surface to remain visibly wet for 5 minutes. For heavily soiled surfaces, clean before following disinfecting instructions. Allow surfaces to air dry. This product is an effective disinfectant against Escherichia coli (E. coli) O157:H7, Pseudomonas aeruginosa, Salmonella enterica (Salmonella), Staphylococcus aureus and Streptococcus pyogenes (Strep).

Virucidal Activity: This product is an effective virucide on hard, non-porous surfaces against Influenza A2/Japan, Herpes Simplex Virus 1 and Herpes Simplex Virus 2 when the treated surface is allowed to remain wet for 5 minutes. Allow surfaces to air dry.

Sanitizing/Deodorizing: To sanitize/deodorize hard, non-porous surfaces; wipe surface using enough wipes to allow treated surface to remain wet for 15 seconds for Staphylococcus aureus (Staph), Klebsiella pneumoniae, Listeria monocytogenes, Escherichia coli (E. coli) O157:H7 and 60 seconds for Campylobacter jejuni. Let surface dry. For highly soiled surfaces, clean excess dirt first.

- For surfaces that may come in contact with food, a potable water rinse is required.
- For plastic and painted surfaces, spot test on an inconspicuous area before use.
- This product will not harm most surfaces: including acrylic, fiberglass and vinyl.

Do not use on unpainted wood.

Not for personal cleansing. This is not a baby wipe! Do not flush in toilet.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

CONTAINER STORAGE/DISPOSAL: Store in an area inaccessible to children. Wipes: Dispose of wipe in trash after use. Do not flush. Canister: Tightly close lid between uses to retain moisture. Nonrefillable container. Do not reuse or refill this container. Offer empty container for recycling if available or discard in trash.

** Staphylococcus aureus (Staph), Klebsiella pneumoniae, Listeria monocytogenes, Escherichia coli (E. coli) O157:H7 † Salmonella enterica (Salmonella), Streptococcus pyogenes (Strep), Escherichia coli (E. coli) O157:H7, Pseudomonas aeruginosa, Staphylococcus aureus (Staph)

†† Influenza A2/Japan

DISTRIBUTED BY SUPERVALU INC. 11840 VALLEY VIEW ROAD EDEN PRAIRIE, MN 55344 USA PRODUCT OF USA



Please contact us at www.essentialeveryday.com or 1-877-932-7948.

86410-850



Kills Flu Virustt

Essential EVERYDAY™



Fresh Scent Disinfecting Wipes

Kills 99.9% of Bacteria in 15 Seconds**

Cleans, Sanitizes, Disinfects & Deodorizes

Disinfects Household Bacteria†

NET CONTENTS: 75 WIPES 7 IN X 8 IN (17.8 cm X 20.3 cm), MINIMUM WT 1 LB 1 OZ (480g)

KEEP OUT OF REACH OF CHILDREN CAUTION SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS. EPA REG. NO. 1838-190-17269 EPA EST. NO. 56982-W-001

ALCOHOL-FREE

ACTIVE INGREDIENTS

Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides.....0.14% Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides.....0.14% INERT INGREDIENTS: 99.72% Total.....100.00%

75 WIPES



LICENSED

PERIOD 2015-2017 LIC. NO.



LICENSED

PERIOD 2012-2014 LIC. NO.

8336.15 Disc.

Disinfects Household Bacteria†

150 Disinfecting Wipes

Kills 99.9% of Bacteria in 15 Seconds**

NET CONTENTS: 2 CANISTERS -
75 WIPES EACH 7 IN X 8 IN
(17.8 cm x 20.3 cm),


ALCOHOL-FREE

ACTIVE INGREDIENTS

Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides	0.14%
Alkyl (66% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides	0.14%
INERT INGREDIENTS	99.72%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN.
CAUTION SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.
 EPA REG. NO. 1839-190-17269
 EPA EST. NO. 56952-WI-001, 80987-WI-001, 86580-WI-001
 SEE BATCH CODE FOR ACTUAL EST. NO.

This product will clean and disinfect hard, non-porous surfaces of: cabinets, chairs, computers, countertops, desks, desktops, doorknobs, fax machines, garbage cans, headsets, keyboards, railings, seats, sinks, tables, tabletops, telephones, trashcans, appliance exteriors, faucets, bathtubs, shower, and stove tops.
To Open Package: Lift tab at front of lid to open. Pull up corner of center sheet and thread through dispenser slit in lid. Pull out exposed wipe at a 45 degree angle and snap off. The next wipe is ready for dispensing. Close lid to retain moisture. Dispose of used wipes in trash. Do not flush.



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals
CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
CONTAINER STORAGE/DISPOSAL: Store in an area inaccessible to children. Wipes: Dispose of wipe in trash after use. Do not flush. Canister: Tightly close lid between uses to retain moisture. Nonrefillable container. Do not reuse or refill this container. Offer empty container for recycling if available or discard in trash.

** *Staphylococcus aureus* (Staph), *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Escherichia coli* (E. coli) 0157:H7
 † *Salmonella enterica* (Salmonella), *Streptococcus pyogenes* (Strep), *Escherichia coli* (E. coli) 0157:H7, *Pseudomonas aeruginosa*, *Staphylococcus aureus* (Staph)
 †† Influenza A₂/Japan

93780-850



Please contact us at
www.essentialaleveryday.com
 or 1-877-932-7948.



DISTRIBUTED BY SUPERVALU INC.
 11840 VALLEY VIEW ROAD
 EDEN PRAIRIE, MN 55344 USA
 PRODUCT OF USA

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
Directions for Use

Cleaning: Use one wipe to completely remove all loose debris from surfaces to be treated.
Disinfecting: To disinfect hard, non-porous surfaces, thoroughly wet the surface to be treated. Treated surface must remain visibly wet for disinfecting. Use enough wipes for treated surface to remain visibly wet for 5 minutes. For heavily soiled surfaces, clean before following disinfecting instructions. Allow surfaces to air dry. This product is an effective disinfectant against *Escherichia coli* (E. coli) 0157:H7, *Pseudomonas aeruginosa*, *Salmonella enterica* (Salmonella), *Staphylococcus aureus* and *Streptococcus pyogenes* (Strep).
Virucidal activity: This product is an effective virucide on hard, non-porous surfaces against Influenza A₂/Japan, Herpes Simplex Virus 1 and Herpes Simplex Virus 2 when the treated surface is allowed to remain wet for 5 minutes. Allow surfaces to air dry.
Sanitizing/Deodorizing: To sanitize/deodorize hard, non-porous surfaces, wipe surface using enough wipes to allow treated surface to remain wet for 15 seconds for *Staphylococcus aureus* (Staph), *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Escherichia coli* (E. coli) 0157:H7 and 60 seconds for *Campylobacter jejuni*. Let surface dry. For highly soiled surfaces, clean excess dirt first.
 • For surfaces that may come in contact with food, a potable water rinse is required. • For plastic and painted surfaces, spot test on an inconspicuous area before use. • This product will not harm most surfaces, including acrylic, fiberglass and vinyl.
Do not use on unpainted wood.
 Not for personal cleansing. This is **not** a baby wipe! Do not flush in toilet.