

This product will clean or disinfect hard, non-porous surfaces or: cabinets, chairs, computers, countertops, desks, desktops, doorknobs, fax machines, garbage cans, headsets, keyboards, railings, seats, sinks, tables, tabletops, telephones, trash cans, appliance exteriors, faucets, bathtubs, shower, and stove tops.

• Kills 99.9% of Bacteria in 15 seconds!** • Disinfects household bacteria†



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

TO OPEN PACKAGE: Lift tab at front of lid to open. Pull up corner of center sheet and thread through dispenser slit in lid. Pull out exposed wipe at a 45 degree angle and snap off. The next wipe is ready for dispensing. Close lid to retain moisture. Dispose of used wipes in trash. Do not flush.



CLEANING: Use one wipe to completely remove all loose debris from surfaces to be treated.
DISINFECTING: To disinfect hard, non-porous surfaces, thoroughly wet the surface to be treated. Treated surface must remain visibly wet for disinfecting. Use enough wipes for treated surface to remain visibly wet for 5 minutes. For heavily soiled surfaces, clean before following disinfecting instructions. Allow surfaces to air dry. This product is an effective disinfectant against *Escherichia coli* (E. coli) O157:H7, *Pseudomonas aeruginosa*, *Salmonella enterica* (Salmonella), *Staphylococcus aureus* and *Streptococcus pyogenes* (Strep).

VRUCIDAL ACTIVITY: This product is an effective virucide on hard, non-porous surfaces against Influenza A₂/Japan, Herpes Simplex Virus 1 and Herpes Simplex Virus 2 when the treated surface is allowed to remain wet for 5 minutes. Allow surfaces to air dry.

SANITIZING / DEODORIZING: To sanitize / deodorize hard, non-porous surfaces; wipe surface using enough wipes to allow treated surface to remain wet for 15 seconds for *Staphylococcus aureus* (Staph), *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Escherichia coli* (E. coli) O157:H7 and 60 seconds for *Campylobacter jejuni*. Let surface dry. For highly soiled surfaces, clean excess dirt first.
 • For surfaces that may come in contact with food, a potable water rinse is required. • For plastic and painted surfaces, spot test on an inconspicuous area before use. • This product will not harm most surfaces: including acrylic, fiberglass and vinyl. **Do not use on unpainted wood.** Not for personal cleansing. This is **not** a baby wipe! Do not flush in toilet.

Distributed by Rockline Industries
 4343 S. Taylor Drive, Sheboygan, WI 53081
 200 Wilmot RD Deerfield, IL 60015

Made in USA

85511-318



WIC 178035

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

CONTAINER STORAGE/DISPOSAL: Store in an area inaccessible to children. Wipes: Dispose of wipe in trash after use. Do not flush. Canister: Tightly close lid between uses to retain moisture. Nonrefillable container. Do not reuse or refill this container. Offer empty container for recycling if available or discard in trash.

***Staphylococcus aureus* (Staph), *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Escherichia coli* (E. coli) O157:H7
 †*Pseudomonas aeruginosa*, *Staphylococcus aureus* (Staph), *Salmonella enterica* (Salmonella), *Streptococcus pyogenes* (Strep), *Escherichia coli* (E. coli) O157:H7 ††Influenza A₂/Japan

MESS



LICENSED

PERIOD 2015-2017 LIC. NO.

8336.17
Disc.



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2012-2014 LIC. NO.

Nice!™

MULTI-PURPOSE DISINFECTANT WIPES

{ KILLS FLU VIRUS†† }

fresh scent

cleans, disinfects & deodorizes
 kills 99.9% of bacteria
 in 15 seconds**

35
WIPES

KEEP OUT OF REACH
OF CHILDREN
CAUTION

SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.
EPA REG. NO. 1839-190-58952
EPA EST. NO. 58952-WI-001

NET CONTENTS: 35 WIPES
 7.0 IN x 8.0 IN (17.8 cm x 20.3 cm)
 minimum wt. 8 OZ (225g)

ALCOHOL-FREE

ACTIVE INGREDIENTS
 Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
 dimethyl benzyl ammonium chlorides 0.14%
 Alkyl (68% C12, 32% C14)
 dimethyl ethylbenzyl ammonium
 chlorides 0.14%
 INERT INGREDIENTS 99.72%
 Total 100.00%

This product will clean and disinfect hard, non-porous surfaces of: cabinets, chairs, computers, countertops, desks, desktops, doorknobs, fax machines, garbage cans, headsets, keyboards, railings, seats, sinks, tables, tabletops, telephones, trash cans, appliance exteriors, faucets, bathtubs, shower, and stove tops.

- Kills 99.9% of Bacteria in 15 seconds!** • Disinfects household bacteria†



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

TO OPEN PACKAGE: Lift tab at front of lid to open. Pull up corner of center sheet and thread through dispenser slit in lid. Pull out exposed wipe at a 45 degree angle and snap off. The next wipe is ready for dispensing. Close lid to retain moisture. Dispose of used wipes in trash. Do not flush.

CLEANING: Use one wipe to completely remove all loose debris from surfaces to be treated.

DISINFECTING: To disinfect hard, non-porous surfaces, thoroughly wet the surface to be treated. Treated surface must remain visibly wet for disinfecting. Use enough wipes for treated surface to remain visibly wet for 5 minutes. For heavily soiled surfaces, clean before following disinfecting instructions. Allow surfaces to air dry. This product is an effective disinfectant against *Escherichia coli* (E. coli) O157:H7, *Pseudomonas aeruginosa*, *Salmonella enterica* (Salmonella), *Staphylococcus aureus* and *Streptococcus pyogenes* (Strep).

VIRUCIDAL ACTIVITY: This product is an effective virucide on hard, non-porous surfaces against Influenza A₂/Japan, Herpes Simplex Virus 1 and Herpes Simplex Virus 2 when the treated surface is allowed to remain wet for 5 minutes. Allow surfaces to air dry.

SANITIZING / DEODORIZING: To sanitize / deodorize hard, non-porous surfaces; wipe surface using enough wipes to allow treated surface to remain wet for 15 seconds for *Staphylococcus aureus* (Staph), *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Escherichia coli* (E. coli) O157:H7 and 60 seconds for *Campylobacter jejuni*. Let surface dry. For highly soiled surfaces, clean excess dirt first.

• For surfaces that may come in contact with food, a potable water rinse is required. • For plastic and painted surfaces, spot test on an inconspicuous area before use. • This product will not harm most surfaces; including acrylic, fiberglass and vinyl. **Do not use on unpainted wood.** Not for personal cleansing. This is **not** a baby wipe! Do not flush in toilet.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

CONTAINER STORAGE/DISPOSAL: Store in an area inaccessible to children. Wipes: Dispose of wipe in trash after use. Do not flush. Canister: Tightly close lid between uses to retain moisture. Nonrefillable container. Do not reuse or refill this container. Offer empty container for recycling if available or discard in trash.

***Staphylococcus aureus* (Staph), *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Escherichia coli* (E. coli) O157:H7
†*Pseudomonas aeruginosa*, *Staphylococcus aureus* (Staph), *Salmonella enterica* (Salmonella), *Streptococcus pyogenes* (Strep), *Escherichia coli* (E. coli) O157:H7
††Influenza A₂/Japan



168891 31W

Distributed by
Rockline Industries
4343 S. Taylor Drive
Sheboygan, WI 53081
200 Wilmet RD
Deerfield, IL 60015

Made in USA
85590-318



Nice!™

MULTI-PURPOSE DISINFECTANT WIPES

{ KILLS FLU VIRUS†† }

fresh scent

cleans, disinfects & deodorizes
kills 99.9% of bacteria in 15 seconds**

75
WIPES

KEEP OUT OF REACH
OF CHILDREN
CAUTION

SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.
EPA REG. NO. 1835-190-56952
EPA EST. NO. 56952-WI-001

NET CONTENTS: 75 WIPES
7.0 IN x 8.0 IN (17.8 cm x 20.3 cm)
minimum wt. 1 LB. 1 OZ (480g)

ALCOHOL-FREE

ACTIVE INGREDIENTS
Alky (65% C12, 30% C16, 5% C14, 5% C18) 0.14%
Dimethyl benzyl ammonium chloride 0.14%
Alky (65% C12, 32% C14) 0.14%
Dimethyl ethylbenzyl ammonium chloride 0.14%
INERT INGREDIENTS 99.72%
Total 100.00%



LICENSED
PERIOD 2015-2017 LIC. NO.

8336.17
Disc.



LICENSED
PERIOD 2012-2014 LIC. NO.

This product will clean and disinfect hard, non-porous surfaces of: cabinets, chairs, computers, counter-tops, desks, desktops, doorknobs, fax machines, garbage cans, headsets, keyboards, railings, seats, sinks, tables, tabletops, telephones, trash cans, appliance exteriors, faucets, bathtubs, shower, and stove tops.

- Kills 99.9% of Bacteria in 15 seconds! ** • Disinfects household bacteria!



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

TO OPEN PACKAGE: Lift tab at front of lid to open. Pull up corner of center sheet and thread through dispenser slit in lid. Pull out exposed wipe at a 45 degree angle and snap off. The next wipe is ready for dispensing. Close lid to retain moisture. Dispose of used wipes in trash. Do not flush.



CLEANING: Use one wipe to completely remove all loose debris from surfaces to be treated.

DISINFECTING: To disinfect hard, non-porous surfaces, thoroughly wet the surface to be treated. Treated surface must remain visibly wet for disinfecting. Use enough wipes for treated surface to remain visibly wet for 5 minutes. For heavily soiled surfaces, clean before following disinfecting instructions. Allow surfaces to air dry. This product is an effective disinfectant against *Escherichia coli* (E. coli) O157:H7, *Pseudomonas aeruginosa*, *Salmonella enterica* (Salmonella), *Staphylococcus aureus* and *Streptococcus pyogenes* (Strep).

VIRUCIDAL ACTIVITY: This product is an effective virucide on hard, non-porous surfaces against Influenza A₂/Japan, Herpes Simplex Virus 1 and Herpes Simplex Virus 2 when the treated surface is allowed to remain wet for 5 minutes. Allow surfaces to air dry.

SANITIZING / DEODORIZING: To sanitize / deodorize hard, non-porous surfaces; wipe surface using enough wipes to allow treated surface to remain wet for 15 seconds for *Staphylococcus aureus* (Staph), *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Escherichia coli* (E. coli) O157:H7 and 60 seconds for *Campylobacter jejuni*. Let surface dry. For highly soiled surfaces, clean excess dirt first.

• For surfaces that may come in contact with food, a potable water rinse is required. • For plastic and painted surfaces, spot test on an inconspicuous area before use. • This product will not harm most surfaces; including acrylic, fiberglass and vinyl.

Do not use on unpainted wood. Not for personal cleansing. This is **not** a baby wipe! Do not flush in toilet.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

CONTAINER STORAGE/DISPOSAL: Store in an area inaccessible to children. Wipes: Dispose of wipe in trash after use. Do not flush. Canister: Tightly close lid between uses to retain moisture. Nonrefillable container. Do not reuse or refill this container. Offer empty container for recycling if available or discard in trash.

***Staphylococcus aureus* (Staph), *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Escherichia coli* (E. coli) O157:H7
 **Pseudomonas aeruginosa*, *Staphylococcus aureus* (Staph), *Salmonella enterica* (Salmonella), *Streptococcus pyogenes* (Strep),
 †*Escherichia coli* (E. coli) O157:H7
 ††Influenza A₂/Japan



068987-31W

Distributed by
 Rockline Industries
 4343 S. Taylor Drive
 Sheboygan, WI 53081
 200 Wilmet RD
 Deerfield, IL 60015

Made in USA
 85591-318



Nice!™

MULTI-PURPOSE DISINFECTANT WIPES

{ KILLS FLU VIRUS†† }

lemon scent

cleans, disinfects & deodorizes
 kills 99.9% of bacteria in 15 seconds**

75
WIPES

KEEP OUT OF REACH
OF CHILDREN
CAUTION

SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.
EPA REG. NO. 1839-190-56952
EPA EST. NO. 56952-WI-001

NET CONTENTS: 75 WIPES
 7.0 IN x 8.0 IN (17.8 cm x 20.3 cm)
 minimum wt. 1 LB. 1 OZ (480g)

ALCOHOL-FREE

ACTIVE INGREDIENTS
 Alky (60% C12, 30% C16, 5% C12, 5% C16)
 Dimethyl benzyl ammonium chloride 0.14%
 Alky (68% C12, 32% C14)
 Dimethyl ethylbenzyl ammonium
 chlorides 0.14%
INERT INGREDIENTS 99.72%
 Total 100.00%



LICENSED

PERIOD 2015-2017 LIC. NO.

8336.17
Disc.



LICENSED

PERIOD 2012-2014 LIC. NO.