Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2014-2016 LIC. NO.

8363.29
Disc.

The entire label is printed in Spanish language inside the box. Toda la etiqueta está impresa en idioma español dentro de la caja.

Black Flag Bedbug & Flea Fogger contains a combination of ingredients that kills both adult and hatching fleas. Kills hatching preadult fleas before they grow up to bite. The insect growth regulator in this fogger, continues to kill hatching preadult fleas for 7 months by preventing their development into adults. The fogger reaches fleas and other listed insects hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks and open cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered outdoor home and garden premise spray.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

Avoid contamination of food or feedstuffs. For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry. For best results, treat all infested areas. Use one fogger for each 2,000 cubic feet, approximately 15.5 ft. x 16 ft. x 8 ft. ceiling of unobstructed area. Use additional units for remote rooms or where the free flow of fog is not assured.

PREPARATION: DO NOT use more than one fogger per room. **DO NOT** use in small, enclosed spaces such as closets, cabinets or under counters or tables. **Do not** use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to enter from other rooms. ***Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).*** Call your gas utility or management company if you need assistance with your pilot lights.

BEFORE YOU FOG 1. Remove or cover exposed food, dishes, utensils, surfaces and food-handling equipment. Shut off fans and air conditioners. **2.** Close outside doors and windows. Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover or remove fish tanks and bowls. **3.** Leave rugs, draperies and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets of areas to be treated. **4.** Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger. (Newspapers may be used).

For more effective control of storage pests [Flour Beetle, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Saw-toothed Grain Beetle, Grain Weevil, Warehouse Beetle, Red Flour Beetle, Confused Flour Beetle] and Cockroaches [Smokey Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach], [Crickets, (Waterbugs) (Palmetto Bugs) open all cupboard doors [kitchen, bathrooms, pantries], and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash. For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

READ ALL DIRECTIONS AND CAUTIONS BEFORE USING

TO START FOGGING: 1. SHAKE FOGGER WELL BEFORE USE: Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action. **2.** Set canister in an upright position on a table, stand, etc. (up to 30 inches in height in the center of the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. Leave the building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS. After two hours, open all outside doors and windows, turn on air conditioners and/or fans and let treated area air for 30 minutes before reoccupying. If additional units are used for remote rooms or where free flow of fog is not assured, increase airing-out time accordingly.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **PESTICIDE STORAGE:** Store in cool dry area. Always store pesticides in the original container. Store away from food and pet food. **PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Do not puncture or incinerate! Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

NOTE TO PHYSICIAN: Contains petroleum distillates–vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes skin irritation. Harmful if absorbed through skin. Do not get on skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable Ingredient
Ingrediente Altamente Inflamable

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

Kills Insects on Contact!

Almond Moths
American Cockroaches
American Dog Ticks
Angoumois Grain Moths
Asian Cockroaches
Australian Cockroaches
Bedbugs
Beetles
Booklice
Boxelder Bugs
Brown Banded Cockroaches
Brown Dog Ticks
Cadelles Rice Weevils
Carpenter Ants
Carpenter Bees
Carpet Beetles
Centipedes
Cheese Mites
Chocolate Moths
Cigarette Beetles
Clover Mites
Cluster Flies
Cockroaches
Deer Ticks
Drugstore Beetles
Earwigs
Elm Leaf Beetles
Fire Ants
Firebrats
Flat Grain Beetles
Fleas - eggs, larvae, preadult, adults
Flies
Flour Beetles
Flying Moths
German Cockroaches
Gnats
Grain Mites
Grain Weevils
Granary Insects
Ground Beetles
Gulf Coast Ticks
Hornets
Indian Meal Moths
Indian Mealworms
Lesser Grain Borers
Lice
Long Star Ticks
Merchant Grain Beetles
Midges
Millipedes
Mosquitos
Other Ixodid Species
Palmetto Bugs
Pharaoh Ants
Pillbugs
Red Flour Beetles
Saw-toothed Grain Beetles
Sciarid Flies
Silverfish
Smokey Brown Cockroaches
Sowbugs
Ticks
Tobacco Moths
Warehouse Beetles
Wasps
Waterbugs
Wood Borers (exposed stages)
Yellow Jackets

BLACK FLAG

BEDBUG & FLEA
FOGGER

Inhibits Flea Reinfestation for up to 7 MONTHS

BLACK FLAG

BEDBUG & FLEA
FOGGER

- *NYLAR® prevents the flea from developing into egg laying adults*
- *Kills Bedbugs, Cockroaches, Ticks, Ants and other listed insects*

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate	0.100%
*Piperonyl butoxide, Technical	0.100%
**N-Octyl bicycloheptene dicarboximide	0.167%
2-(1-Methyl-2-(4-phenoxyphenoxy) ethoxy) pyridine	0.100%
OTHER INGREDIENTS:	99.483%
	100.000%

*Equivalent to 0.080% (butylcarbityl) (6-propylpiperonyl) ether and 0.020% related compounds
**MGK®-264, Insecticide Synergist

For Use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Garages, Homes, Kitchens, Pet Sleeping Areas, Storage Areas

KEEP OUT OF REACH OF CHILDREN
WARNING STORE THIS PRODUCT IN AN AREA INACCESSIBLE TO CHILDREN
See back panel for additional precautionary statements and first aid

The entire label is printed in Spanish language inside the box.
Toda la etiqueta está impresa en idioma español dentro de la caja.

Contains 3 Foggers

One 2 oz can will treat up to 2000 cu ft (15.5' x 16' with an 8' ceiling)

3 - 2 OZ CANS TOTAL NET WT 6 OZ (171 g)

QUESTIONS? COMMENTS?
See code on the bottom of can
then call (800) 887-3524
or Email Info@BlackFlagBrands.com

Sold by: © **Black Flag Brands, LLC**
A Premier Brand of The Homax Group Inc.
3300 Corporate Drive, Joliet, IL 60431

EPA Reg. No. 1021-1674-79529
EPA Est. No. 5693-MA-1 (1)
58996-MO-1 (2)
11623-GA-1 (3)

The letter(s) of the lot code correspond to the establishment

61289 082010 (060410)

0 41072 61256 2

BLACK FLAG

BEDBUG & FLEA FOGGER

Inhibits Flea Reinfestation for up to 7 MONTHS

BLACK FLAG®

BEDBUG & FLEA FOGGER

- NYLAR® prevents the flea from developing into egg laying adults
- Kills Bedbugs, Cockroaches, Ticks, Ants and other listed insects

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate	0.100%
*Piperonyl butoxide, Technical	0.100%
**N-Octyl bicycloheptene dicarboximide	0.167%
2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.100%
OTHER INGREDIENTS:	99.483%
	100.000%

*Equivalent to 0.080% (butylcarbityl) (6-propylpiperonyl) ether and 0.020% related compounds
**MGK®-264, Insecticide Synergist

For Use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Garages, Homes, Kitchens, Pet Sleeping Areas, Storage Areas

KEEP OUT OF REACH OF CHILDREN

WARNING STORE THIS PRODUCT IN AN AREA INACCESSIBLE TO CHILDREN

See back panel for additional precautionary statements and first aid

The entire label is printed in Spanish language inside the box.
Toda la etiqueta está impresa en idioma español dentro de la caja.

Contains 3 Foggers

One 2 oz can will treat up to 2000 cu ft (15.5' x 16' with an 8' ceiling)

3 - 2 OZ CANS TOTAL NET WT 6 OZ (171 g)

BLACK FLAG

BEDBUG & FLEA FOGGER

QUESTIONS? COMMENTS?
See code on the bottom of can
then call (800) 887-3524
or Email Info@BlackFlagBrands.com

Sold by: © **Black Flag Brands, LLC**
A Premier Brand of The Homax Group Inc.
3300 Corporate Drive, Joliet, IL 60431

EPA Reg. No. 1021-1674-79529
EPA Est. No. 5693-MA-1 (L)
58996-MO-1 (A)
11623-GA-1 (P)

The letter(s) of the lot code correspond to the establishment

61289 082010 (060410)

0 41072 61256 2

The entire label is printed in Spanish language inside the box. Toda la etiqueta está impresa en idioma español dentro de la caja.

Black Flag Bedbug & Flea Fogger contains a combination of ingredients that kills both adult and hatching fleas. Kills hatching preadult fleas before they grow up to bite. The insect growth regulator in this fogger, continues to kill hatching preadult fleas for 7 months by preventing their development into adults. The fogger reaches fleas and other listed insects hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks and open cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered outdoor home and garden premise spray.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

Avoid contamination of food or feedstuffs. For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry. For best results, treat all infested areas. Use one fogger for each 2,000 cubic feet, approximately 15.5 ft. x 16 ft. x 8 ft. ceiling of unobstructed area. Use additional units for remote rooms or where the free flow of fog is not assured.

PREPARATION: DO NOT use more than one fogger per room. **DO NOT** use in small, enclosed spaces such as closets, cabinets or under counters or tables. **Do not** use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to enter from other rooms. ***Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).*** Call your gas utility or management company if you need assistance with your pilot lights.

BEFORE YOU FOG 1. Remove or cover exposed food, dishes, utensils, surfaces and food-handling equipment. Shut off fans and air conditioners. **2.** Close outside doors and windows. Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover or remove fish tanks and bowls. **3.** Leave rugs, draperies and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets of areas to be treated. **4.** Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger. (Newspapers may be used).

For more effective control of storage pests [Flour Beetle, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Saw-toothed Grain Beetle, Grain Weevil, Warehouse Beetle, Red Flour Beetle, Confused Flour Beetle] and Cockroaches [Smokey Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach], [Crickets, (Waterbugs) (Palmetto Bugs) open all cupboard doors [kitchen, bathrooms, pantries], and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash. For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

READ ALL DIRECTIONS AND CAUTIONS BEFORE USING

TO START FOGGING: 1. SHAKE FOGGER WELL BEFORE USE: Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action. **2.** Set canister in an upright position on a table, stand, etc. (up to 30 inches in height in the center of the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. Leave the building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS. After two hours, open all outside doors and windows, turn on air conditioners and/or fans and let treated area air for 30 minutes before reoccupying. If additional units are used for remote rooms or where free flow of fog is not assured, increase airing-out time accordingly.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **PESTICIDE STORAGE:** Store in cool dry area. Always store pesticides in the original container. Store away from food and pet food. **PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Do not puncture or incinerate! Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

NOTE TO PHYSICIAN: Contains petroleum distillates–vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes skin irritation. Harmful if absorbed through skin. Do not get on skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable Ingredient
Ingrediente Altamente Inflamable

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

Kills Insects on Contact!

- Almond Moths
- American Cockroaches
- American Dog Ticks
- Angoumois Grain Moths
- Asian Cockroaches
- Australian Cockroaches
- Bedbugs
- Beetles
- Booklice
- Boxelder Bugs
- Brown Banded Cockroaches
- Brown Dog Ticks
- Cadelles Rice Weevils
- Carpenter Ants
- Carpenter Bees
- Carpet Beetles
- Centipedes
- Cheese Mites
- Chocolate Moths
- Cigarette Beetles
- Clover Mites
- Cluster Flies
- Cockroaches
- Deer Ticks
- Drugstore Beetles
- Earwigs
- Elm Leaf Beetles
- Fire Ants
- Firebrats
- Flat Grain Beetles
- Fleas - eggs, larvae, preadult, adults
- Flies
- Flour Beetles
- Flying Moths
- German Cockroaches
- Gnats
- Grain Mites
- Grain Weevils
- Granary Insects
- Ground Beetles
- Gulf Coast Ticks
- Hornets
- Indian Meal Moths
- Indian Mealworms
- Lesser Grain Borers
- Lice
- Long Star Ticks
- Merchant Grain Beetles
- Midges
- Millipedes
- Mosquitos
- Other Ixodid Species
- Palmetto Bugs
- Pharaoh Ants
- Pillbugs
- Red Flour Beetles
- Saw-toothed Grain Beetles
- Sciarid Flies
- Silverfish
- Smokey Brown Cockroaches
- Sowbugs
- Ticks
- Tobacco Moths
- Warehouse Beetles
- Wasps
- Waterbugs
- Wood Borers (exposed stages)
- Yellow Jackets

ACTIVE INGREDIENTS:
Pyrethrins . . . . . .
(S)-cyano(3-phenoxyphen
(1-methylethyl)benzenea
*Piperonyl butoxide, Tech
**N-Octyl bicycloheptene
2-[1-Methyl-2-(4-phenoxy
OTHER INGREDIENTS:

*Equivalent to 0.080% (bu
ether and 0.020% related
**MGK®-264, Insecticide

Mata los insectos al contacto:

Polillas de la almendra
Cucarachas americanas
Garrapatas de perro americanas
Polillas del grano Angoumois
Cucarachas asiáticas
Cucarachas australianas
Chinches de cama
Escarabajos
Piojos de los libros
Chinches del arce americano
Cucarachas de bandas café
Garrapatas café de perro
Carcomas grande de los granos
Hormigas carpinteras
Abejas carpinteras
Escarabajos de los alfombras
Ciempiés
Ácaros del queso
Polillas del cacao
Escarabajos del cigarrillo
Ácaros del trébol
Moscas de racimo
Cucarachas
Garrapatas del venado
Escarabajos de los farmacias
Tijeretas
Escarabajos de la hoja del olmo
Hormigas de fuego
Termobios
Escarabajos planos del grano
Pulgas - huevos, larvas, preadultas, adultos
Moscas
Escarabajos de la harina
Polillas voladoras
Cucarachas alemanas
Jejenes
Ácaros de los granos
Gorgojos de los granos
Insectos de los grano
Escarabajos de tierra
Garrapatas de la costa del Golfo
Avispones
Polillas indias de la harina
Gusanos indios de la harina
Barrenadores menores de los granos
Piojos
Garrapatas de la estrella solitaria
Escarabajos de grano comercial
Mosquitos pequeños
Milpiés
Mosquitos
Otras especies ixódidas
Chinches del palmito
Hormigas faraonas
Cochinillas de humedad
Escarabajos rojos de la harina
Gorgojos del arroz
Escarabajos del grano con dientes de sierra
Moscas del mantillo
Lepismas
Cucarachas café ahumado
Cochinillas
Garrapatas
Polillas del tabaco
Escarabajos de productos almacenados
Avispas
Chinches acuáticos
Barrenadores de madera (etapas expuestas)
Chaquetas amarillas



INGREDIENTES ACTIVOS:

Piretrinas	0.050%
Metil (S)-oiano(3-fenoxifenil)-bencenoacetato (S)-4-cloro-alfa-(1-metil-etil)	0.100%
*Piperonil butóxido, técnico	0.100%
**N-octil bicicloheptano dicarboximida	0.167%
2-piridina [1-metil-2-(4-fenoxifenoxi) etoxi]	0.100%
OTROS INGREDIENTES:	99.483%
	100,000%

*Equivalente a 0,080% de éter (butil carbitol) (6-propilpiperonil) y 0,020% de compuestos relacionados
**MGK®-264, Insecticide Synergist

Para uso en: partamentos, áticos, sótanos, botes, cabañas, autocaravanas, porches cerrados, condominios, garajes, hogares, cocinas, áreas donde duermen animales y áreas de almacenamiento

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

AVISO GUARDAR ESTE PRODUCTO EN UN AREA INACCESIBLE PARA NIÑOS

Consulte el panel posterior para otros avisos de precaución y primeros auxilios

Contiene 3 Nebulizadores

Una lata de 57 g tratará un área de hasta 57 m² (4.7 x 4.9 m con cielo raso de 2.4 m)

Peso neto 57 g (2.0 oz) cada una

Peso neto total 171 g (6.0 oz)

ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua ni los alimentos para humanos o animales al almacenarlo o eliminarlo. **ALMACENAMIENTO DE PESTICIDAS:** almacene el producto en un lugar fresco y seco. Almacene siempre los pesticidas en sus envases originales. Almacene lejos de alimentos para humanos y mascotas. **ELIMINACION DE PESTICIDAS Y MANIPULACION DE ENVASES:** ¡No perfore ni incinere el envase!
Este envase no debe rellenarse. No vuelva a utilizar o llenar este envase. **Si está vacío:** colóquelo en la basura u ofrézcalo para reciclaje, si este servicio está disponible. **Si está parcialmente lleno:** llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminar el producto.

PRIMEROS AUXILIOS

EN CASO DE INGERIR EL PRODUCTO: Llame inmediatamente a un centro de control de envenenamientos o a un médico. No induzca el vómito a menos que así se lo indique un centro de control de envenenamientos o un médico. No administre ningún líquido a la persona. No administre nada por boca a una persona que haya perdido el conocimiento. **SI ENTRA EN CONTACTO CON LA PIEL O LA ROPA:** Quítese la ropa contaminada, Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. Cuando llame a un centro de control de envenenamientos o a un médico, o busque tratamiento, tenga a mano el envase o la etiqueta del producto. Para obtener información sobre emergencias médicas o incidentes con pesticidas, llame al 1-888-740-8712.
NOTA PARA EL MÉDICO: contiene destilados de petróleo; el vómito puede causar neumonía por aspiración.

AVISOS DE PRECAUCION

RIESGOS PARA HUMANOS Y ANIMALES DOMESTICOS

AVISO

Provoca irritación de la piel. El producto es nocivo si se absorbe a través de la piel. No permita que el producto entre en contacto con la piel o la ropa: Lávese bien con agua y jabón después de manipular el producto y antes de comer, beber, masticar chicle o usar tabaco. Debe quitarse y lavar la ropa contaminada antes de volver a usarla. En algunas personas, el contacto prolongado o frecuente con la piel puede provocar reacciones alérgicas.

RIESGOS FISICOS O QUIMICOS

Ingrediente altamente inflamable

Contenido bajo presión. No utilice ni almacene el producto cerca de fuentes de calor o fuego abierto. No perfore ni incinere el envase. La exposición a temperaturas superiores a 54 °C (130 °F) puede causar una explosión. Este producto contiene un ingrediente altamente inflamable. Puede provocar un incendio o una explosión si no se utiliza debidamente. Siga atentamente las instrucciones que aparecen en Instrucciones de empleo en esta etiqueta

¿Preguntas? ¿Comentarios?
Vea el código en la parte inferior de la lata y, luego, llame al (800) 887-3524 o envíe un correo electrónico a Info@BlackFlagBrands.com

Comercializado por: Black Flag Brands. LLC
Una marca de primera clase de The Homax Group Inc.
3300 Corporate Drive, Joliet, IL 60431

NRO. REG. EPA.: 1021-1674-79529
NRO. EST. EPA.: 56993-MA-1 (L)
58996-MO-1 (A)
11623-GA-1 (P)

La primera letra del código del lote corresponde al establecimiento.

El nebulizador para chinches de cama y pulgas de Black Flag contiene una combinación de ingredientes que mata huevos de pulgas adultos y en incubación. Mata pulgas preadultas en incubación antes de que alcancen el tamaño para picar. El regulador del crecimiento de los insectos de este nebulizador continúa matando pulgas preadultas en incubación durante 7 meses al evitar que alcancen el estado adulto. El nebulizador alcanza a las pulgas y otros insectos relacionados ocultos en alfombras, tapetes, cortinas, tapicería, material de cama de mascotas, grietas en el piso y gabinetes abiertos. Es posible que en ocasiones se encuentren pulgas adultas en las áreas en tratamiento cuando los animales infestados las introducen nuevamente.

Para minimizar la posibilidad de que se vuelvan a introducir pulgas adultas desde afuera y para proteger a su mascota contra esto, utilice productos registrados por la EPA contra pulgas y garrapatas junto con esta aplicación, y antes de dejar volver al animal. Como parte de un programa completo de control de pulgas, utilice un espray registrado por la EPA para ambientes domésticos exteriores y del jardín.

INSTRUCCIONES DE EMPLEO:

Se considera una violación a la ley federal usar este producto con fines que no sean los indicados en la etiqueta.

LEA TODAS LAS INSTRUCCIONES ANTES DEL USO

Evite la contaminación de comestibles o piensos. Para uso solo cuando los seres humanos y las mascotas han desocupado el inmueble. Ventile el área durante 30 minutos antes de entrar nuevamente. Para obtener los mejores resultados, someta a tratamiento todas las áreas infestadas. Utilice un nebulizador por cada 57 metros cúbicos (2.000 pies cúbicos), aproximadamente 4,7 x 4,9 pies x cielo de 2,4 m (15.5 x 16 pies x cielo de 8 pies) de área sin obstrucciones. Utilice unidades adicionales para habitaciones distantes o cuando no pueda asegurarse un flujo libre de la neblina.

PREPARACION: NO utilice más de un nebulizador por habitación, **NO utilice** el producto en espacios pequeños y cerrados como closets, gabinetes ni bajo mostradores o mesas. No utilice el producto en una habitación de 1,5 x 1,5 m (5 x 5 pies) ni de menor tamaño; en cambio, deje que la neblina entre desde otras habitaciones. ***Apague TODAS las fuentes de ignición como llamas piloto (cierre las válvulas del gas), otras llamas abiertas o artefactos eléctricos en funcionamiento que se apagan y encienden cíclicamente (es decir, refrigeradores, termostatos, etc.).*** Llame a su empresa de suministro o administración del gas si necesita ayuda con las llamas piloto.

ANTES DE APLICAR LA NEBLINA: 1. Retire o cubra los alimentos, la vajilla, los utensilios, las superficies y los equipos para la manipulación de alimentos que estén expuestos. Apague los ventiladores y los acondicionadores de aire. **2.** Cierre las puertas y las ventanas que dan al exterior. Retire las mascotas y las aves, pero deje el material de cama de las mascotas, ya que este material es un escondrijo primario para las pulgas y debe someterse a tratamiento para obtener los mejores resultados. No es necesario desechar el material de cama de las mascotas después del tratamiento. Cubra o retire los acuarios y las peceras. **3.** Deje los tapetes, las cortinas y los muebles tapizados en su lugar. Este producto no dañará los muebles cuando se utilice de acuerdo con las instrucciones. Abra las puertas de los closets y los gabinetes que dan al interior de las áreas que se someterán al tratamiento. **4.** Cubra los pisos de madera encerados y los muebles encerados del área que está justo alrededor del nebulizador. (Se pueden utilizar periódicos).

Para lograr un control más eficaz de los insectos de almacenamiento [escarabajo de la harina, escarabajo del cigarrillo, escarabajo de las farmacias, barrenador menor de los granos, escarabajo de grano comercial, escarabajo del grano con dientes de sierra, gorgojo de los granos, escarabajo de productos almacenados, escarabajo rojo de la harina, escarabajo confuso de la harina] y de las cucarachas [cucaracha café ahumado, cucaracha de bandas café, cucaracha asiática, cucaracha alemana, cucaracha americana, cucaracha australiana], [grillos, (chinches acuáticas) (chinches del palmito), abra todas las puertas de las alacenas [cocina, baños, despensas] y los cajones para una mejor penetración de la neblina. Retire todos los comestibles infestados y deséchelos en la basura en el exterior. Para el control de pulgas y garrapatas, aspire bien todas las alfombras, los muebles tapizados, a lo largo de los rodapiés, debajo de los muebles y dentro de los closets. Ponga la bolsa de la aspiradora dentro de un saco y deséchelo en la basura en el exterior. Trapee las superficies de todos los pisos duros.

LEA TODAS LAS INSTRUCCIONES Y PRECAUCIONES ANTES DEL USO

PARA INICIAR LA APLICACION DE LA NEBLINA: **1.** AGITE BIEN EL NEBULIZADOR ANTES DE USARLO: sostenga la lata con el brazo extendido y la parte superior de ésta, apuntando lejos de su cara y sus ojos. Presione el apoyo para el dedo hasta que quede bloqueado. Con esta acción iniciará la aplicación de la neblina. **2.** Coloque el envase en posición vertical sobre una mesa, plataforma, etc. (hasta 0,8 m 30 pulgadas de altura en el centro del área) y ponga diversas capas de periódicos debajo del envase para evitar el deterioro de la superficie. Aplique el tratamiento en toda la vivienda utilizando varias unidades en hogares con más de un nivel y numerosas habitaciones. Abandone el inmueble de inmediato.

NO VUELVA A ENTRAR EN EL INMUEBLE DURANTE DOS HORA.

Después de dos horas, abra todas las puertas y ventanas que dan al exterior, encienda los acondicionadores de aire y/o los ventiladores y deje que se ventile el área tratada durante 30 minutos antes de volver a entrar. Si se utilizan unidades adicionales para habitaciones distantes o cuando no pueda asegurarse un flujo libre de la neblina, incremente el tiempo de ventilación según corresponda.

Mata los insectos al contacto:

Polillas de la almendra
Cucarachas americanas
Garrapatas de perro americanas
Polillas del grano Angoumois
Cucarachas asiáticas
Cucarachas australianas
Chinches de cama
Escarabajos
Piojos de los libros
Chinches del arce americano
Cucarachas de bandas café
Garrapatas café de perro
Carcomas grande de los granos
Hormigas carpinteras
Abejas carpinteras
Escarabajos de las alfombras
Ciempiés
Ácaros del queso
Polillas del cacao
Escarabajos del cigarrillo
Ácaros del trébol
Moscas de racimo
Cucarachas
Garrapatas del venado
Escarabajos de las farmacias
Tijeretas
Escarabajos de la hoja del olmo
Hormigas de fuego
Termobias
Escarabajos planos del grano
Pulgas - huevos, larvas, preadultas, adultas
Moscas
Escarabajos de la harina
Polillas voladoras
Cucarachas alemanas
Jejenes
Ácaros de los granos
Gorgojos de los granos
Insectos de los grano
Escarabajos de tierra
Garrapatas de la costa del Golfo
Avispones
Polillas indias de la harina
Gusanos indios de la harina
Barrenadores menores de los granos
Piojos
Garrapatas de la estrella solitaria
Escarabajos de grano comercial
Mosquitos pequeños
Milpiés
Mosquitos
Otras especies ixódidas
Chinches del palmito
Hormigas faraonas
Cochinillas de humedad
Escarabajos rojos de la harina
Gorgojos del arroz
Escarabajos del grano con dientes de sierra
Moscas del mantillo
Lepismas
Cucarachas café ahumado
Cochinillas
Garrapatas
Polillas del tabaco
Escarabajos de productos almacenados
Avispas
Chinches acuáticos
Barrenadores de madera (etapas expuestas)
Chaquetas amarillas



INGREDIENTES ACTIVOS:

Piretrinas	0.050%
Metil (S)-ciano(3-fenoxifenil)-bencenoacetato (S)-4-cloro-alfa-(1-metil-etil)	0.100%
*Piperonil butóxido, técnico	0.100%
**N-octil bicicloheptano dicarboximida	0.167%
2-piridina [1-metil-2-(4-fenoxifenoxi) etoxi]	0.100%
OTROS INGREDIENTES:	99.483%
	100.000%

*Equivalente a 0.080% de éter (butil carbitol) (6-propilpiperonil) y 0.020% de compuestos relacionados
**MGK®-264, Insecticide Synergist

Para uso en: partamentos, áticos, sótanos, botes, cabañas, autocaravanas, porches cerrados, condominios, garajes, hogares, cocinas, áreas donde duermen animales y áreas de almacenamiento

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

AVISO GUARDAR ESTE PRODUCTO EN UN AREA INACCESIBLE PARA NIÑOS

Consulte el panel posterior para otros avisos de precaución y primeros auxilios

Contiene 3 Nebulizadores

Una lata de 57 g tratará un área de hasta 57 m³ (4.7 x 4.9 m con cielo raso de 2.4 m)

Peso neto 57 g (2.0 oz) cada una
Peso neto total 171 g (6.0 oz)

ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua ni los alimentos para humanos o animales al almacenarlo o eliminarlo. **ALMACENAMIENTO DE PESTICIDAS:** almacene el producto en un lugar fresco y seco. Almacene siempre los pesticidas en sus envases originales. Almacene lejos de alimentos para humanos y mascotas. **ELIMINACION DE PESTICIDAS Y MANIPULACION DE ENVASES:** ¡No perfore ni incinere el envase!

Este envase no debe rellenarse. No vuelva a utilizar o llenar este envase. **Si está vacío:** colóquelo en la basura u ofrézcalo para reciclaje, si este servicio está disponible. **Si está parcialmente lleno:** llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminar el producto.

PRIMEROS AUXILIOS

EN CASO DE INGERIR EL PRODUCTO: Llame inmediatamente a un centro de control de envenenamientos o a un médico. No induzca el vómito a menos que así se lo indique un centro de control de envenenamientos o un médico. No administre ningún líquido a la persona. No administre nada por boca a una persona que haya perdido el conocimiento. **SI ENTRA EN CONTACTO CON LA PIEL O LA ROPA:** Quítese la ropa contaminada. Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. Cuando llame a un centro de control de envenenamientos o a un médico, o busque tratamiento, tenga a mano el envase o la etiqueta del producto. Para obtener información sobre emergencias médicas o incidentes con pesticidas, llame al 1-888-740-8712.

NOTA PARA EL MÉDICO: contiene destilados de petróleo; el vómito puede causar neumonía por aspiración.

AVISOS DE PRECAUCION

RIESGOS PARA HUMANOS Y ANIMALES DOMESTICOS

AVISO

Provoca irritación de la piel. El producto es nocivo si se absorbe a través de la piel. No permita que el producto entre en contacto con la piel o la ropa: Lávese bien con agua y jabón después de manipular el producto y antes de comer, beber, masticar chicle o usar tabaco. Debe quitarse y lavar la ropa contaminada antes de volver a usarla. En algunas personas, el contacto prolongado o frecuente con la piel puede provocar reacciones alérgicas.

RIESGOS FISICOS O QUIMICOS

Ingrediente altamente inflamable

Contenido bajo presión. No utilice ni almacene el producto cerca de fuentes de calor o fuego abierto. No perfore ni incinere el envase. La exposición a temperaturas superiores a 54 °C (130 °F) puede causar una explosión. Este producto contiene un ingrediente altamente inflamable. Puede provocar un incendio o una explosión si no se utiliza debidamente. Siga atentamente las instrucciones que aparecen en Instrucciones de empleo en esta etiqueta

¿Preguntas? ¿Comentarios?

Vea el código en la parte inferior de la lata
y, luego, llame al (800) 887-3524
o envíe un correo electrónico a
Info@BlackFlagBrands.com

Comercializado por: Black Flag Brands. LLC

Una marca de primera clase de The Homax Group Inc.

3300 Corporate Drive, Joliet, IL 60431

NRO. REG. EPA.: 1021-1674-79529

NRO. EST. EPA.: 5693-MA-1 (L)
58996-MO-1 (A)
11623-GA-1 (P)

La primera letra del código del lote corresponde al establecimiento.

El nebulizador para chinches de cama y pulgas de Black Flag contiene una combinación de ingredientes que mata huevos de pulgas adultos y en incubación. Mata pulgas preadultas en incubación antes de que alcancen el tamaño para picar. El regulador del crecimiento de los insectos de este nebulizador continúa matando pulgas preadultas en incubación durante 7 meses al evitar que alcancen el estado adulto. El nebulizador alcanza a las pulgas y otros insectos relacionados ocultos en alfombras, tapetes, cortinas, tapicería, material de cama de mascotas, grietas en el piso y gabinetes abiertos. Es posible que en ocasiones se encuentren pulgas adultas en las áreas en tratamiento cuando los animales infestados las introducen nuevamente.

Para minimizar la posibilidad de que se vuelvan a introducir pulgas adultas desde afuera y para proteger a su mascota contra esto, utilice productos registrados por la EPA contra pulgas y garrapatas junto con esta aplicación, y antes de dejar volver al animal. Como parte de un programa completo de control de pulgas, utilice un espray registrado por la EPA para ambientes domésticos exteriores y del jardín.

INSTRUCCIONES DE EMPLEO:

Se considera una violación a la ley federal usar este producto con fines que no sean los indicados en la etiqueta.

LEA TODAS LAS INSTRUCCIONES ANTES DEL USO

Evite la contaminación de comestibles o piensos. Para uso solo cuando los seres humanos y las mascotas han desocupado el inmueble. Ventile el área durante 30 minutos antes de entrar nuevamente. Para obtener los mejores resultados, someta a tratamiento todas las áreas infestadas. Utilice un nebulizador por cada 57 metros cúbicos (2,000 pies cúbicos), aproximadamente 4.7 x 4.9 pies x cielo de 2.4 m (15.5 x 16 pies x cielo de 8 pies) de área sin obstrucciones. Utilice unidades adicionales para habitaciones distantes o cuando no pueda asegurarse un flujo libre de la neblina.

PREPARACION: NO utilice más de un nebulizador por habitación. **NO utilice** el producto en espacios pequeños y cerrados como closets, gabinetes ni bajo mostradores o mesas. No utilice el producto en una habitación de 1.5 x 1.5 m (5 x 5 pies) ni de menor tamaño; en cambio, deje que la neblina entre desde otras habitaciones. ***Apague TODAS las fuentes de ignición como llamas piloto (cierre las válvulas del gas), otras llamas abiertas o artefactos eléctricos en funcionamiento que se apagan y encienden cíclicamente (es decir, refrigeradores, termostatos, etc.).*** Llame a su empresa de suministro o administración del gas si necesita ayuda con las llamas piloto.

ANTES DE APLICAR LA NEBLINA: 1. Retire o cubra los alimentos, la vajilla, los utensilios, las superficies y los equipos para la manipulación de alimentos que estén expuestos. Apague los ventiladores y los acondicionadores de aire. **2.** Cierre las puertas y las ventanas que dan al exterior. Retire las mascotas y las aves, pero deje el material de cama de las mascotas, ya que este material es un escondrijo primario para las pulgas y debe someterse a tratamiento para obtener los mejores resultados. No es necesario desechar el material de cama de las mascotas después del tratamiento. Cubra o retire los acuarios y las peceras. **3.** Deje los tapetes, las cortinas y los muebles tapizados en su lugar. Este producto no dañará los muebles cuando se utilice de acuerdo con las instrucciones. Abra las puertas de los closets y los gabinetes que dan al interior de las áreas que se someterán al tratamiento. **4.** Cubra los pisos de madera encerados y los muebles encerados del área que está justo alrededor del nebulizador. (Se pueden utilizar periódicos).

Para lograr un control más eficaz de los insectos de almacenamiento [escarabajo de la harina, escarabajo del cigarrillo, escarabajo de las farmacias, barrenador menor de los granos, escarabajo de grano comercial, escarabajo del grano con dientes de sierra, gorgojo de los granos, escarabajo de productos almacenados, escarabajo rojo de la harina, escarabajo confuso de la harina] y de las cucarachas [cucaracha café ahumado, cucaracha de bandas café, cucaracha asiática, cucaracha alemana, cucaracha americana, cucaracha australiana], [grillos, (chinches acuáticas) (chinches del palmito), abra todas las puertas de las alacenas [cocina, baños, despensas] y los cajones para una mejor penetración de la neblina. Retire todos los comestibles infestados y deséchelos en la basura en el exterior. Para el control de pulgas y garrapatas, aspire bien todas las alfombras, los muebles tapizados, a lo largo de los rodapiés, debajo de los muebles y dentro de los closets. Ponga la bolsa de la aspiradora dentro de un saco y deséchelo en la basura en el exterior. Trapee las superficies de todos los pisos duros.

LEA TODAS LAS INSTRUCCIONES Y PRECAUCIONES ANTES DEL USO

PARA INICIAR LA APLICACION DE LA NEBLINA: **1.** AGITE BIEN EL NEBULIZADOR ANTES DE USARLO: sostenga la lata con el brazo extendido y la parte superior de ésta, apuntando lejos de su cara y sus ojos. Presione el apoyo para el dedo hasta que quede bloqueado. Con esta acción iniciará la aplicación de la neblina.**2.** Coloque el envase en posición vertical sobre una mesa, plataforma, etc. (hasta 0.8 m 30 pulgadas de altura en el centro del área) y ponga diversas capas de periódicos debajo del envase para evitar el deterioro de la superficie. Aplique el tratamiento en toda la vivienda utilizando varias unidades en hogares con más de un nivel y numerosas habitaciones. Abandone el inmueble de inmediato.

NO VUELVA A ENTRAR EN EL INMUEBLE DURANTE DOS HORA.

Después de dos horas, abra todas las puertas y ventanas que dan al exterior, encienda los acondicionadores de aire y/o los ventiladores y deje que se ventile el área tratada durante 30 minutos antes de volver a entrar. Si se utilizan unidades adicionales para habitaciones distantes o cuando no pueda asegurarse un flujo libre de la neblina, incremente el tiempo de ventilación según corresponda.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Refer to outer carton for complete directions for use.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

Avoid contamination of food or feedstuffs. For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry. For best results, treat all infested areas. Use one fogger for each 2,000 cubic feet, approximately 15.5 ft. x 16 ft. x 8 ft. ceiling of unobstructed area. Use additional units for remote rooms or where the free flow of fog is not assured

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in cool dry area. Always store pesticides in the original container. Store away from food and pet food.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Do not puncture or incinerate! Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

NOTE TO PHYSICIAN: Contains petroleum distillates–vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes skin irritation. Harmful if absorbed through skin. Do not get on skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable Ingredient

Ingrediente altamente inflamable

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

Highly Flammable Ingredient
Ingrediente Altamente Inflamable

EPA Reg. No.	1021-1674-79529	
EPA Est. No.	5693-MA-1	L
	58996-MO-1	A
	11623-GA-1	P

The letter(s) of the lot code correspond to the establishment

QUESTIONS? COMMENTS?
See code on the bottom of can
then call (800) 887-3524
or Email Info@BlackFlagBrands.com

Sold by: Black Flag Brands, LLC.
A Premier Brand of The Homax Group Inc.
3300 Corporate Drive, Joliet, IL 60431

BLACK FLAG®

BEDBUG & FLEA FOGGER

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
(S)-cyano(3-phenoxyphenyl)methyl- (S)-4-chloro-alpha-(1-methylethyl)benzeneacetate	0.100%
*Piperonyl butoxide, Technical	0.100%
**N-Octyl bicycloheptene dicarboximide	0.167%
2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.100%
OTHER INGREDIENTS:	99.483%
	100.000%

*Equivalent to 0.080% (butylcarbityl) (6-propylpiperonyl) ether and 0.020% related compounds
**MGK®-264, Insecticide Synergist

KEEP OUT OF REACH OF CHILDREN

WARNING STORE THIS PRODUCT IN AN AREA INACCESSIBLE TO CHILDREN

See back panel for additional precautionary statements and first aid

NET WT 2 OZ (57 g)