



IODOPHOR SANITIZER

Low Foam IODINE ACTIVE Detergent Sanitizer

EPA Res. No. 7546-13-75686 EPA Est. No. 7546-WI-1

ACTIVE INGREDIENTS:

Butoxypolypropoxypolyethoxy ethanol-iodine complex*	16.00%
Phosphoric Acid	8.90%
OTHER INGREDIENTS	75.10%
TOTAL	100.00%

* (provides 1.75% minimum titratable iodine)

KEEP OUT OF REACH OF CHILDREN
DANGER

See side panel. Read Precautions Carefully.



FIRST AID

Call Poison Control Center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.
For Medical Emergency ONLY call: 24 Hour Emergency Response Number 1-800-851-7145 Ext. 075.



NET CONTENTS 1 GAL. (3.79 L)

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER. CORROSIVE. Causes irreversible eye damage or skin burns. Harmful if swallowed or absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear goggles or face shield. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.


STORAGE AND DISPOSAL
PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL
PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.
GENERAL: Consult federal, state, or local disposal authorities for approved alternative procedures such as limited open burning.

For product information, contact your local distributor.

MARKETED BY:
COMERCIALIZADO POR
INDEPENDENT
MARKETING ALLIANCE
Houston, TX 77065
PRODUCT OF USA /
PRODUCTO DE USA

**IODOPHOR
SANITIZER**
Low Foam IODINE ACTIVE
Detergent Sanitizer

KEEP OUT OF REACH OF CHILDREN
DANGER
See side panels for additional
precautionary statements.



ProPower™ offers a complete line of specialized janitorial products to handle all of your cleaning and sanitizing needs:

Machine Warewashing Solutions

*Detergents
Rinse Additives
Dellmers*

Manual Warewashing Solutions

*Pot & Pan Detergents
Presoaks*

Sanitizers & Disinfectants

Hard Surface Cleaners

*Glass Cleaners
General Purpose Cleaners
Heavy Duty Cleaners/ Degreasers
Deep Fat Fryer Cleaners
Oven & Grill Cleaners
Aerosol Cleaners/Deodorizers*

Institutional Laundry Solutions

Personal Care Products

Hand Care Specialties

3128299 9E 304

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. READ AND UNDERSTAND LABEL AND MATERIAL SAFETY DATA SHEET (MSDS) BEFORE USE.

BAR AND RESTAURANT COLD WATER GLASSWASHING

1. Dump waste from glasses and rinse.
2. Wash in glasswasher. Don't overload machine. Be sure machine is supplied with detergent.
3. Use this product in final rinse to sanitize. Adjust pump to deliver the proper amount of titratable iodine (12.5 ppm = 1 oz. of this product to 10 gal water) and verify concentration. This product should be used in glasswashing equipment with a final rinse cycle of at least 30 seconds are required by FDA Food Code § 4-703.11 (C)(3).
4. Allow glasses to air dry – do not towel dry.

FOODSERVICE UTENSIL CLEANING AND SANITIZING PROCEDURE

Prepare fresh sanitizing solution daily or more frequently if solution becomes diluted or soiled.

1. Pre-flush all surface to remove loose, gross soils.
2. Wash in a recommended detergent solution.
3. Rinse in clear water.
4. Sanitize in a solution of 1 oz. of product to 5 gallons of water by immersing for one minute (25 ppm titratable iodine).
5. Air dry. Do not towel dry. Store all clean utensils in a clean, dry, protected area.

TABLE OF PROPORTIONS

For 25 ppm* (titratable iodine) use 1 oz. of this product to 5 gallons of water. For 12.5 ppm (titratable iodine) use 1 oz. of this product to 10 gallons of water. Use a graduated 1 oz. cup to measure the proper amount of product.

*ppm means (parts per million) of active sanitizer.

PHOSPHORUS CONTENT: Contains not over 2.21% Elemental Phosphorus.