



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD **2015-2017** LIC. NO.

8402.2

Germicidal Detergent

Tear open and pour contents of packet into 1 gallon of water. Keep packets in box until ready to use.

EPA Reg. No. 10324-155-8722 EPA Est. No. 86091-WI-1

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride5.07%
n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%)
dimethyl benzyl ammonium chloride3.38%

INERT INGREDIENTS:91.55%

TOTAL:100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO

SEE OUTER CONTAINER FOR PRECAUTIONARY STATEMENTS AND USE DIRECTIONS.

DISPOSAL:

Do not reuse container. Wrap and put in trash collection.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

PortionPac® 201N

NET WT. 1 FLUID OZ./29.5 ML

24-Hour Emergency Response: 1-800-535-5053

Sold By PortionPac Chemical Corp., portionpaccorp.com, 312-226-0400
400 N. Ashland Ave., Chicago, IL 60622 USA

C-13

Germicidal Detergent

Tear open and pour contents of packet into 2 gallons of water. Keep packets in box until ready to use.

EPA Reg. No. 10324-155-8722 EPA Est. No. 86091-WI-1

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride5.07%

n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%)

dimethyl benzyl ammonium chloride3.38%

INERT INGREDIENTS:91.55%

TOTAL:100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO

SEE OUTER CONTAINER FOR PRECAUTIONARY
STATEMENTS AND USE DIRECTIONS.

DISPOSAL:

Do not reuse container. Wrap and put in trash collection.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

PortionPac[®] 202N

NET WT. 2 FLUID OZ./59 ML

24-Hour Emergency Response: 1-800-535-5053

Sold By PortionPac Chemical Corp., portionpaccorp.com, 312-226-0400

400 N. Ashland Ave., Chicago, IL 60622 USA

C-13

Germicidal Detergent

Tear open and pour contents of packet into 4 gallons of water. Keep packets in box until ready to use.

EPA Reg. No. 10324-155-8722 EPA Est. No. 86091-WI-1

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride.....5.07%
n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%)
dimethyl benzyl ammonium chloride3.38%

INERT INGREDIENTS:91.55%

TOTAL:100.00%

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**

SEE OUTER CONTAINER FOR PRECAUTIONARY
STATEMENTS AND USE DIRECTIONS.

DISPOSAL:

Do not reuse container. Wrap and put in trash collection.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

PortionPac® 204N

NET WT. 4 FLUID OZ./118 ML

24-Hour Emergency Response: 1-800-535-5053

Sold By PortionPac Chemical Corp.,
portionpaccorp.com, 312-226-0400

400 N. Ashland Ave., Chicago, IL 60622 USA

C-13

Germicidal Detergent

Tear open and pour contents of packet into 5 gallons of water. Keep packets in box until ready to use.

EPA Reg. No. 10324-155-8722 EPA Est. No. 86091-WI-1

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride5.07%

n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%)

dimethyl benzyl ammonium chloride3.38%

INERT INGREDIENTS:91.55%

TOTAL:100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO

SEE OUTER CONTAINER FOR PRECAUTIONARY
STATEMENTS AND USE DIRECTIONS.

DISPOSAL:

Do not reuse container. Wrap and put in trash collection.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

PortionPac[®] 205N

NET WT. 5 FLUID OZ./148 ML

24-Hour Emergency Response: 1-800-535-5053

Sold By PortionPac Chemical Corp.,

portionpaccorp.com, 312-226-0400

400 N. Ashland Ave., Chicago, IL 60622 USA

C-13

Germicidal Detergent

Tear open and pour contents of packet into 30 gallons of water.
Keep packets in box until ready to use.

EPA Reg. No. 10324-155-8722 EPA Est. No. 86091-WI-1

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride5.07%
n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%)
dimethyl benzyl ammonium chloride 3.38%

INERT INGREDIENTS: 91.55%

TOTAL:.....100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

SEE OUTER CONTAINER FOR PRECAUTIONARY STATEMENTS
AND USE DIRECTIONS.

DISPOSAL:

Do not reuse container. Wrap and put in trash collection.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU
SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO
APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR
SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS
FOR USE BEFORE WORKING WITH THIS PRODUCT.

PortionPac[®] 230N

NET WT. 30 FLUID OZ./887 ML

24-Hour Emergency Response: 1-800-535-5053

Sold By PortionPac Chemical Corp.,
portionpaccorp.com, 312-226-0400

400 N. Ashland Ave., Chicago, IL 60622 USA

C-13

Germicidal Detergent

Tear open and pour contents of packet into 6.5 gallons of water. Keep packets in box until ready to use.

EPA Reg. No. 10324-155-8722 EPA Est. No. 86091-WI-1

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride5.07%
n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%)
dimethyl benzyl ammonium chloride3.38%

INERT INGREDIENTS:91.55%

TOTAL:100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO

SEE OUTER CONTAINER FOR PRECAUTIONARY
STATEMENTS AND USE DIRECTIONS.

DISPOSAL:

Do not reuse container. Wrap and put in trash collection.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

PortionPac[®] 264N

NET WT. 6.5 FLUID OZ./192 ML

24-Hour Emergency Response: 1-800-535-5053

Sold By PortionPac Chemical Corp.,
portionpaccorp.com, 312-226-0400

400 N. Ashland Ave., Chicago, IL 60622 USA

C-13

Germicidal Detergent

Tear open and pour contents of packet into 1 gallon of water. Keep packets in box until ready to use.

E.P.A. Reg. No. 10324-155-8722 E.P.A. Est. No. 86091-WI-1

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride.....5.07%
n-Alkyl (C14 50%, C12 40%, C16 10%)
dimethyl benzyl ammonium chloride.....3.38%

INERT INGREDIENTS:91.55%

TOTAL:100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO

SEE OUTER CONTAINER FOR PRECAUTIONARY STATEMENTS
AND USE DIRECTIONS.

DISPOSAL: Do not reuse container. Wrap and put in trash collection.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

CorrectPac® CP201

24-Hour Emergency Response: 1-800-535-5053

Sold By PortionPac Chemical Corp., correctpac.com, 312-226-0400
400 N. Ashland Ave., Chicago, IL 60622 U.S.A.

C-13



NET WT. 1 FLUID OZ./29.5 ML

Germicidal Detergent

Tear open and pour contents of packet into 2 gallons of water. Keep packets in box until ready to use.

E.P.A. Reg. No. 10324-155-8722 E.P.A. Est. No. 86091-WI-1

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride5.07%

n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%)

dimethyl benzyl ammonium chloride3.38%

INERT INGREDIENTS:91.55%

TOTAL:100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO

SEE OUTER CONTAINER FOR PRECAUTIONARY STATEMENTS
AND USE DIRECTIONS.

DISPOSAL: Do not reuse container. Wrap and put in trash collection.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

CorrectPac® CP202

24-Hour Emergency Response: 1-800-535-5053

Sold By PortionPac Chemical Corp., correctpac.com, 312-226-0400
400 N. Ashland Ave., Chicago, IL 60622 U.S.A.

C-13



NET WT. 2 FLUID OZ./59 ML

Germicidal Detergent

Tear open and pour contents of packet into 4 gallons of water. Keep packets in box until ready to use.

E.P.A. Reg. No. 10324-155-8722 E.P.A. Est. No. 86091-WI-1

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride5.07%

n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%)

dimethyl benzyl ammonium chloride3.38%

INERT INGREDIENTS:91.55%

TOTAL: 100.00%

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**

SEE OUTER CONTAINER FOR PRECAUTIONARY STATEMENTS
AND USE DIRECTIONS.

DISPOSAL: Do not reuse container. Wrap and put in trash collection.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU
SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS
ANTES DE TRABAJAR CON ESTE PRODUCTO.

DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR
TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE
WORKING WITH THIS PRODUCT.

CorrectPac[®] CP204

24-Hour Emergency Response: 1-800-535-5053

Sold By PortionPac Chemical Corp., correctpac.com, 312-226-0400

400 N. Ashland Ave., Chicago, IL 60622 U.S.A.

C-13



NET WT. 4 FLUID OZ./118 ML

Germicidal Detergent

Tear open and pour contents of packet into 5 gallons of water. Keep packets in box until ready to use.

E.P.A. Reg. No. 10324-155-8722 E.P.A. Est. No. 86091-WI-1

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride.....5.07%
n-Alkyl (C14 50%, C12 40%, C16 10%)
dimethyl benzyl ammonium chloride.....3.38%

INERT INGREDIENTS:91.55%

TOTAL:100.00%

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

SEE OUTER CONTAINER FOR PRECAUTIONARY STATEMENTS
AND USE DIRECTIONS.

DISPOSAL: Do not reuse container. Wrap and put in trash collection.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

CorrectPac® CP205

24-Hour Emergency Response: 1-800-535-5053

Sold By PortionPac Chemical Corp., correctpac.com, 312-226-0400
400 N. Ashland Ave., Chicago, IL 60622 U.S.A.

C-13



NET WT. 5 FLUID OZ./148 ML

Germicidal Detergent

Tear open and pour contents of packet into 6.5 gallons of water. Keep packets in box until ready to use.

E.P.A. Reg. No. 10324-155-8722 E.P.A. Est. No. 86091-WI-1

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride5.07%
n-Alkyl (C14 50%, C12 40%, C16 10%)

dimethyl benzyl ammonium chloride3.38%

INERT INGREDIENTS:91.55%

TOTAL:100.00%

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**

SEE OUTER CONTAINER FOR PRECAUTIONARY STATEMENTS
AND USE DIRECTIONS.

DISPOSAL: Do not reuse container. Wrap and put in trash collection.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU
SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS
ANTES DE TRABAJAR CON ESTE PRODUCTO.

DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR
TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE
WORKING WITH THIS PRODUCT.

CorrectPac® CP264

24-Hour Emergency Response: 1-800-535-5053

Sold By PortionPac Chemical Corp., correctpac.com, 312-226-0400
400 N. Ashland Ave., Chicago, IL 60622 U.S.A.

C-13



NET WT. 6.5 FLUID OZ./192 ML

RESTROOM/BATHROOM

NON-ACID TOILET BOWL & URINAL & BATHROOM DISINFECTANT/CLEANER DIRECTIONS

USE SOLUTION INSTRUCTIONS

PREPARATION OF USE SOLUTION: Mix 1 ounce of this product with 1 gallon of water (or equivalent use dilution).

FROM USE SOLUTION: Preclean surface. Empty water out of toilet bowl or urinal and apply 1/2 to 1 ounce use solution to exposed surfaces, including under the rim with a brush, cloth, mop, sponge, auto scrubber, mechanical spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Allow solution to stand for 10 minutes and flush. Swab all areas after spraying. Refill toilet bowl or urinal with water. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

DEEP CLEANING/DISINFECTING WATERFREE URINALS: Preliminary cleaning is required for heavily soiled surfaces. Remove and properly dispose of cartridge according to manufacturer's directions. Deep clean or disinfect the entire urinal by applying 1/2 to 1 ounce of use solution directly onto surface. Scrub surfaces and let solution stand for 10 minutes. Dry surface with a soft cloth. Do not pour excess or soiled water down waterless urinal trap. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

TO CLEAN WATERLESS URINALS: Remove any debris from the bowl. Spray 1/2 - 1 oz. of use solution onto urinal surface. DO NOT spray product directly onto cartridge. Wipe surface to clean. Change cartridge as needed.

FOR USE TO CLEAN AND DISINFECT SHOWER ROOMS, LOCKER ROOMS AND OTHER LARGE, OPEN AREAS WITH FLOOR DRAINS:

1. Preclean heavily soiled areas.
2. Apply use solution of 1 ounce of this product per 1 gallon of water (or equivalent use dilution) to floors, walls and ceilings making sure not to over spray. To disinfect, all hard nonporous surfaces must remain wet for 10 minutes.
3. Scrub surface using a deck brush or other coarse material as necessary.
4. Rinse surfaces thoroughly and let air dry.
5. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

CLEANING

GLASS CLEANING DIRECTIONS: Use a 1 ounce of this product per 1 gallon of water solution to clean and deodorize windows, mirrors, and glass surfaces. Use a coarse spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Rub with sponge or cloth. Change cloth, sponge or towels frequently to avoid redeposition of soil.

CLEANSING OF BODY SURFACES AND BODY ORIFICES OF HUMAN REMAINS: To cleanse away skin secretions and accompanying malodor, to insure the removal of all soil and bloodstains, and to remove and reduce surface contamination, apply 1 ounce of this product to 1 gallon of water (or equivalent use dilution) to the surfaces and body openings, natural or artificial. Bathe the entire body using sponge or washcloth. A soft brush may be employed on surfaces other than the face. Allow a 10-minute contact time for optimal results. Prepare fresh solution for each cadaver at least daily or when use solution becomes visibly dirty.

FOR USE ON FINISHED FLOORS: To limit gloss reduction, use 1 ounce of this product per 1 gallon of water (or equivalent use dilution). Apply with a damp mop or auto scrubber. Allow surface to air dry.

6

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARD

This product is toxic to fish.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix with oxidizers, anionic soaps and detergents.
Do not use or store near heat or open flame.

This product is for use on hard, non-porous surfaces in:

- Hospitals, medical and dental offices and clinics, healthcare facilities and nursing homes.
- Restaurants, bars, kitchens, cafeterias and food storage areas.
- Police stations, courthouses, correctional facilities, bus stations and train stations.
- Business and office buildings and restrooms.
- Hotels and motels, dormitories.
- Institutions, schools, colleges, commercial and industrial institutions, athletic facilities, locker rooms and exercise facilities.
- Food processing plants, federally inspected meat and poultry plants.
- Veterinary clinics, kennels, grooming establishments, zoos, and other animal care facilities.
- Cruise ships, airports, shipping terminals and transportation terminals.

This product contains no abrasives, bleach, harsh acids or phosphates so it won't scratch surfaces.

Use this product on the multi-touch surfaces responsible for cross-contamination.

This product is formulated for use on hard, non-porous surfaces such as: Aluminum, laminated surfaces, stainless steel, glazed porcelain, glazed tile, glazed ceramic, plastic, chrome, vinyl and painted surface, countertops, tables, chairs, telephones, walls, ceilings, fixtures, floors, toilets, urinals and sinks. This product is for use on hard, non-porous surfaces in: shower rooms and locker rooms. This product non-dulling formula eliminates the time and labor normally required for rinsing.

This product can be used to disinfect on hard, non-porous surfaces such as: Wrestling and gymnastic mats, exercise equipment, athletic training tables, physical therapy tables, athletic helmets, wrestling/boxing headgear and athletic shoe soles.

This product kills 99.9% of any disinfection organism listed on hard, non-porous surfaces.

This product is a one-step hospital-use germicidal cleaner designed for general cleaning, disinfecting and controlling mold and mildew on hard, non-porous surfaces. This product cleans quickly by removing dirt, grime, mold, mildew, food residue, body oils, dead skin, blood and other organic matter commonly found in hospitals, nursing homes, schools and colleges, day care centers, medical offices, funeral homes, veterinary clinics, pet shops, equine farms, animal life science laboratories, hotels, motels, public areas and restrooms, food service, restaurants and federally inspected meat and poultry plants, food processing plants.

This product kills Avian Influenza A virus.

This product *kills Pandemic 2009 H1N1 influenza A virus.

This product is a one-step disinfectant that is effective against a broad-spectrum of bacteria, is virucidal*, including HIV-1, HBV and HCV, and inhibits the growth of mold and mildew and their odors when used as directed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

CONTAINER HANDLING/PESTICIDE DISPOSAL/STORAGE: Open dumping is prohibited. Store only in original container. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

PACKET DISPOSAL: Nonrefillable container. Completely empty packet into application equipment. Do not reuse or refill this packet. Wrap empty packet and put in trash.

Contact Information:

24 Hour Emergency Response

1-800-535-5053

Sold by:

PortionPac Chemical Corp.

400 N. Ashland Avenue

Chicago, IL 60622 USA

312-226-0400

fax: 312-226-5400

C-13

7

This product is for use in federally inspected meat and poultry plants on all hard, non-porous surfaces in inedible product processing areas, non-processing areas and/or exterior areas, federally inspected meat and poultry plants as a floor and wall cleaner for use in all departments, and federally inspected meat and poultry plants as a disinfectant agent for use in all departments.

Escherichia coli and Staphylococcus aureus are common germs found where food is prepared and stored.

This product is effective against Canine Parvovirus.

This product is an effective fungicide against Trichophyton mentagrophytes, the athlete's foot fungus, when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities.

This product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces.

This product is formulated to provide effective cleaning strength that will not dull high gloss floor finishes with repeated use.

DISINFECTION PERFORMANCE IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions) AND NON-MEDICAL FACILITIES (Households, Schools, Restaurants, Food Services, Dairies, Farms, Beverage, Food Processing Plants and Other Non-Medical Facilities): This product is effective against: Acinetobacter baumannii, Acinetobacter Iwoffii, Bordetella bronchiseptica, Chlamydia psittaci, Citrobacter freundii, Enterobacter agglomerans, Enterobacter aerogenes, Enterobacter cloacae, Escherichia coli, Escherichia coli O111:H8, Extended Spectrum B-Lactamase (ESBL) Escherichia coli, Tetracycline Resistant Escherichia coli, Enterococcus faecalis, Enterococcus hirae, Fusobacterium necrophorum Klebsiella oxytoca, Klebsiella pneumoniae, Listeria monocytogenes, Micrococcus luteus, Pasturella multocida, Proteus vulgaris, Pseudomonas aeruginosa, Tetracycline Resistant Pseudomonas aeruginosa, Pseudomonas cepacia, Salmonella enterica, Salmonella enterica serotype pullorum, Salmonella typhi, Salmonella typhimurium, Serratia marcescens, Shigella flexneri, Shigella sonnei, Staphylococcus aureus, Staphylococcus aureus sub species aureus, Community Associated Methicillin Resistant Staphylococcus aureus (CA-MRSA), Methicillin Resistant Staphylococcus aureus (MRSA), Staphylococcus epidermidis, Streptococcus agalactiae, Staphylococcus haemolyticus, Streptococcus pneumoniae Penicillin Resistant, Streptococcus pyogenes, Streptococcus mutans, Vancomycin Resistant Enterococcus faecalis (VRE), Vancomycin Intermediate Resistant Staphylococcus aureus (VISA), Vibrio cholera, Yersinia enterocolitica

VRUCIDAL* PERFORMANCE: This product is effective against: Avian Influenza A H3N2 virus, Avian Influenza A H5N1 virus, Cytomegalovirus, SARS-associated Coronavirus, Hantavirus, Hepatitis B Virus, Hepatitis C Virus, Herpes Simplex Virus Type 1, Herpes Simplex Virus Type 2, Human Coronavirus, Human Immunodeficiency Virus type 1 (HIV 1), Influenza A H1N1 virus, Respiratory syncytial virus

ANIMAL PREMISE VIRUCIDAL* PERFORMANCE: This product is effective against: Avian Infectious Bronchitis virus Beaudette IB42, Avian Influenza A H5N1 virus, Avian Influenza A H3N2 virus, Canine Coronavirus, Canine Parvovirus (4 oz. per gallon), Canine Distemper virus, Feline Picornavirus, Infectious Bovine Rhinotracheitis virus, Pseudorabies virus, Swine Influenza A H1N1 virus, Transmissible Gastroenteritis virus, Vaccinia virus, Porcine Parvovirus (4 oz. per gallon), Rabies (4 oz. per gallon)

FUNGICIDAL PERFORMANCE: This product is effective against: Candida albicans, Trichophyton mentagrophytes - athlete's foot fungus/a cause of Ringworm

MILDEWCIDAL PERFORMANCE: This product is effective against: Aspergillus niger

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

3

BOTTOM GLUE

Before using this product, food products and packaging materials must be removed from the room or carefully protected. Do not use this product to clean or disinfect utensils, glassware, dishes or interior surfaces of appliances.

Prior to use of this product, cover or remove all food and packaging material before disinfection and remove all animals and birds from premises, animal transportation vehicles, and enclosures. Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other surfaces of facilities and fixtures occupied or traversed by poultry or other animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water. **Do not use in milking stalls, milking parlors or milk houses.**

DISINFECTION/VIRUCIDAL*/FUNGICIDAL/MOLD AND MILDEW PERFORMANCE IN INSTITUTIONS AND NON-MEDICAL FACILITIES: Add 1 ounce of this product to 1 gallon of water (or equivalent use dilution). For heavily soiled areas, a preliminary cleaning is required. Apply use solution to hard non-porous surfaces with a brush, cloth, mop, sponge, auto scrubber, mechanical spray device or by immersion so as to thoroughly wet surfaces. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Immerse all halters and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure in the use solution. After application, ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains and waterers and other treated equipment which can contact food or water with soap or detergent, and rinse with potable water before reuse. Rub with brush, cloth, mop, or sponge. Treated surfaces must remain wet for 10 minutes. Allow to air dry. Rinse all treated surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

FOR USE AS A ONE-STEP CLEANER/DISINFECTANT:

1. Preclean heavily soiled areas.
2. Apply 1 ounce of this product per 1 gallon of water (or equivalent use dilution) to hard, non-porous surfaces using a sponge, brush, cloth, mop, auto scrubber or mechanical spray device or by immersion. For spray applications, spray 6-8 inches from surface. Do not breathe spray.
3. Rub with brush, cloth, or sponge.
4. To disinfect, all surfaces must remain wet for 10 minutes.
5. Allow to air dry.
6. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

FOR DISINFECTING HARD, NON-POROUS SURFACES AGAINST AVIAN INFLUENZA A H5N1, H3N2, INFLUENZA A H1N1 VIRUS: For use in homes, hospitals, hotels, motels, schools, animal premises, and other animal use sites, follow the **DISINFECTION/VIRUCIDAL*/FUNGICIDAL/MOLD AND MILDEW PERFORMANCE IN INSTITUTIONS AND NON-MEDICAL FACILITIES** directions.

HOSPITAL/HEALTH CARE/INSTITUTIONAL

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or, (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product can be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

This product is a Hospital Use Disinfectant at 1 ounce of this product per 1 gallon of water (or equivalent use dilution) modified in the presence of 400 ppm hard water.

***KILLS HIV, HBV AND HCV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard

Germicidal Detergent

Applicable for 201N, 202N, 204N, 205N, 230N, 264N, CP201, CP202, CP204, CP205, CP264, SFS20N

One Step Disinfectant

Germicidal Detergent

Disinfectant, Cleaner, Mildewstat, Fungicide, Virucide*, for Hospitals, Nursing Homes, Hotels & Motels, Food Service, Commercial, Institutional, and Industrial Use. For use in Schools, Veterinary, Restaurant, Food Handling and Process Areas.

Non-Dulling to Floor Finishes.

Athletic Surface Disinfectant.

Effective in hard water up to 400 ppm hardness in the presence of 5% serum contamination.

Made in the USA

Meets OSHA Bloodborne Pathogen Standard for HIV, HBV and HCV.

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride.....5.07%

n-Alkyl (C14 50%, C12 40%, C16 10%) dimethyl benzyl ammonium chloride 3.38%

INERT INGREDIENTS: 91.55%

TOTAL 100.00%

EPA Reg. No. 10324-155-8722 EPA Est. No. 8722-IL-1_a, 86091-WI-1_b

(Subscript corresponds to first digit of Lot Code on container.)

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

See inside panel for additional precautionary statements.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

First Aid

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1), Hepatitis B Virus (HBV), and Hepatitis C Virus (HCV).

“SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/ OBJECTS SOILED WITH BLOOD/BODY FLUIDS.”

Personal Protection: Clean up must always be done wearing protective latex gloves, gowns, masks and eye protection.

Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from hard nonporous surfaces and objects before application of this product.

Disposal of Infectious Materials: Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

Contact Time: Leave hard nonporous surfaces wet for 10 minutes.

CLEANING AND DISINFECTING HARD, NON-POROUS SURFACES ON PERSONAL PROTECTIVE EQUIPMENT (RESPIRATORS):

Pre-clean equipment if heavily soiled to ensure proper surface contact. Apply a 1-ounce of this product to 1 gallon of water use solution (or equivalent use dilution). Gently mix for uniform solution. Apply use solution to surfaces of the respirator with a brush, cloth, mop, sponge, auto scrubber, mechanical spray device or by immersion. Thoroughly wet all surfaces to be disinfected. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, cloth, or sponge. Treated surfaces must remain wet for 10 minutes. Remove excess solution from equipment prior to storage. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty. The user must comply with all OSHA regulations for cleaning respiratory protection equipment (29 CFR § 1910.134).

SPECIAL INSTRUCTIONS FOR CLEANING AND DISINFECTING AREAS WHICH MAY BE INFESTED WITH HANTAVIRUS:

Infection with Hantavirus occurs by inhalation of infectious materials. CDC recommends that persons involved with cleanup wear coveralls, disposable, if possible, rubber boots or disposable shoe covers, rubber or plastic gloves, protective goggles, and a half mask air purifying, negative pressure respirator with a high efficiency particulate air HEPA filter or a powered air-purifying respirator with HEPA filter. Disinfect Personal protective gear upon removal at the end of the day. If coveralls are not disposable, they must be laundered on site. If no laundry facilities are available, the coveralls must be immersed in liquid disinfectant until they can be washed. All potential infective waste material, including respirator filter, from cleanup operations that cannot be burned or deep buried on site must be double bagged in appropriate plastic bags. The bagged material must then be labeled as infectious and disposed of in accordance with local requirements for infectious wastes. Rodent droppings and visible dust can be reservoirs for Hantavirus. If you are cleaning out a building that has been closed up, such as a cabin, shed or garage:

- a. Air out the building for at least 30 minutes by opening windows and doors.
- b. Leave the building while it is airing out.
- c. Do not vacuum, sweep or dust. This may spread the virus through the air.
- d. Thoroughly wet the contaminated areas with 1 oz of this product per 1 gallon of water solution (or equivalent use dilution) and allow to stand undisturbed for 10 minutes.
- e. Carefully remove contaminated material and dispose by burial or burning. Contact your local and state health department for additional disposal methods.
- f. Treat the surface again following the label directions and allow solution to stand undisturbed for 10 minutes.

DISINFECTING BARBER/SALON SHEARS AND OTHER IMPLEMENTS: Remove hair, dandruff and dust particles prior to disinfecting the blades. While clipper/shear is running, hold in the downward position and spray with use solution. Do not spray on the clipper case or drip into clipper housing. Immerse pre-cleaned barber/salon tools such as combs, plastic rollers, razors, clipper and trimmer blades, tweezers, manicure/pedicure tools, clippers, scissors, and other salon instruments and tools. Treat surfaces must remain wet for at least 10 minutes. Rinse and allow to air dry. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

Note: Plastic instruments can remain immersed until ready to use. Stainless steel shears and other metal instruments must be removed after 10 minutes, rinsed, dried and kept in a clean, non-contaminated receptacle. Prolonged soaking will cause damage to metal instruments.

5