

ANIMAL PREMISES

SPECIAL INSTRUCTIONS FOR CLEANING AND DISINFECTING AREAS WHICH MAY BE INFESTED WITH HANTAVIRUS: Infection with Hantavirus occurs by inhalation of infectious materials. CDC recommends that persons involved with cleanup wear coveralls, disposable, if possible, rubber boots or disposable shoe covers, rubber or plastic gloves, protective goggles, and a half mask air purifying, negative pressure respirator with a high efficiency particulate air HEPA filter or a powered air-purifying respirator (PAPR) with HEPA filter. Disinfect Personal protective gear upon removal at the end of the day. If coveralls are not disposable, they must be laundered on site. If no laundry facilities are available, the coveralls must be immersed in liquid disinfectant until they can be washed. All potential infective waste material, including respirator filter, from cleanup operations that cannot be burned or deep buried on site must be double bagged in appropriate plastic bags. The bagged material must then be labeled as infectious and disposed of in accordance with local requirements for infectious wastes. Rodent droppings and visible dust can be reservoirs for Hantavirus. If you are cleaning out a building that has been closed up, such as a cabin, shed or garage:

- Air out the building for at least 30 minutes by opening windows and doors.
- Leave the building while it is airing out.
- Do not vacuum, sweep or dust. This may spread the virus through the air.
- Thoroughly wet the contaminated areas with 1 oz of this product per 1 quart of water solution (660 ppm active quat) (or equivalent use dilution) and allow to stand undisturbed for 10 minutes.
- Carefully remove contaminated material and dispose by burial or burning. Contact your local and state health department for additional disposal methods.
- Treat the surface again following the label directions and allow solution to stand undisturbed for 10 minutes.

RESTROOM/BATHROOM

NON-ACID TOILET BOWL & URINAL & BATHROOM DISINFECTANT/CLEANER DIRECTIONS

USE SOLUTION INSTRUCTIONS

PREPARATION OF USE SOLUTION: Mix a 1-oz packet of this product with 1 quart of water (or equivalent use dilution) (660 ppm active).

FROM USE SOLUTION: Pre-clean surface. Empty water out of toilet bowl or urinal and apply 1/2 to 1 ounce use solution to exposed surfaces, including under the rim with a brush, cloth, mop, sponge, auto scrubber, mechanical spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Allow solution to stand for 10 minutes and flush. Swab all areas after spraying. Refill toilet bowl or urinal with water. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

DEEP CLEANING/DISINFECTING WATERFREE URINALS: Preliminary cleaning is required for heavily soiled surfaces. Remove and properly dispose of cartridge according to manufacturer's directions. Deep clean or disinfect the entire urinal by applying 1/2 to 1 ounce of use solution directly onto surface. Scrub surfaces and let solution stand for 10 minutes. Dry surface with a soft cloth. Do not pour excess or soiled water down waterless urinal trap. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

TO CLEAN WATERFREE URINALS: Remove any debris from the bowl. Spray 1/2 to 1 oz. of use solution onto urinal surface. DO NOT spray product directly onto cartridge. Wipe surface to clean. Change cartridge as needed.

OTHER INSTRUCTIONS

FOR USE TO CLEAN AND DISINFECT SHOWER ROOMS, LOCKER ROOMS AND OTHER LARGE, OPEN AREAS WITH FLOOR DRAINS:

- Pre-clean heavily soiled areas.
- Apply use solution of a 1-ounce packet of this product per 1 quart of water (or equivalent use dilution) (660 ppm active) to floors, walls and ceilings making sure not to over spray. To disinfect, all hard nonporous surfaces must remain wet for 10 minutes.
- Scrub surface using a deck brush or other coarse material as necessary.
- Rinse surfaces thoroughly and let air dry.
- Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

CLEANSING OF BODY SURFACES AND BODY ORIFICES OF HUMAN REMAINS: To cleanse away skin secretions and accompanying malodor, to insure the removal of all soil and bloodstains, and to remove and reduce surface contamination, apply 1 ounce of this product to 1 quart of water (or equivalent use dilution) to the surfaces and body openings, natural or artificial. Bathe the entire body using sponge or washcloth. A soft brush may be employed on surfaces other than the face. Allow a 10-minute contact time for optimal results. Prepare a fresh solution for each cadaver at least daily or when use solution becomes visibly dirty.

FOR USE ON FINISHED FLOORS: To limit gloss reduction, use 1 ounce of this product per 1 quart of water (or equivalent use dilution). Apply with a damp mop or auto scrubber. Allow surface to air dry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

CONTAINER HANDLING/PESTICIDE DISPOSAL/STORAGE: Open dumping is prohibited. Store only in original container. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

PACKET DISPOSAL: Nonrefillable container. Completely empty packet into application equipment. Do not reuse or refill this packet. Wrap empty packet and put in trash.

Contact Information:

For emergencies, call, 1-800-535-5053, 24 Hours a day

Sold by:

PortionPac Chemical Corp.
400 N. Ashland Avenue
Chicago, IL 60622 USA
312-226-0400

fax: 312-226-5400

C-13

EPA Reg. No. 10324-157-8722 EPA Est. No. 86091-WI-1



LICENSED

PERIOD 2015-2017 LIC. NO.

8402.3

BOTTOM GLUE

Germicidal DetergentQ

Applicable for 232, CP232, SFS232

One Step Disinfectant Germicidal Detergent

Disinfectant, Cleaner, Mildewstat, Fungicide, Virucide*, for Hospitals, Nursing Homes, Hotels & Motels, Food Service, Commercial, Institutional, and Industrial Use. For Use in Schools, Veterinary, Restaurant, Food Handling and Process Areas.

Effective in hard water up to 400 ppm hardness in the presence of 5% serum contamination.

Non-Dulling to Floor Finishes.

Athletic Surface Disinfectant.

Made in the USA

Net Contents: On Outside of carton

Meets OSHA Bloodborne Pathogen Standard for HIV, HBV and HCV.

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride.....1.268 %

n-Alkyl (C14 50%, C12 40%, C16 10%)

dimethyl benzyl ammonium chloride.....0.845%

INERT INGREDIENTS: 97.887%

TOTAL 100.000%

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

See side panel for additional precautionary statements.

First Aid

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER. KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARD

This product is toxic to fish.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix with oxidizers, anionic soaps and detergents.

Do not use or store near heat or open flame.

This product is for use on hard, non-porous surfaces in:

- Hospitals, medical and dental offices and clinics, healthcare facilities, nursing homes.
- Restaurants, bars, kitchens, cafeterias, food storage areas.
- Police stations, courthouses, correctional facilities, bus stations, train stations.
- Business and office buildings and breakrooms.
- Hotels, motels, dormitories.
- Institutions, schools, colleges, commercial and industrial sites, athletic facilities and locker rooms, exercise facilities.
- Food processing plants, federally inspected meat and poultry plants.
- Veterinary clinics, kennels, grooming establishments, zoos, and other animal care facilities.
- Cruise ships, airports, shipping terminals, transportation terminals.

This product contains no abrasives, bleach, harsh acids, phosphates so it won't scratch surfaces.

Use this product on the multi-touch surfaces responsible for cross-contamination.

This product is formulated for use on hard, non-porous surfaces such as: chrome and vinyl, painted surfaces, plastic, glazed ceramic, glazed porcelain, stainless steel, aluminum, laminated surfaces, floors, walls, ceilings, tables, chairs, countertops, telephones, fixtures, glazed tile, toilets, urinals, sinks, shower rooms. This product non-dulling formula eliminates the time and labor normally required for rinsing.

Kills 99.9% of any disinfection organism listed on **hard, non-porous surfaces.**

This product is **Fragrance-Free.**

This product is a one-step hospital-use germicidal cleaner designed for general cleaning, disinfecting, and controlling mold and mildew on **hard, non-porous surfaces.** This product cleans quickly by removing dirt, grime, mold, mildew, food residue, body oils, dead skin, blood and other organic matter commonly found in hospitals, nursing homes, schools, colleges, funeral homes, veterinary clinics, pet shops, equine farms, animal life science laboratories, hotels and motels, **public facilities,** public restrooms, restaurants and federally inspected meat and poultry plants, food processing plants.

This product kills **Avian Influenza A virus.**

This product ***kills** Pandemic 2009 H1N1 influenza A virus.

This product is a **one-step disinfectant** that is effective against a broad spectrum of bacteria, is virucidal*, including HIV-1, HBV and HCV, and **inhibits** the growth of mold and mildew and their odors when used as directed.

2

This product is for use in federally inspected meat and poultry plants on all hard, non-porous surfaces in inedible product processing areas, non-processing areas and/or exterior areas, federally inspected meat and poultry plants as a floor and wall cleaner for use in all departments, and federally inspected meat and poultry plants as a disinfectant agent for use in all departments.

Escherichia coli, **Salmonella enterica** and Staphylococcus aureus are common **germs** found where food is prepared and stored. This product kills bacteria and helps prevent cross contamination on treated non-food contact kitchen surfaces listed on this label.

This product is an effective fungicide against Trichophyton mentagrophytes, the athlete's foot fungus, when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities.

This product is formulated to provide effective cleaning strength that will not dull high gloss floor finishes with repeated use.

DISINFECTION PERFORMANCE IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions) AND NON-MEDICAL FACILITIES (Schools, Restaurants, Food Services, Dairies, Farms, Beverage, Food Processing Plants and Other Non-Medical Facilities): **This product is effective against:**

Acinetobacter baumannii
Acinetobacter Iwoffi
Bordetella bronchiseptica
Chlamydia psittaci
Citrobacter freundii
Enterobacter agglomerans
Enterobacter aerogenes
Enterobacter cloacae
Escherichia coli
Escherichia coli O111:H8
Extended Spectrum B-Lactamase (ESBL)
Escherichia coli
Tetracycline Resistant *Escherichia coli*
Enterococcus faecalis
Enterococcus hirae
Fusobacterium necrophorum
Klebsiella oxytoca
Klebsiella pneumoniae
Listeria monocytogenes
Micrococcus luteus
Pasturella multocida
Proteus vulgaris

Pseudomonas aeruginosa
Tetracycline Resistant *Pseudomonas aeruginosa*
Pseudomonas cepacia
Salmonella enterica
Salmonella enterica serotype pullorum
Salmonella typhi
Salmonella typhimurium
Serratia marcescens
Shigella flexneri
Shigella sonnei
Staphylococcus aureus
Staphylococcus aureus sub species aureus
Community Associated Methicillin Resistant
Staphylococcus aureus (CA-MRSA)
Methicillin Resistant *Staphylococcus aureus* (MRSA)
Staphylococcus epidermidis
Antibiotic Resistant *Staphylococcus epidermidis*
Streptococcus agalactiae
Staphylococcus haemolyticus
Streptococcus pneumoniae Penicillin Resistant
Streptococcus pyogenes
Streptococcus mutans

Vancomycin Resistant
Enterococcus faecalis (VRE)
Vancomycin Intermediate Resistant
Staphylococcus aureus (VISA)
Vibrio cholera
Yersinia enterocolitica

VIRUCIDAL* PERFORMANCE: **This product is effective against:**

Avian Influenza A H3N2 virus
Avian Influenza A H5N1 virus
Cytomegalovirus
SARS-associated Coronavirus
Hantavirus
Hepatitis B Virus
Hepatitis C Virus
Herpes Simplex Virus Type 1
Herpes Simplex Virus Type 2
Human Coronavirus
Human Immunodeficiency Virus type 1 (HIV 1)
Influenza A H1N1 virus
Respiratory syncytial virus

ANIMAL PREMISE VIRUCIDAL* PERFORMANCE: **This product is effective against:**

Avian Infectious Bronchitis virus Beaudette IB42
Avian Influenza A H5N1 virus
Avian Influenza A H3N2 virus
Canine Coronavirus
Canine Distemper virus
Feline Picornavirus
Infectious Bovine Rhinotracheitis virus
Swine Influenza A H1N1 virus
Transmissible Gastroenteritis virus
Vaccinia virus

FUNGICIDAL PERFORMANCE: **This product is effective against:**

Candida albicans
Trichophyton mentagrophytes - Athlete's foot fungus/a cause of Ringworm

MILDEWICIDAL PERFORMANCE: **This product is effective against:**

Aspergillus niger

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Before using this product, food products and packaging materials must be removed from the room or carefully protected. Do not use this product to clean, **sanitize** or disinfect utensils, glassware, dishes or interior surfaces of appliances. Prior to use of this product, cover or remove all food and packaging material before disinfection and remove all animals and feeds from areas **to be treated, animal transportation vehicles, and enclosures.** Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other surfaces of facilities and fixtures occupied or traversed by poultry or other animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water. **Do not use in milking stalls, milking parlors or milk houses.**

DISINFECTION/GENERAL DISINFECTION/VIRUCIDAL*FUNGICIDAL/MOLD AND MILDEW PERFORMANCE IN INSTITUTIONS AND NON-MEDICAL FACILITIES: Add a 1-ounce packet of this product with 1 quart of water (1:32) (660 ppm active) (or equivalent use dilution).

For heavily soiled areas, a preliminary cleaning is required. **Apply use solution to hard non-porous surfaces** with a brush, cloth, mop, sponge, auto scrubber, mechanical spray device or by immersion so as to thoroughly wet surfaces. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray.

Immerse all halters and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure in the use solution. **After application,** ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, **fountains and waterers and other treated equipment which can contact food or water** with soap or detergent, and rinse with potable water before reuse.

Rub with brush, cloth, mop, or sponge. Treated surfaces must remain wet for 10 minutes. Rinse all treated surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Change cloth, sponge or towels frequently to avoid redeposition of soil. A fresh solution must be prepared at least daily or when use solution becomes visibly dirty.

3

FOR USE AS A ONE-STEP CLEANER/DISINFECTANT:

1. Pre-clean heavily soiled areas.
2. Apply a **1-ounce packet of this product per 1 quart of water (660 ppm active) (or equivalent use dilution)** to hard, non-porous surfaces using a sponge, brush, cloth, mop, auto scrubber or mechanical spray device or by immersion. For spray applications, spray 6-8 inches from surface. Do not breathe spray.
3. Rub with brush, cloth, or sponge.
4. To disinfect, all surfaces must remain wet for 10 minutes.
5. Rinse and allow to air dry.
6. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

FOR DISINFECTING HARD, NON-POROUS SURFACES AGAINST AVIAN INFLUENZA A H5N1, H3N2, INFLUENZA A H1N1 VIRUS: For use in hospitals, hotels, motels, schools, animal premises and other animal use sites, follow the **DISINFECTION/GENERAL DISINFECTION/VIRUCIDAL*FUNGICIDAL/MOLD AND MILDEW PERFORMANCE IN INSTITUTIONS AND NON-MEDICAL FACILITIES** directions.

HOSPITAL/HEALTH CARE/INSTITUTIONAL

This product is not for use on Medical device surfaces.

This product is a Hospital Use Disinfectant at 1 ounce of this product per 1 quart of water (1:32 dilution) (or equivalent use dilution) modified in the presence of 400 ppm hard water.

***KILLS HIV, HBV AND HCV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of **hard non-porous** surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1), Hepatitis B Virus (HBV), and Hepatitis C Virus (HCV).

“SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.”

Personal Protection: Clean up must always be done wearing protective latex gloves, gowns, masks and eye protection.

Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from hard nonporous surfaces and objects before application of this product.

Disposal of Infectious Materials: Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

Contact Time: **Leave hard nonporous surfaces wet for 10 minutes.**

CLEANING AND DISINFECTING HARD, NON-POROUS SURFACES ON PERSONAL PROTECTIVE EQUIPMENT/ RESPIRATORS: Pre-clean equipment if heavily soiled to ensure proper surface contact. Apply a **1-ounce of this product to 1 quart of water use solution (or equivalent use dilution) (660 ppm active).** Gently mix for uniform solution. **Apply use solution to surfaces of the respirator with a brush, cloth, mop, sponge, auto scrubber, mechanical spray device or by immersion.** Thoroughly wet all surfaces to be disinfected. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, cloth, or sponge. Treated surfaces must remain wet for 10 minutes. Remove excess solution from equipment prior to storage. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty. The user must comply with all OSHA regulations for cleaning respiratory protection equipment (29 CFR § 1910.134).

4

5

Germicidal DetergentQ

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride 1.268%
n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%)
dimethyl benzyl ammonium chloride 0.845%

INERT INGREDIENTS: 97.887%
TOTAL 100.000%

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**

See inside for additional precautionary statements.

First Aid: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage and disposal. **CONTAINER HANDLING/PESTICIDE DISPOSAL/STORAGE:** Open dumping is prohibited. Store only in original container. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. **PACKET DISPOSAL:** Non-refillable container. Completely empty packet into application equipment. Do not reuse or refill this packet. Wrap empty packet and put in trash.

232

Net Contents Per Carton:

132 – 1 fl oz Pac® brand pouches

Total: 132 fl oz (1.03 gal)

For emergencies, call, 1-800-535-5053, 24 Hours a day
Sold by PortionPac Chemical Corp., 400 N. Ashland Ave., Chicago, IL 60622 U.S.A.
portionpaccorp.com, 312-226-0400

EPA Reg. No. 10324-157-8722
EPA Est. No. 86091-WI-1

0 86041 40232

.25" Seal

3 in REPEAT

.25" Seal

.5" Seal



PMS 200

Germicidal DetergentQ

Tear open and pour contents of packet into 1 quart of water.

EPA Reg. No. 10324-157-8722 EPA Est. No. 86091-W-1

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride1.268%
n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%)
dimethyl benzyl ammonium chloride0.845%

INERT INGREDIENTS:97.887%
TOTAL100.000%

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**

SEE OUTER CONTAINER FOR PRECAUTIONARY
STATEMENTS AND USE DIRECTIONS.

DISPOSAL: Do not reuse container. Wrap and
put in trash collection.

PortionPac® 232

Net Contents: 1 fl oz/29.5 mL

For Emergencies, Call 1-800-535-5053

Sold By: PortionPac Chemical Corp.,
400 N. Ashland Ave., Chicago, IL 60622 USA
portionpaccorp.com, 312-226-0400

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU
SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO
APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.
DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR
SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS
FOR USE BEFORE WORKING WITH THIS PRODUCT.

C-13

10 in WEB WIDTH

FOR USE BEFORE WORKING WITH THIS PRODUCT.
SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS
DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR
SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS
APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.
PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU
SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO
APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.
SOLD BY: PORTIONPAC CHEMICAL CORP.,
400 N. ASHLAND AVE., CHICAGO, IL 60622 USA
PORTIONPACCORP.COM, 312-226-0400
NET CONTENTS: 1 FL OZ/29.5 mL
For Emergencies, Call 1-800-535-5053

put in trash collection.
DISPOSAL: Do not reuse container. Wrap and
SEE OUTER CONTAINER FOR PRECAUTIONARY
STATEMENTS AND USE DIRECTIONS.
DANGER PELIGRO
KEEP OUT OF REACH OF CHILDREN
TOTAL100.000%
INERT INGREDIENTS:97.887%
dimethyl benzyl ammonium chloride0.845%
n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%)
Didecyl Dimethyl Ammonium Chloride1.268%
ACTIVE INGREDIENTS:
EPA Reg. No. 10324-157-8722 EPA Est. No. 86091-W-1
Tear open and pour contents of packet into 1 quart of water.

Germicidal DetergentQ

.5" Seal

Germicidal DetergentQ

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride.....1.268%
n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%)
dimethyl benzyl ammonium chloride.....0.845%

INERT INGREDIENTS:97.887%
TOTAL:100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO

See inside for additional precautionary statements.

First Aid: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage and disposal. **CONTAINER HANDLING/PESTICIDE DISPOSAL/STORAGE:** Open dumping is prohibited. Store only in original container. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. **PACKET DISPOSAL:** Non-refillable container. Completely empty packet into application equipment. Do not reuse or refill this packet. Wrap empty packet and put in trash.

CP232

Net Contents Per Carton:
132 – 1 fl oz Pac® brand pouches
Total: 132 fl oz (1.03 gal)

For emergencies, call, 1-800-535-5053, 24 Hours a day
Sold by PortionPac Chemical Corp., 400 N. Ashland Ave., Chicago, IL 60622 U.S.A.
correctpac.com, 312-226-0400

EPA Reg. No. 10324-157-8722
EPA Est. No. 86091-WI-1

1 86041 40232

.25" Seal

3 in REPEAT

.25" Seal

.5" Seal



Germicidal DetergentQ

Tear open and pour contents of packet into 1 quart of water.

EPA Reg. No. 10324-157-8722 EPA Est. No. 86091-WI-1

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride.....1.268%
n-Alkyl (C14 50%, C12 40%, C16 10%)
dimethyl benzyl ammonium chloride.....0.845%

INERT INGREDIENTS:97.887%

TOTAL100.000%

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

SEE OUTER CONTAINER FOR PRECAUTIONARY STATEMENTS AND USE DIRECTIONS.

DISPOSAL: Do not reuse container. Wrap and put in trash collection.

CorrectPac® CP232

For Emergencies, call 1-800-535-5053

Sold By: PortionPac Chemical Corp.,
400 N. Ashland Ave., Chicago, IL 60622 U.S.A.
correctpac.com, 312-226-0400

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.
DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

C-13



Net Contents: 1 fl oz/29.5 mL



Net Contents: 1 fl oz/29.5 mL

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.
DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

C-13

For Emergencies, call 1-800-535-5053
Sold By: PortionPac Chemical Corp.,
400 N. Ashland Ave., Chicago, IL 60622 U.S.A.
correctpac.com, 312-226-0400

CorrectPac® CP232

DISPOSAL: Do not reuse container. Wrap and put in trash collection.

SEE OUTER CONTAINER FOR PRECAUTIONARY STATEMENTS AND USE DIRECTIONS.

DANGER PELIGRO

KEEP OUT OF REACH OF CHILDREN

TOTAL100.000%
INERT INGREDIENTS:97.887%
dimethyl benzyl ammonium chloride.....0.845%
n-Alkyl (C14 50%, C12 40%, C16 10%)
Didecyl Dimethyl Ammonium Chloride.....1.268%

ACTIVE INGREDIENTS:
EPA Reg. No. 10324-157-8722 EPA Est. No. 86091-WI-1

Tear open and pour contents of packet into 1 quart of water.

Germicidal DetergentQ

10 in WEB WIDTH

.5" Seal