

3.5" length Max for Text on front label

top line

top of lower case

top of lower case

top of lower case

top of head

TM
 Color
 Font
 UPC
 Size
 Data
 EPA

NOV 17 2008

Positives 9/20/08

9" length
7" Height
4" front panel

Fonts
Instruct-Helv Lt Stnd Black/Bold/Roman
Product- Impact- Shade to the right
Description Papyrus w/ .5 outline

poolpals™

Circa 1972



LICENSED

PERIOD 2012-2014 LIC. NO.




LICENSED

PERIOD 2009-2011 LIC. NO.



LICENSED 8408.13

PERIOD 2015-2017 LIC. NO.



KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE PANEL FOR ADDITIONAL

PRECAUTIONARY STATEMENTS

ACTIVE INGREDIENTS:

SODIUM DICHLORO-S-TRIAZINETRIONE
DIHYDRATE..... 99%
OTHER INGREDIENTS..... 1%
TOTAL 100%

AVAILABLE CHLORINE 55%

Net Contents 2 lbs

Pool Pals
Granular 2lb
PPTC002
Label #

Revised 8/15/08

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is intended for use in controlling bacteria and algae in swimming pools and spas. This product should be added directly to the surface of circulating water according to the directions. Each ounce of this product will provide about 0.4 ppm (mg/L) of available chlorine to 10,000 gallons of water. Reentry into treated swimming pools or spas is prohibited above levels of 3 ppm of chlorine.

Start Up: Before using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to a range of 7.2-7.6 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L), based on the test kit reading. Add a sufficient amount of this product directly to the surface of circulating water to raise the free chlorine level in the water to 5-6 ppm (mg/L), based on the test kit reading. As a guide, for swimming pools addition of 10 ounces of this product for each 10,000 gallons of water will increase the free residual chlorine by 4 ppm (mg/L). For spas, addition of one ounce of this product for each 1,000 gallons of water will increase the free residual chlorine by 4 ppm (mg/L).

Shock Treatment: Superchlorination: In extremely hot weather, when many people use the pool, when water becomes hazy or after heavy rains, a shock dosage of chlorine may be obtained by spreading "POOL PALS™ Granular" over surface pool water. 14 ounces of "POOL PALS™ Granular" per 10,000 gallons of pool water provides approximately 6 ppm of chlorine. Note: Do not use pool until chlorine residual falls below 3 ppm.

Maintenance Treatment: Add this product daily or as needed to maintain the free chlorine residual in the water at 1-3 ppm (mg/L) as indicated by a reliable test kit. Each ounce of this product will provide about 0.4 ppm (mg/L) of available chlorine to 10,000 gallons of water. Weather and usage effect sanitizer levels. Maintain the pH at 7.2-7.6 and the alkalinity at a minimum of 125 ppm (mg/L). As a guide for swimming pools, addition of five ounces of this product for each 10,000 gallons of water will increase the free residual chlorine by 2 ppm (mg/L). For spas, addition of 1/2 ounce of this product for each 1,000 gallons of water will increase the free residual chlorine by 2 ppm (mg/L).

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals:

DANGER: CORROSIVE:

Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breath dust, vapor, or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARD: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL CHARACTERISTICS: Strong Oxidizing Agent. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire or explosion. In case of contamination or decomposition, do not reseal container. If possible isolate each container in open air or well-ventilated area. Flood with large volumes of water if necessary.

STORAGE AND DISPOSAL

STORAGE: Keep this product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container, if possible, and flood with large amounts of water to dissolve material before discarding.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State or local authorities, by burning. If burned stay out of smoke.

EPA REG. NO. 36284-11-75538

EPA EST. NO. 36284-CA-1

Distributed By
Oreq Corporation
42306 Remington Ave.
Temecula, CA 92590 USA



6 87695 13134 1

FIRST AID

If In Eyes	Hold eye open and flush with plenty of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice.
If Inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor immediately for treatment advice.
If on Skin or Clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice.
If Swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling poison control center or doctor, or going for treatment.	
Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage	