



LICENSED

PERIOD 2014-2016 LIC. NO.

8421.2



LICENSED

PERIOD 2011-2013 LIC. NO.

Net Contents: 1 quart

Anabec Systems

9393 Main Street  
Clarence, NY 14031

## ANASPHERE

Disinfectant – Mildewstat – Virucide\* – With Organic Soil Tolerance for Hospitals, Nursing Homes, Home, Hotels & Motels, Institutional, Industrial and School Use.

### ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride....	3.0%
Didecyl Dimethyl Ammonium Chloride.....	1.5%
Diocetyl Dimethyl Ammonium Chloride.....	1.5%
Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride.....	4.0%
<b>INERT INGREDIENTS:</b> .....	90.0%
<b>TOTAL</b> .....	100.0%

KEEP OUT OF REACH OF CHILDREN

## DANGER PELIGRO

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

**ENVIRONMENTAL HAZARD:** This product is toxic to fish.

#### PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.  
Do not mix with oxidizers, anionic soaps and detergents.

**FIRST AID:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

It is a violation of Federal Law to use ANASPHERE in a manner inconsistent with its labeling. Before using ANASPHERE, food products and packaging materials must be removed from the room or carefully protected.

**DISINFECTION PERFORMANCE IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions) and NON-MEDICAL FACILITIES (Households, Schools, Restaurants, Food Services and Other Non-Medical Facilities):** At 3 ounces of ANASPHERE per 5 gallons of water use level (450 ppm active) and with a 10-minute contact time, ANASPHERE is bactericidal according to the AOAC Use Dilution Test method on hard non-porous surfaces modified in the presence of 5% organic serum against: Escherichia coli O157:H7, Klebsiella pneumoniae, Listeria monocytogenes, Pseudomonas aeruginosa, Salmonella enterica, Salmonella typhi, Staphylococcus aureus, Community Acquired Methicillin Resistant Staphylococcus aureus – CA MRSA

**VIROCIDAL\* PERFORMANCE:** At 3 ounces of ANASPHERE per 5 gallons of water use level, ANASPHERE was evaluated with a 10-minute contact time in the presence of 5% blood serum and found to be effective against the following viruses on hard, non-porous surfaces: Avian Influenza A virus, Avian influenza/Turkey/Wisconsin virus, Herpes Simplex Type 1 virus, Herpes Simplex Type 2 virus, Human Coronavirus, Influenza A H1N1 virus, Influenza A/UJ305 Japan virus, Vaccinia virus

\* **FOR DISINFECTING HARD, NON-POROUS SURFACES AGAINST AVIAN INFLUENZA A VIRUS:** For use in homes, hospitals, hotels, motels, schools and other non-animal use sites, follow the **PREPARATION OF DISINFECTION/VIROCIDAL\* USE SOLUTION** directions.

**PREPARATION OF DISINFECTION/VIROCIDAL\* USE SOLUTION:** For heavily soiled areas, a preliminary cleaning is required. Add 3 ounces of ANASPHERE with 5 gallons of water (450 ppm active) to disinfect hard non-porous surfaces. Apply use solution using a brush, cloth, mop, sponge, auto scrubber, or mechanical spray device, coarse pump or trigger spray device or by immersion so as to thoroughly wet surfaces. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, cloth, or sponge. Change cloth, sponge or towels frequently to avoid redeposition of soil. Treated surfaces must remain wet for 10 minutes. Allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. Rinse all treated surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

ANASPHERE is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the

## DIRECTIONS FOR USE

bloodstream or normally sterile areas of the body, or, (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. ANASPHERE can be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

**INSTITUTIONAL DISINFECTANT DIRECTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions):** For heavily soiled areas, a preliminary cleaning is required. For disinfecting hard, non-porous inanimate surfaces such as floors, walls, countertops, bathing areas, lavatories, bed frames, tables, chairs, garbage pails, mix 3 ounces of ANASPHERE with 5 gallons of water to disinfect hard, non-porous inanimate surfaces. Apply use solution to surfaces, thoroughly wetting surfaces with a brush, cloth, mop, sponge, auto scrubber or mechanical spray device or by immersion. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, cloth, or sponge. Treated surfaces must remain wet for 10 minutes. Allow to air dry. Change cloth, sponge or towels frequently to avoid redeposition of soil. A fresh solution must be prepared at least daily or when use solution becomes visibly soiled.

**MOLD AND MILDEW CONTROL:** To control the growth of mold and mildew and their odors on hard, non-porous environmental surfaces, apply use solution of 3 ounces of ANASPHERE per 5 gallons of water. Apply by cloth, sponge, mop, brush, auto scrubber, mechanical spray device to thoroughly wet all treated surfaces completely. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Saturate surfaces with use solution. Allow surface to remain wet for 10 minutes. Allow solution to dry on surface and repeat treatment every seven days or when new growth appears. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly soiled.

**MOLD AND MILDEW PERFORMANCE:** At 3 ounces of ANASPHERE per 5 gallons of water use level and with a 10-minute contact time, ANASPHERE was evaluated in the presence of 5% serum and found to be effective against the following on hard, non-porous surfaces: Aspergillus niger.

**STORAGE AND DISPOSAL:** Do not contaminate water food, or feed by storage and disposal. **CONTAINER DISPOSAL/PESTICIDE STORAGE:** Non-refillable container. Store only in original container. Do not reuse empty container. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep ANASPHERE under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously and dispose of rinse. Repeat two more times. Wrap container and put in trash or offer for recycling if available. **RESIDUE REMOVAL INSTRUCTIONS:** Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinse disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

## ANASPHERE

EPA Reg. No. 10324-131-72786  
EPA Est. No. 72786-NY

Anabec Systems

Made in the USA