



Department of Agriculture
STATE OF HAWAII

Stock No.
420999

LICENSED

8432.3
Disc.

SUDS™

A Regency Professional Brand

PERIOD **2014-2016** LIC. NO.

Broad Spectrum Disinfectant Cleaner

EPA Reg. No. 47371-129-82105

EPA Est. No. 0312-WI-3(NW)

4822-WI-1(WD)

Lot code letters indicate
establishment number

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride 10.14%

n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%) dimethyl benzyl ammonium chloride 6.76%

INERT INGREDIENTS: 83.10%

TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER
FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

For Medical Emergency ONLY call: 24 Hour Emergency Response Number 1-800-983-4582

See back panel for Precautionary Statements.



Department of Agriculture
STATE OF HAWAII

NET CONTENTS: 1.89 L / 2 U.S. Qt.

LICENSED

PERIOD **2011-2013** LIC. NO.

FG3728013 5661764 9S 11/208

Broad Spectrum Disinfectant Cleaner

SUDS™ 7

For use in hospitals, nursing homes, schools, colleges, commercial and industrial institutions, office buildings, hotels and motels. Disinfects, cleans, and deodorizes the following hard nonporous inanimate surfaces: floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, and plastic surfaces (such as polypropylene, polystyrene, etc.).

Effective against the following pathogens:

*Pseudomonas aeruginosa*¹, *Staphylococcus aureus*¹, *Salmonella enterica*

See reference sheet for a complete list of organisms and additional directions for use.

¹ATCC & antibiotic-resistant strain

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DILUTION: 1:256 (660 ppm quat) 1/2 ounce per gallon of water; 1 ounce per 2 gallons of water; 2 ounces per 4 gallons of water; 2 1/2 ounces per 5 gallons of water; 4 ounces per 8 gallons of water.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical devices prior to sterilization or high-level disinfection.

DISINFECTION / CLEANING / DEODORIZING DIRECTIONS: Remove heavy soil deposits from surface. Then thoroughly wet surface with a use-solution of 1/2 oz. of concentrate per gallon of water or equivalent. The use-solution can be applied with a cloth, mop, sponge, or coarse spray, or soaking. For sprayer applications, use a coarse spray device. Spray 6-8 inches from the surface, rub with a brush, cloth or sponge. Do not breathe spray. Let solution remain on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. This product is not for use on food contact surfaces.

Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted.

***KILLS HIV-1 (AIDS VIRUS) AND HBV (HEPATITIS B VIRUS) AND HCV (HEPATITIS C VIRUS) ON PRECLEANED, ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OR HBV OR HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: Personal Protection: Disposable protective gloves, gowns, face masks, and eye coverings must be worn during all cleaning of blood/body fluids and during

decontamination procedures. **Cleaning Procedure:** Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of disinfectant. **Contact Time:** HIV-1 (AIDS virus) is inactivated after a contact time of 4 minutes at 25°C (77°F) (room temperature). HBV and HCV are inactivated after a 10 minute contact time. Use a 10-minute contact time for all other viruses, fungi and bacteria listed. **Disposal of Infectious Materials:** Blood/body fluids must be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying.

Triple rinse as follows: Fill container ¾ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective gloves (rubber or chemical resistant). Harmful if inhaled. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

For use in SUDS™ automated dilution system.

MSDS # MS0600265

Stock No. 420999

Sold by:
SRC
6285 Tri-Ridge Blvd.
Loveland, OH 45140
regencybrand.com



Broad Spectrum Disinfectant Cleaner

A multi-purpose, neutral pH, germicidal detergent and deodorant effective in hard water up to 400 ppm (calculated as CaCO₃) in the presence of a moderate amount of soil (5% organic serum) according to the AOAC Use-dilution Test. Disinfects, cleans, and deodorizes in one labor-saving step.

Effective against the following pathogens:

Pseudomonas aeruginosa¹
 Staphylococcus aureus¹
 Salmonella enterica
 Acinetobacter calcoaceticus
 Bordetella bronchiseptica
 Chlamydia psittaci
 Community Associated Methicillin-Resistant Staphylococcus aureus - [CA-MRSA] (NRS384) (USA300)
 Community Associated Methicillin-Resistant Staphylococcus aureus - [CA-MRSA] (NRS123) (USA400)
 Enterobacter aerogenes
 Enterobacter cloacae
 Enterococcus faecalis – Vancomycin Resistant (VRE)
 Escherichia coli¹
 Fusobacterium necrophorum
 Klebsiella pneumoniae¹
 Legionella pneumophila
 Listeria monocytogenes
 Pasteurella multocida
 Proteus mirabilis
 Proteus vulgaris
 Salmonella enteritidis
 Salmonella typhi
 Salmonella typhimurium
 Serratia marcescens
 Shigella flexneri
 Shigella sonnei
 Staphylococcus aureus – Methicillin resistant (MRSA)
 Staphylococcus aureus – Vancomycin Intermediate Resistant (VISA)
 Staphylococcus epidermidis²
 Streptococcus faecalis¹
 Streptococcus pyogenes

¹ ATCC & antibiotic-resistant strain ² antibiotic-resistant strain only

(Viruses:)

*Adenovirus Type 4
 *Hepatitis B Virus (HBV)
 *Hepatitis C Virus (HCV)
 *Herpes Simplex Virus Type 1
 *Herpes Simplex Virus Type 2
 *Human coronavirus
 *HIV-1 (AIDS virus)
 *Influenza A Virus/Hong Kong
 *Respiratory Syncytial Virus
 *Rotavirus
 *Rubella
 *SARS Associated Coronavirus (case of Severe Acute Respiratory Syndrome)
 *Vaccinia

(Fungi:)

Aspergillus niger
 Candida albicans
 Trichophyton mentagrophytes (Athlete's Foot Fungus)

Kills Pandemic 2009 H1N1 Influenza A virus.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TOILET BOWLS: Swab bowl with brush to remove heavy soil prior to cleaning or disinfecting. Clean by applying use-solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first pre-clean to remove heavy soil, then remove or expel over the inner trap the residual bowl water. Pour in 3 oz. of the use-solution. Swab the bowl completely using a scrub brush or mop, making sure to get under the rim. Let stand for 10 minutes or overnight, then flush.

FUNGICIDAL DIRECTIONS: For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities follow disinfection directions.

MILDEWSTATIC INSTRUCTIONS: Will effectively control the growth of mold and mildew plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors, and table tops. Apply use-solution of 1/2 oz. per gallon of water with a cloth, mop, sponge, or coarse spray. Make sure to wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears.

See container label for First Aid, Precautionary Statements and complete Directions for Use.