



LICENSED

PERIOD 2014-2016 LIC. NO. PERIOD 2011-2013 LIC. NO.



LICENSED

8450.12



Department of Agriculture STATE OF HAWAII

LICENSED

PERIOD 2008-2010 LIC. NO.

1 QUART EPA SILKSCREEN / CLING BRITE / 10" X 4.625" / DISINFECTANT / PMS 485 RED, PMS 356 GREEN, 35% SCREEN PMS 356 GREEN, BLACK

Verticide™ Disinfectant Bowl Cleaner

U23011

ACTIVE INGREDIENTS:

Hydrogen chloride	9.25%
n-Alky (C14, 60%; C16, 30%; C12, 5%; C18, 5%) dimethyl benzyl ammonium chloride	0.30%
n-Alky (C12, 68%; C14, 32%) dimethyl ethyl benzyl ammonium chloride	0.30%
OTHER INGREDIENTS:	90-15%
TOTAL	100.00%

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
IF SWALLOWED: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED: Remove person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably by mouth-to-mouth, if possible.
IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE. 888-660-6737.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Net Contents: 1 U.S. Quart (0.946 Liters)



unisource®

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER. CORROSIVE. Causes irreversible eye damage or skin burns. Do not get in eyes, on skin or on clothing. Harmful if swallowed, absorbed through skin or inhaled. Avoid breathing vapors. Wear chemical splash-proof goggles, protective clothing and chemical resistant gloves. Wash thoroughly with soap and water after handling. Remove and wash clothing before reuse.

CHEMICAL HAZARDS. NEVER USE WITH CHLORINE PRODUCTS... can react to give chlorine gas. If this occurs, flush toilet or urinal to remove chemicals and leave area. Do not return for half hour...ventilate if possible. Never use or mix with other cleaners or chemicals. **Clean up spills right away.**

For product information, contact your local distributor.

© 2005 Unisource Worldwide, Inc.

Manufactured for / Fabricado por

unisource®

Unisource Worldwide, Inc.
6600 Governors Lake Parkway
Norcross, GA 30071
Tel 770-447-9000
www.unisourcecelink.com



LICENSED
HAWAII
DEPT. OF AGRICULTURE
Period 2005-2007 No. 8450.12



Verticide™ Disinfectant Bowl Cleaner

U23011

To open child resistant cap: Use fingernail or coin to pull back and push down rear-most ridge of spout. Push spout down after use. This product, when used as directed quickly eliminates rust, lime & uric acid deposits and keeps toilet bowls & urinals sparkling clean and odor free. Dissolves porous lime deposits and urine stains quickly and effectively. Recommended for use in the restroom facilities of commercial and industrial buildings, schools, hospitals, nursing homes, manufacturing plants, restaurants, food service establishments, office buildings, day care centers, veterinary clinics, hotels and motels. Will not harm the bacterial action of septic tanks.

When used as directed, this product is highly effective against a wide variety of pathogenic microorganisms. Using approved AOAC test methods (under GLP's), in the presence of 10% serum load and 5 minute contact time this product kills the following on hard non-porous inanimate surfaces: *Pseudomonas aeruginosa*, *Salmonella choleraesuis*, *Staphylococcus aureus*, *Enterococcus faecalis*, *Escherichia coli*, *Enterococcus faecium* (resistant to Vancomycin [VRE]), *Staphylococcus aureus* (resistant to Methicillin [MRSA]), Herpes simplex Type 1, Herpes simplex Type 2 and Hepatitis A virus (HAV). *Kills HIV-1 (AIDS Virus) when used as directed on hard, non-porous inanimate surfaces with a 1 minute contact time.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

TO CLEAN AND DISINFECT TOILET BOWLS & URINALS:
Toilet Bowls: Remove water from bowl by forcing over trap with applicator. Remove excess water from applicator by pressing it against side of bowl. Pour 1 oz. of product onto applicator. (Squeeze for about 3 seconds). Scrub entire unit especially under the rim at water outlets. Wait 5 minutes, then flush.

Urinals: Apply product directly to urinal surfaces including water outlet areas. Pour 1 oz of product on applicator. (Squeeze for about 3 seconds). Clean entire unit especially under the rim at water outlets. Remove screen trap to deodorize drain and apply 1 ounce directly on edge and into drain. Wait 5 minutes, flush and rinse applicator.

TO CLEAN WASHBASINS, BATHTUBS, SHOWER STALLS, or other tile or porcelain restroom surfaces: always dilute product with 3 parts water. Do not allow solution to remain on fixtures or other surfaces without immediately rinsing with water.

TO REMOVE STUBBORN STAINS OR SCALE: For hard water stains such as mineral, rust, uric acid or lime stains, apply product directly to stained areas and let it remain at least 15 minutes, scrub then flush. Repeat if necessary.

If you spill, this product is a powerful cleaner. **Never use full strength** on brass, chrome, stainless steel, plastic or non-porcelain material. If spillage onto these surfaces occurs, rinse immediately with plenty of water and wipe with a clean cloth at once.

***KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings where there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type-1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.
Personal Protection: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.
Cleaning Procedures: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.
Contact Time: Allow surface to remain wet for 1 minute for HIV-1 and 5 minutes for all other organisms listed.
Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

For Institutional and Industrial Use.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in a cool, dry area inaccessible to children.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Wrap container and put in trash.

Made in Canada.
EPA Reg. No. 5736-103-82440
EPA Est. No. 13938-CN-1

SEP 12 2005