

Action-D™ Disinfectant Cleaner Deodorizer

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying.

Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective (rubber or chemical resistant) gloves. Harmful if swallowed. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

For product information, contact your local distributor.

© 2011 Unisource Worldwide, Inc.

EPA Reg. No. 6836-73-82440

EPA Est. No. 4822-WI-1[WD]; 0312-WI-3[NW]; 7546-WI-1[WT]; 13938-CN-1[LD]

Lot code letters indicate establishment number.

U23051v2



LICENSED

8450.2

PERIOD 2011-2013 LIC. NO.

U23051v2



Department of Agriculture
STATE OF HAWAII

LICENSED

PERIOD 2014-2016 LIC. NO.



KEEP OUT OF REACH OF CHILDREN

DANGER

See side panel for Precautionary Statements.

For Medical Emergency ONLY call:
24 Hour Emergency Response Number
1-888-660-6737

Action-D™ Disinfectant Cleaner Deodorizer

ACTIVE INGREDIENTS:

Octyl decyl dimethyl ammonium chloride	1.140%
Diocetyl dimethyl ammonium chloride	0.456%
Didecyl dimethyl ammonium chloride.....	0.684%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride	1.520%
OTHER INGREDIENTS:	96.200%
TOTAL:	100.000%

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Net Contents: 3.78 L / 1 U.S. Gal.



unisource®

F53247897

5661713

UNISFC

11242

Action-D™ Cleaner Deodorizer

This product is a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1, the AIDS Virus), fungicidal, and inhibits the growth of mold and mildew, and their odors, when used as directed. Use this product with a mop and bucket, trigger sprayer, sponge or by soaking. For non-scratch cleaning of sinks, showers and tubs, shower doors and curtains, glazed ceramic tiles, fiberglass, and fixtures.

For Schools, Public Rest Rooms, Athletic Facilities, Food Storage Areas, Kitchens, Restaurants, Bars, Transportation Terminals, Hotels, Motels and Other Non-Medical Institutional and Industrial Uses: According to the AOAC Use Dilution Test, this product is an effective broad spectrum general disinfectant in the presence of 5% organic serum against the following organisms:

Staphylococcus aureus, *Salmonella choleraesuis*, *Brevibacterium ammoniagenes*, *Enterobacter aerogenes*, *Escherichia coli*, *Klebsiella pneumoniae*, *Salmonella schottmuelleri*, *Serratia marcescens*, *Shigella dysenteriae*, and *Streptococcus faecalis*.

For *Virucidal Effectiveness: This product is an effective virucide in the presence of 5% serum against the following viruses: *Influenza A / Brazil, *Herpes Simplex Type 1 and 2, *HIV-1 (AIDS virus), and *Vaccinia.

Kills Pandemic 2009 H1N1 influenza A virus.

See reference sheet for a complete list of organisms and additional directions for use.

MS0600586

Distributed by:

unisource®

Unisource Worldwide, Inc.
6600 Governors Lake Parkway
Norcross, GA 30071
Tel 1-800-864-7687
www.unisourceworldwide.com



Action-D™ Cleaner Deodorizer

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Preparation of Use-Solution: Disinfection – Medical (1:64) 2 oz. per gallon of water. Disinfection-Non Medical (1:128) 1 oz. per gallon of water. Virucide (1:128) 1 oz. per gallon of water. For heavy duty use, mix 8 oz. of this product per gallon of water.

DISINFECTION/VIRUCIDAL*/FUNGICIDAL/MOLD AND MILDEW CONTROL

DIRECTIONS: Apply use-solution to hard, nonporous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is recommended.

Prepare fresh solution daily or more often if the solution becomes visibly dirty or diluted.

Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes as a disinfectant.

For sprayer applications, use a coarse spray device. Spray 6-8 inches from the surface, rub with a brush, sponge or cloth. Do not breathe spray.

For fungicidal activity: At 1 oz. per gallon of water, this product is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

For mold and mildew control: At 1 oz. per gallon of water, this product will effectively inhibit the growth of mold and mildew and the odors caused by

them when applied to hard, non-porous surfaces. Allow to dry on surface. Repeat every seven days or more often if new growth appears.

This product is not for use on medical device surfaces.

TO CLEAN AND DEODORIZE: Mix 1–2 oz. of this product per gallon of water to clean and deodorize surfaces. Apply using a cloth, mop, sponge or sprayer. Wipe or allow to air dry.

***KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1)(associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: Clean up should always be done wearing protective gloves, gowns, masks and eye protection.

CLEANING PROCEDURE: Blood and other body fluids containing HIV-1 must be thoroughly cleaned from surfaces and objects before application of this product.

CONTACT TIME: Leave surface wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIAL: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

U23051v2

U23051v2



unisource®



Action-D™ Disinfectant Cleaner Deodorizer

For Hospitals, Medical Offices, and Nursing Homes: According to the AOAC Use Dilution test, this product is an effective hospital disinfectant in the presence of 5% organic serum against the following gram negative and gram positive organisms:

Pseudomonas aeruginosa
Staphylococcus aureus
Salmonella choleraesuis
Acinetobacter baumannii
Corynebacterium ammoniagenes (Brevibacterium ammoniagenes)
Enterobacter aerogenes
Enterococcus faecalis - Vancomycin resistant (VRE)
Escherichia coli
ESBL Escherichia coli – (Extended spectrum beta-lactamase producing E. coli)
Klebsiella pneumoniae
Pseudomonas cepacia
Salmonella schottmuelleri
Serratia marcescens
Shigella dysenteriae
Staphylococcus aureus Methicillin-Resistant (MRSA)
Staphylococcus aureus - Vancomycin Intermediate Resistant – (VISA)
Streptococcus faecalis

For *Virucidal Effectiveness:

This product is an effective virucide in the presence of 5% serum against the following viruses:

*Influenza A / Brazil
*Herpes Simplex Type 1 and 2
*HIV-1 (AIDS virus)
*Vaccinia

Kills Pandemic 2009 H1N1 influenza A virus.

See container label for First Aid, Precautionary Statements and complete Directions for Use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANER
DIRECTIONS: If surfaces are visibly dirty, preclean first.

From Concentrate: Add 1–2 oz. to the bowl water and mix. Thoroughly brush or swab over exposed surfaces including under the rim with a cloth, mop or sponge. Allow to stand for 10 minutes and flush.

From Use Solution: Empty toilet bowl or urinal and apply a 1– 2 oz. per gallon use-solution to exposed surfaces and under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly, allow to stand for 10 minutes and flush.

For Heavy Duty Use: Empty toilet bowl or urinal and apply an 8 oz. per gallon use-solution to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly, allow to stand for 10 minutes and flush.