



State License / Tracking No. 8459.4

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Causes severe burns of eye or skin. May be fatal if absorbed through the skin. Causes severe burns of mouth and throat if swallowed. May be fatal if inhaled. May cause severe allergic respiratory reaction. High concentrations can cause lung injury. Do not get in eyes, on skin or on clothing. Avoid breathing gas/vapor. Do not take internally. Avoid prolonged or repeated respiratory contact. Use only with adequate ventilation. Wash thoroughly after handling.

- Use product only with adequate ventilation and avoid breathing chloropicrin vapors. Do not get in eyes, on skin or on clothing. Upon contact with the skin or eyes, chloropicrin causes severe burns and may be fatal if absorbed through the skin. Wash thoroughly after handling.
• Do not take internally. Causes severe burns of the mouth and throat if swallowed.
• Because chloropicrin has a disagreeable, penetrating smell, exposure to hazardous levels cannot be voluntarily tolerated. However, unprotected exposure to chloropicrin, even at very low levels of concentration in the air, causes tearing of the eyes.
• Inhalation may cause severe allergic respiratory reaction. Exposure to a high air concentration can cause lung injury or death.

PERSONAL PROTECTIVE EQUIPMENT

The following personal protective equipment must be worn when handling chloropicrin:

- Chemical-resistant gloves (such as neoprene)
• Full-face shield or chemical goggles
• When air concentrations exceed a level of 0.1 ppm, NIOSH approved positive pressure supplied air respirator for organic vapors must be used.

CHEMICAL HAZARD

Do not use containers or application equipment made of magnesium, aluminum or their alloys, because chloropicrin is severely corrosive to such metals.

Ensystem II, Inc. Fayetteville, NC
Telephone 1-866-367-8467

Lacrythor and Zythor are trademarks of Ensystem II, Inc.

Net Contents: 10 pounds

This product weights 13.7 pounds per gallon. 10 pounds = 93.4 fluid ounces

LACRYTHOR FUMIGATION WARNING AGENT

Not for use as a pesticide. For use only as a warning agent in conjunction with the use of Zythor Fumigant. This product can be used only by applicators certified to use Zythor or persons under their direct supervision. Consult Ensystem II for correct handling procedures.

Active Ingredient (Warning Agent): Chloropicrin 99.5%

Keep Out of Reach of Children



PELIGRO: Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

IN ALL CASES OF OVEREXPOSURE, GET MEDICAL ATTENTION IMMEDIATELY. TRANSPORT OVEREXPOSED PERSONS TO AN EMERGENCY TREATMENT FACILITY.

FIRST AID

If inhaled: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

If case of skin contact: Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing or other items covering the skin and feet. Get medical attention. Air exposed shoes or clothing outside and do not wear again until free of all traces of contamination.

In case of eye contact: Immediately flush eyes with plenty of water for at least 30 minutes. Get medical attention immediately.

If swallowed: Do not induce vomiting. Give large amounts of water or milk. Get medical attention immediately.

Note to Physician: Chloropicrin is a volatile liquid that is an active ingredient in tear gas. As a gas it is a powerful lacrymator. Symptoms of overexposure are profuse lacrymation, respiratory distress and vomiting. Pulmonary edema may develop later. You may also contact 1-(800)-369-4352 for emergency medical treatment information.

THIS PRODUCT IS A HIGHLY HAZARDOUS MATERIAL AND MUST BE HANDLED ONLY BY INDIVIDUALS TRAINED IN ITS PROPER USE. CONSULT ENSYSTEX II FOR CORRECT PROCEDURES BEFORE USING (1-866-367-8467). READ AND FOLLOW ALL LABEL DIRECTIONS.

DIRECTIONS FOR USE WITH ZYTHOR FUMIGANT ONLY

Chloropicrin is a warning agent that must be released within the space to be fumigated prior to introduction of ZYTHOR into that space. Release chloropicrin at least 5 minutes prior to introduction of ZYTHOR, at the rate of 1 fl.oz. chloropicrin per 10,000 to 15,000 cubic feet (or 30 ml. chloropicrin per 283 to 425 cubic meters) of space to be fumigated. Establish at least one chloropicrin introduction site for each 45,000 cubic feet (1275 cubic meters) of space to be fumigated. Dispense no more than 3 fl. oz. (90 ml.) chloropicrin into a single evaporation container. Distribution of chloropicrin throughout the space to be fumigated is enhanced by the following method of release:

- 1) Place a shallow, wide container directly behind a fan in its air stream. (Do not use containers made of magnesium, aluminum, or their alloys.)
- 2) Place a handful of wicking agent (e.g., cotton) in the bottom of the container.
- 3) Pour the chloropicrin over the wicking agent.

Following fumigation of the space with ZYTHOR and commencement of the aeration procedure, remove all chloropicrin evaporation containers as soon as possible to speed dissipation of the chloropicrin from the fumigated space.

STORAGE AND HANDLING

Storage: Store cylinders upright, in a cool, dry, well-ventilated area, under lock and key. Store product only in original container. Do not contaminate water, food, or feed by storage or disposal of this product.

No Reuse: Cylinders should never be refilled by consumer or used for any other product or purpose.

Shipping of Cylinders: The material in this cylinder is classified in the U.S. Department of Transportation Hazardous Materials Regulations as Chloropicrin, 6.1, UN 1580, PG I, Poison-Inhalation Hazard, Hazard Zone B. Describe empty cylinders as having last contained Chloropicrin (Inhalation Hazard). Do not ship with food, feed, or clothing.

SPILL AND LEAK PROCEDURES

Evacuate immediate area of spill or leak and do not permit re-entry into spill/leak or cleanup areas by unprotected persons until the concentration of chloropicrin is measured to be 0.1 ppm or less. Use a self-contained breathing apparatus (SCBA) for entry into affected area(s) to correct the problem. Working upwind if possible, move leaking or damaged containers outdoors or to an isolated location, observing strict safety precautions. Allow spilled material to evaporate or absorb onto vermiculite, dry sand, earth or similar absorbent material. Thoroughly aerate absorbent materials outdoors prior to disposing of on site or at an approved disposal facility. If necessary, contact Ensystex II for decontamination procedures or any other assistance that may be necessary at 1-800-367-8467 or contact Chemtrec at 1-800-424-9300.

TERMS AND CONDITIONS OF USE

If terms of the following Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies are not acceptable, return unopened package at once to Seller for a full refund of purchase price paid. Otherwise, use by Buyer or any other user constitutes acceptance of the terms below.

WARRANTY DISCLAIMER

Seller warrants that this product conforms to the chemical description on its label and is reasonably fit for the purposes stated on the label when used in accordance with label directions under normal conditions of use. Neither this warranty nor any other warranty of Merchantability or Fitness for a Particular Purpose, express or implied, extends to the use of this product in a manner contrary to its label.

INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with use of this product. Personal injury (including possible death), property damage (including plant injury), lack of performance, or other unintended consequences, may result because of such factors as use of the product contrary to label instructions, abnormal conditions, or other factors beyond the control of Seller. To the extent allowable by State law, all such risks shall be assumed by Buyer.

LIMITATION OF REMEDIES

To the extent allowable by State law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to replacement of the amount of product used. Seller shall not be liable for losses or damages resulting from handling or use of this product unless promptly notified of such loss or damage in writing. To the extent allowable by State law, Seller shall not be liable for consequential or incidental damages or losses. The terms of the Warranty Disclaimer, above, and this Limitation of Remedies cannot be varied by any other written or verbal statements or agreements. No employee or sales agent of Seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.



Chloropicrin
UN1580
Inhalation Hazard