

BOTTLE ARTWORK
 1 GALLON DISINFECTANT BOTTLE
 M_DIS_1G_1114_LONZA



LICENSED

PERIOD 2015-2017 LIC. NO. **8475.5**

BOTTLE ARTWORK
 OUTSIDE



Moldex® Mold Killer is effective against a broad spectrum of bacteria, is virucidal*, fungicidal, and inhibits the growth of mildew and their odors when used as directed. Cleans and deodorizes in one labor-saving step. Cleans with a fresh scent. Eliminates odors. Kills household germs.

Disinfectant • Cleaner • Fungicide • Mildewstat • Virucide* • Deodorizer for Hospitals, Household, Institutional, Commercial and Industrial Use

PELIGRO: Si no sabe el inglés, solicite instrucciones a su supervisor antes de esto producto.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL CLEANING / DEODORIZING DIRECTIONS:

Apply to soiled area then wipe clean. Repeat for heavily soiled areas.

DISINFECTION DIRECTIONS: Pre-clean prior to disinfection. Apply Moldex® Mold Killer until surfaces are thoroughly wet.

Treated surfaces must remain wet for 1 minute for disinfection against bacteria. Follow virucidal or Fungicidal directions when using as a virucidal or fungicidal agent. Wipe dry with a clean cloth, sponge, mop or wiper or allow to air dry.

Food contact surfaces must be rinsed with potable water after disinfection. Do not use to disinfect utensils, glassware and dishes. Change this product at least daily or when solution becomes visibly dirty.

VIROCIDAL DIRECTIONS: Follow disinfection directions for application instructions. Treated surfaces must remain wet for 10 minutes for Herpes Simplex Type 2 and 60 seconds [1 minute] for Influenza A / Hong Kong.

MOLD AND MILDEW CONTROL DIRECTIONS: Moldex® Mold Killer effectively inhibits the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Allow to air dry on surface. Repeat when mildew growth returns.

FUNGICIDAL DIRECTIONS: Moldex® Mold Killer is an effective fungicide against Trichophyton mentagrophytes (the Athlete's Foot Fungus) (A Cause of Ringworm) in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities, health clubs and spas. Follow disinfection directions for application instructions. Treated surfaces must remain wet for 10 minutes.

This product is not for use on medical device surfaces.

***KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.

PERSONAL PROTECTION: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.
CLEANING PROCEDURE: Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of Moldex® Mold Killer.

CONTACT TIME: Leave surface wet for 30 seconds. Use a 1 minute contact time for disinfection against bacteria and a 10 minute contact time against all other viruses and fungi claimed.

DISPOSAL OF INFECTIOUS MATERIALS: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

TO SANITIZE AND DEODORIZE NON-FOOD CONTACT SURFACES: Apply Moldex® Mold Killer until thoroughly wet. Treated surfaces must remain wet for 30 seconds. Then wipe. For heavily soiled areas, a precleaning is required.



**KILLS MOLD & MILDEW
 INHIBITS THE GROWTH
 OF MOLD & MILDEW
 CLEANS, DEODORIZES & DISINFECTS
 BLEACH FREE**

ACTIVE INGREDIENT:

Alkyl (C ₁₂ , 40%; C ₁₄ , 50%; C ₁₆ , 10%)	
dimethyl benzyl ammonium chloride	0.3%
Other ingredients:	99.7%
Total	100.0%

**KEEP OUT OF REACH OF CHILDREN
 CAUTION**

See back panel for precautionary statements and first aid.

EPA REG. NO. 6836-193-82480

EPA EST. NO. 10634-MA-1

NET CONTENTS: 1 GALLON (128 FL. OZ.) (3.8L)

Made in USA

DEODORIZER DIRECTIONS:

Air Freshener, porous surfaces: Apply a light spray onto surfaces such as upholstery, drapes, bedding, carpet, A/C filters, etc.

Pet Odors: Saturate pre-cleaned area with enough Moldex® Mold Killer to remain damp for at least 8 minutes, then blot with clean cloth. Repeat if necessary. Effective on bedding and litter boxes. Allow to dry.

Laundry: 3 ounces during the final rinse will deodorize offensive odors.

Potpourri: Easy to use. Just pour into pot or small pan and simmer.

Automobile/RV: Spraying liberally onto seats, carpets, headliner and ashtray or into the trunk will eliminate odors from tobacco, beverage spills and musty carpet.

Hard Surfaces: Apply directly to odor source such as diaper or garbage pails, fishing gear, bed pans, hampers, toilets, shower curtains, fireplace, athletic or work shoes, etc. Use in sick rooms, closets, basements or anywhere there are odors.

Moldex® Mold Killer is effective as a disinfectant against: Pseudomonas aeruginosa [Pseudomonas], Staphylococcus aureus [Staph], Salmonella enterica [Salmonella], *Herpes Simplex Type 2 [Herpes], *HIV-1, *Influenza A/Hong Kong [Influenza], Trichophyton mentagrophytes [The Athlete's Foot Fungus] [A Cause of Ringworm].

Moldex® Mold Killer is a sanitizer for hard, nonporous non-food contact surfaces, modified in the presence of 5% organic serum, in 30 seconds by killing 99.9% of: Enterobacter aerogenes, Enterococcus (Streptococcus) faecalis [VREF], Escherichia coli [E. coli], Escherichia coli O157:H7 [pathogenic E. coli], Salmonella enterica [Salmonella], Staphylococcus aureus [Staph], and Streptococcus pyogenes [Strep].

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes eye and skin irritation. Do not get in eyes, on skin or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

STORAGE AND DISPOSAL

For Household/ Residential Use:

Store in original container in areas inaccessible to children.

Nonrefillable container. Do not reuse or refill this container.

Wrap container and put in trash or offer for reconditioning if appropriate.

For Commercial/Institutional/ Industrial Uses:


Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse or equivalent. Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Visit our website for additional products and product information www.moldexbrands.com

Sold by:
EnviroCare CORPORATION
 EnviroCare Corporation
 10 Upton Drive - #3
 Wilmington, MA 01887
 Toll-Free: 1-877-463-2628



REV. 11/14



EnviroCare Corporation - Wilmington, MA