

DISCONTINUED



Department of Agriculture
STATE OF HAWAII



Department of Agriculture
STATE OF HAWAII



Department of Agriculture
STATE OF HAWAII



Department of Agriculture
STATE OF HAWAII



BLEED LINE

LICENSED

LICENSED



DIE LINE

PERIOD 2009-2011 LIC. NO.

LICENSED

PERIOD 2006-2008 LIC. NO.

PERIOD 2015-2016 LIC. NO.

PERIOD 2012-2014 LIC. NO.

8485.16

Do it Best

GRASS & WEED KILLER

Ready-to-use

Control para Hierba y Mala Hierba
Listo para usar

- kills the root
- treated areas can be re-seeded 7 days after application
- results in as little as 24 hours
- rain-proof in hours

ACTIVE INGREDIENT:	
Isopropylamine salt of glyphosate*	2.0%
INERT INGREDIENTS	98.0%
	TOTAL 100.0%

*N-(phosphonomethyl)glycine

KEEP OUT OF REACH OF CHILDREN
CAUTION See booklet back panel for first aid and additional precautionary statements

727983 O/M 1-6 NET CONTENTS 1 GALLON (3.78L)

GRASS & WEED KILLER GALLON FRONT LABEL

EPA REG. NO. 2217-844-75111

PRINTS 4 COLOR PROCESS

RED = PMS 485 (C-0, M-100, Y-90, K-0)

YELLOW = PMS 115 (C-0, M-9, Y-80, K-0)

Do it Best **GRASS & WEED KILLER**
Ready-to-use

OPEN
HERE

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Keep children and pets out of treated areas until sprays have dried.

HOW IT WORKS:

Facts and Tips

- This herbicide is a general purpose herbicide designed as a ready-to-use spray to control a broad spectrum of emerged annual and perennial weed species. This herbicide will control unwanted species of grass, sedge, broadleaf weeds, and certain woody species around trees, shrubs, fences.
- This product kills plants by inhibiting the production of a substance found only in plants. It enters plants through the sprayed foliage and moves down to the roots.
- This product is nonselective and will kill or injure all vegetation contacted by the spray. Do not spray plants or grasses you like - they may die too. Not recommended for spot weed control in lawns since this product kills lawn grasses.
- Any product not absorbed by plants breaks down into natural materials without moving in or on the soil to untreated plants.
- This product has no soil residual activity and thus will not affect nearby untreated plants.
- Plants that have not emerged at the time of application will not be controlled.
- Best results will be obtained when the weed species are actively growing.

TOUGH WEED CONTROL (Annuals, Perennials, and Brush)

CONTROLS WEEDS AND GRASSES including: Lawn and Turfgrass Species

This herbicide will provide full or partial control (suppression) of these lawn and turfgrass species:

Bahagrass	Canarygrass, reed	Johnsongrass	St. Augustinegrass
Bentgrass, colonial, creeping and redtop	Carpetgrass*	Kikuyugrass	Zoysiagrass or Japanese lawngrass
Bermudagrass, common and hybrid	Centipedegrass	Dichrograss	
Bluegrass, annual, rough, and Kentucky	Fescue, chewing, hard, red, tall and sheep	Paspalum spp.	
Bromegrass, downy and smooth	Foxtail, green, yellow, creeping, meadow and giant	Ryegrass, annual (Italian), perennial, and hardy	*Not for use in California
Buffalograss*			

Woody Species This herbicide will provide full or partial control (suppression) of these woody species:

Alder	Coyotebush	Hickory	Mock orange*	Poison oak	Trumpet creeper
Blackberry	Deadberry	Kudzu	Manzanita	Poison hemlock	Wild blackberry
Barberry	Elm	Lantana	Oak	Quaking aspen	Western red cedar*
Ceanothus spp.	Elderberry	Maple	Pine	Rasperry	Willow
Cherry	Honeysuckle	Multiflora rose	Poison ivy	Sumac	*Not for use in California

Annual and Perennial Weed Species

This herbicide will provide full or partial control (suppression) of these annual and perennial weed species:

Artichoke, Jerusalem	Coal-tad	Filaree	London rocket
Barnyardgrass	Crabgrass	Florida pusley	Lovegrass
Beggarweed	Creeping beggarweed	Garden spurge	Mallow
Bittercress	Creeping Charlie	Goosegrass	Mayweed
Black medic	Curly dock	Green foxtail	Milkweed
Broadleaf plantain	Dallisgrass	Guineagrass	Mouseear chickweed
Buckhorn plantain	Dandelion	Hemp sesbania	Nimblewill
Bull thistle	Dogfennel	Hembit	Oxalder*
Burclover	Evening primrose	Horsebettle	Oxalis
Canada thistle	Fall panicum	Horse radish	Pampasgrass
Chickweed	False dandelion	Horseweed/marestail	Pennsylvania smartweed
Clover	Fennel	Ironweed	Pennywort
Cocklebur	Fiddleneck	Knapweed	Pigweed
Common groundsel	Field bindweed	Knawel	Plantain
Common mullain	Field pennycress	Knobweed	Prickly lettuce
Common ragweed	Field sandbur	Lambsquartars	Primrose

EPA Reg. No. 2217-844-75111
EPA Est. No. 58999-MO-1

Distributed by: Maid Brands, Inc.
Hazelwood, MO 63042
Do it Best® is a trademark of Do it Best Corp., Ft. Wayne, IN 46801.



Annual and Perennial Weed Species (CONTINUED)

Prostrate spurge	Red sorrel*	Spurge	Torpedograss	Wild barley	Yarrow
Puncturevine	Redroot pigweed	Sunflower	Tailing lantana	Wild carrot	Yellow nutsedge
Purple cudweed	Shepherdspurse	Tansy ragwort	Tumble mustard	Wild geranium	Yellow oxalis
Purple nutsedge	Smartweed	Tansy mustard	Vaseygrass	Wild morningglory	Yellow starthistle
Purslane	Smooth catenar	Texas panicum	Velvetleaf	Wild mustard	and many other weeds
Quackgrass	Smooth pigweed	Thistle	Virginia-creeper	Wild oats	
Ragweed	Southistle	Timothy	White clover	Wild sweet potato	
Red clover	Spotted spurge	Toadflax	Whitetop	Witchgrass	*Not for use in California

WHERE TO USE:

For General Weed Control and Spot Spraying

- Along and on sidewalks, gravel/brick walkways, paths, curbs, paved areas (private roads and streets), driveways, parking areas, recreational areas.
- Along ornamental lawns and turfgrass.
- Around or near ornamental/shade trees, fruit and nut trees, grapevines, shrubs, groundcovers, flower beds, mulched landscape beds.
- Along fences, hedgerows, under fencelines.
- Around rocks, signposts, light posts, or on fringe areas.
- Around or along buildings/structures, foundations, patios, houses, mobile homes, vacant lots, urban areas, domestic outdoor premises, and other areas associated with household or home life.
- In areas for lawn replacement or garden plot preparation.
- Urban areas where total vegetation control is desired.
- Farmsteads where total vegetation control is desired: around farmstead building foundations, along fences, hedgerows, fencerows, under fencelines, around shelterbelts and other areas where nonselective weed control is desired.

For Landscaping

- Prepare areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings.
- Delay mowing, tilling, or disturbing the treated vegetation for at least seven (7) days after application of this product for the best results. However, if the treated vegetation is not disturbed, planting or transplanting of trees, flowers, shrubs, bedding plants may be done at one (1) day after application.

For Brush Control: Foliar Sprays for Brush

- Cut back brush that is taller than 5 feet and then spray regrowth.
- For maximum activity, weeds should be growing vigorously at the time of the postemergent applications. The most favorable period for treatment occurs after full leaf stage in the spring and continues into early summer. Brush treated in the late fall may not be fully controlled.
- Spray uniformly the foliage of the vegetation to be controlled. Apply for full coverage and thorough brush/weed contact.
- Follow-up applications of this product or with a different herbicide may be needed under less favorable growing conditions and for hard-to-control species including blackberry, poison oak, and kudzu.

For Lawn Renovation and Lawn Replacement

- Spot treatments or broadcast applications can be used to establish or renovate warm season and cool season turfgrass from seed or planting stock. This product may be applied before planting, seeding, sprigging, plugging, or sodding.
- Use this herbicide to remove the existing lawn and kill weeds and grasses. Uniform and complete spray coverage of all existing vegetation is required.
- Bermudagrass, nutsedge, torpedograss and deep rooted perennials may require a second treatment in 5 to 7 days.
- For best results, apply in spring or fall when daytime temperatures are at least 60°F.
- Best results are obtained when one mowing is skipped before and after the application of this product.
- If the lawn is dry, water lawn before applying this herbicide. Water again 2 to 3 days after application.
- Seeding, sprigging, plugging or sodding may be done at seven (7) days after application of this product. Prepare the soil for planting by raking, rototilling, vertical cutting, or other tillage method.
- Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and soil amendments if needed. Establish the lawn according to local cultural practices.

For Vine Control

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
- If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for spray regrowth. If spraying regrowth, shield shrubs and green bark from spray drift with a piece of cardboard or plastic.

Do it Best **GRASS & WEED KILLER** Ready-to-use

HOW AND WHEN TO APPLY:

- This herbicide is formulated for "spot" treatment of individual weeds and grasses. This product is ready-to-use (RTU) and is applied directly from the container fitted with a trigger sprayer. Adjust the sprayer tip to deliver coarse spray droplets to the individual weeds. Direct the spray to the target weeds—the ones you want to kill—to provide uniform and thorough coverage. Apply on a spray-to-wet basis.
- Apply when the weeds are growing actively and air temperatures are above 60°F.
- Spray when air is calm to prevent drift to desirable plants.
- When treating around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plant is accidentally sprayed, rinse off immediately with water.
- One (1) application will kill most of the weeds listed.
- Weeds usually begin to wilt within hours with complete kill in 1 to 2 weeks.
- Rain or watering 2 hours after application will not wash away effectiveness.
- Weed control may be reduced under adverse environmental conditions, e.g., drought, cool temperatures or misapplication. Difficult to control weeds, dense infestations/populations, or heavy/dense growth (canopy) of the target species may require additional applications. Two (2) or more applications at four (4) weeks intervals may be required for season long control.
- Ornamental flowers, trees and shrubs may be planted 1 day after application.
- A 128 fl.oz. (1.0 gallon) retail container size treats approximately 1,000 weeds or up to 3,500 sq.ft.

STORAGE & DISPOSAL

PESTICIDE STORAGE: Store in original container in a locked storage area. Keep from freezing. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.
If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use. THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law. The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals
CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Harmful if swallowed. Wash thoroughly with soap and water.

First Aid

- If in eyes:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 - 20 minutes.
- Call a poison control center or doctor for treatment advice.

If swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556.

Environmental Hazards

Do not apply directly to water. Do not contaminate water when disposing of equipment washwater and rinsate.

Physical Or Chemical Hazards

Combustible. Do not use or store near heat or open flame.

EPA Reg. No. 2217-844-75111
EPA Est. No. 58999-MO-1

Distributed by: Maid Brands, Inc.
Hazelwood, MO 63042

Do it Best® is a trademark of Do it Best Corp., Ft. Wayne, IN 46801.

PRESS TO RESEAL

Booklet cover

p1 - inside cover

p2 - base - adheres to bottle

BLUE LINES DO NOT PRINT

**GRASS & WEED KILLER GALLON
BACK BOOKLET**

EPA REG. NO. 2217-844-75111



DISCONTINUED

LICENSED

PERIOD **2015-2016** LIC. NO.

8485.16

— BLEED LINE

— DIE LINE

Doit Best

GRASS & WEED KILLER

Ready-to-use

- kills the root
- treated areas can be re-seeded 7 days after application
- results in as little as 24 hours
- rain-proof in hours

Control para Hierba y Mala Hierba
Listo para usar

ACTIVE INGREDIENT:	
Isopropylamine salt of glyphosate*	2.0%
INERT INGREDIENTS	98.0%
	TOTAL 100.0%

*N-(phosphonomethyl)glycine

KEEP OUT OF REACH OF CHILDREN
CAUTION See booklet back panel for first aid and additional precautionary statements

727990 O/M 1-12 NET CONTENTS 1 QT (32 FL OZ) 946ml

FRONT

32 OZ. RTU

PRINTS 4 COLOR PROCESS

RED = PMS 485 (C-0, M-100, Y-90, K-0)

YELLOW = PMS 115 (C-0, M-9, Y-80, K-0)

32 OZ GRASS & WEED RTU BACK LABEL WITH BOOKLET

EPA Reg. No. 2217-844

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Keep children and pets out of treated areas until sprays have dried.


HOW IT WORKS:
Facts and Tips

- This herbicide is a general purpose herbicide designed as a ready-to-use spray to control a broad spectrum of emerged annual and perennial weed species. This herbicide will control unwanted species of grass, sedge, broadleaf weeds, and certain woody species around trees, shrubs, fences.
- This product kills plants by inhibiting the production of a substance found only in plants. It enters plants through the sprayed foliage and moves down to the roots.
- This product is nonselective and will kill or injure all vegetation contacted by the spray. Do not spray plants or grasses you like - they may die too. Not recommended for spot weed control in lawns since this product kills lawn grasses.
- Any product not absorbed by plants breaks down into natural materials without moving in or on the soil to untreated plants.
- This product has no soil residual activity and thus will not affect nearby untreated plants.
- Plants that have not emerged at the time of application will not be controlled.
- Best results will be obtained when the weed species are actively growing.

Distributed by: EPA Reg. No. 2217-844-75111
Maid Brands, Inc. EPA Est. No. 58996-MO-1
Hazelwood, MO 63042

Do it Best® is a trademark of Do it Best Corp., Ft. Wayne, IN 46801.

OPEN HERE



**TOUGH WEED CONTROL (Annuals, Perennials, and Brush)
CONTROLS WEEDS AND GRASSES Including**

Lawn and Turfgrass Species
This herbicide will provide full or partial control (suppression) of these lawn and turfgrass species:

Bahiagrass	Foxtail, green, yellow, creeping, meadow and giant
Bentgrass, colonial, creeping and redtop	Johnsongrass
Bermudagrass, common and hybrid	Kikuyugrass
Bluegrass, annual, rough, and Kentucky	Orchardgrass
Bromegrass, downy and smooth	<i>Paspalum</i> spp.
Buffalograss*	Ryegrass, annual (Italian), perennial, and hardy
Canarygrass, reed	St. Augustinegrass
Carpetgrass*	Zoysiagrass or Japanese lawngrass
Centipedegrass	
Fescue, chewings, hard, red, tall and sheep	*Not for use in California

Woody Species
This herbicide will provide full or partial control (suppression) of these woody species:

Alder	Dewberry	Lantana	Pine	Sumac
Blackberry	Elm	Maple	Poison ivy	Trumpet creeper
Barberry*	Elderberry	Multiflora rose	Poison oak	Wild blackberry
<i>Caenothus</i> spp.	Honeysuckle	Mock orange*	Poison hemlock	Western red cedar*
Cherry	Hickory	Manzanita	Quaking aspen	Willow
Coyotebrush	Kudzu	Oak	Raspberry	*Not for use in California

Annual and Perennial Weed Species
This herbicide will provide full or partial control (suppression) of these annual and perennial weed species:

Artichoke, Jerusalem	Fiddleneck	Oxalis	Texas panicum
Barnyardgrass	Field bindweed	Pampasgrass	Thistle
Beggarweed	Field penny/cress	Pennsylvania smartweed	Timothy
Bittercress	Field sandbur	Pennywort	Toadflax
Black medic	Flaree	Pigweed	Torpedograss
Broadleaf plantain	Florida pusley	Plantain	Trailing lantana
Buckhorn plantain	Garden spurge	Prickly lettuce	Tumble mustard
Bull thistle	Goosegrass	Primrose	Vasagrass
Burclover	Green foxtail	Prostrate spurge	Velvetleaf
Canada thistle	Guineagrass	Puncturevine	Virginia-creeper
Chickweed	Hemp sesbania	Purple cudweed	White clover
Clover	Henbit	Purple nutsedge	Whitetop
Cocklebur	Horsenettle	Purslane	Wild barley
Common groundsel	Horse radish	Quackgrass	Wild carrot
Common mullen	Horseweed/marestail	Ragweed	Wild geranium
Common ragweed	Ironweed	Red clover	Wild morningglory
Coral-bead	Knapweed	Red sorrel*	Wild mustard
Crabgrass	Knawel	Redroot pigweed	Wild oats
Creeping beggarweed	Knotweed	Sheepspurge	Wild sweet potato
Creeping Charlie	Lambsquarters	Smartweed	Witchgrass
Curly dock	London rocket	Smooth catsear	Yarrow
Dallisgrass	Lovegrass	Smooth pigweed	Yellow nutsedge
Dandelion	Mallow	Sowthistle	Yellow oxalis
Dogfennel	Mayweed	Spotted spurge	Yellow starthistle
Evening primrose	Milkweed	Spurge	and many other weeds
Fall panicum	Mouseear chickweed	Sunflower	
False dandelion	Nimblewill	Tansy ragwort	
Fenel	Oleander*	Tansy mustard	*Not for use in California

BOOKLET COVER

PAGE 2

PAGE 3

WHERE TO USE:
For General Weed Control and Spot Spraying

- Along and on sidewalks, gravel/brick walkways, paths, curbs, paved areas (private roads and streets), driveways, parking areas, recreational areas.
- Along ornamental lawns and turfgrass.
- Around or near ornamental/shade trees, fruit and nut trees, grapevines, shrubs, ground-covers, flower beds, mulched landscape beds.
- Along fences, hedgerows, under fencelines.
- Around rocks, signposts, light posts, or on fringe areas.
- Around or along buildings/structures, foundations, patios, houses, mobile homes, vacant lots, urban areas, domestic outdoor premises, and other areas associated with household or home life.
- In areas for lawn replacement or garden plot preparation.
- Urban areas where total vegetation control is desired.
- Farmsteads where total vegetation control is desired: around farmstead building foundations, along fences, hedgerows, fencerows, under fencelines, around shelterbelts and other areas where nonselective weed control is desired.

For Landscaping

- Prepare areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings.
- Delay mowing, tilling, or disturbing the treated vegetation for at least seven (7) days after application of this product for the best results. However, if the treated vegetation is not disturbed, planting or transplanting of trees, flowers, shrubs, bedding plants may be done at one (1) day after application.

For Brush Control: Foliar Sprays for Brush:

- Cut back brush that is taller than 5 feet and then spray regrowth.
- For maximum activity, weeds should be growing vigorously at the time of the post emergent applications. The most favorable period for treatment occurs after full leaf stage in the spring and continues into early summer. Brush treated in the late fall may not be fully controlled.
- Spray uniformly the foliage of the vegetation to be controlled. Apply for full coverage and thorough brush/weed contact.

- Follow-up applications of this product or with a different herbicide may be needed under less favorable growing conditions and for hard-to-control species including blackberry, poison oak, and kudzu.

For Lawn Renovation and Lawn Replacement

- Spot treatments or broadcast applications can be used to establish or renovate warm season and cool season turfgrass from seed or planting stock. This product may be applied before planting, seeding, sprigging, plugging, or sodding.
- Use this herbicide to remove the existing lawn and kill weeds and grasses. Uniform and complete spray coverage of all existing vegetation is required.
- Bermudagrass, nutsedge, torpedograss and deep rooted perennials may require a second treatment in 5 to 7 days.
- For best results, apply in spring or fall when daytime temperatures are at least 60°F.
- Best results are obtained when one mowing is skipped before and after the application of this product.
- If the lawn is dry, water lawn before applying this herbicide. Water again 2 to 3 days after application.
- Seeding, sprigging, plugging or sodding may be done at seven (7) days after application of this product. Prepare the soil for planting by raking, rototilling, vertical cutting, or other tillage method.
- Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and soil amendments if needed. Establish the lawn according to local cultural practices.

For Vine Control

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
- If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for spray regrowth. If spraying regrowth, shield shrubs and green bark from spray drift with a piece of cardboard or plastic.

HOW AND WHEN TO APPLY:

- This herbicide is formulated for "spot" treatment of individual weeds and grasses. This product is ready-to-use (RTU) and is applied directly from the container fitted with a trigger sprayer. Adjust the sprayer tip to deliver coarse spray droplets to the individual weeds. Direct the spray to the target weeds - the ones you want to kill - to provide uniform and thorough coverage. Apply on a spray-to-wet basis.
- Apply when the weeds are growing actively and air temperatures are above 60°F.
- Spray when air is calm to prevent drift to desirable plants.
- When treating around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plant is accidentally sprayed, rinse off immediately with water.
- One (1) application will kill most of the weeds listed.
- Weeds usually begin to wilt within hours with complete kill in 1 to 2 weeks.
- Rain or watering 2 hours after application will not wash away effectiveness.
- Weed control may be reduced under adverse environmental conditions, e.g., drought, cool temperatures or misapplication. Difficult to control weeds, dense infestations/populations, or heavy/dense growth (canopy) of the target species may require additional applications. Two (2) or more applications at four (4) weeks intervals may be required for season long control.
- Ornamental flowers, trees and shrubs may be planted 1 day after application.
- A 32 fl.oz. (1.0 quart) retail container size treats approximately 250 weeds or up to 875 sq.ft.

LIMITED WARRANTY AND DISCLAIMER.
The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.
THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law. The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

PAGE 4

PAGE 5

PAGE 6

BLUE LINES DO NOT PRINT

Do it Best
GRASS & WEED KILLER Ready-to-use

STORAGE & DISPOSAL
PESTICIDE STORAGE: Store in original container in a locked storage area. Keep from freezing. Do not contaminate water, food or feed by storage or disposal.
PESTICIDE DISPOSAL:
If empty: Do not reuse this container. Place in trash or offer for recycling if available.
If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals
CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Harmful if swallowed. Wash thoroughly with soap and water.
First Aid: If in eyes: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556.

Environmental Hazards
Do not apply directly to water. Do not contaminate water when disposing of equipment washwater and rinsate.

Physical Or Chemical Hazards
Combustible. Do not use or store near heat or open flame.

Distributed by:
Maid Brands, Inc. EPA Reg. No. 2217-844-75111
Hazelwood, MO 63042 EPA Est. No. 58996-MO-1

Do it Best® is a trademark of Do it Best Corp., Ft. Wayne, IN 46801.

BACK BASE

PRINTS 4 COLOR PROCESS

RED = PMS 485 (C-0, M-100, Y-90, K-0)

YELLOW = PMS 115 (C-0, M-9, Y-80, K-0)